

ANESTHETICS & ANALGESICS



Strength 2 mg/ml, 10 mg/ml, 20 mg/ml, 50 mg/ml
Volume 2 mg/ml, 10 mg/ml, 20 mg/ml, 50 mg/ml 1 ml
 10 mg/ml 10 ml
ATC code N02AA03

ANALGESIC, OPIOID

This medicine is used for the treatment of severe pain.



Strength 10 mg/ml, 50 mg/ml
Volume 10 mg/ml, 50 mg/ml 1 ml
 10 mg/ml 2 ml
ATC code N02AA05

ANALGESIC, OPIOID

This medicine is used for:

- the treatment of moderate to severe pain in patients with cancer and postoperative pain;
- the treatment of severe pain requiring the use of a strong opioid.



Strength 5 mg/ml, 25 mg/ml
Volume 5 mg/ml 5 ml
 25 mg/ml 2 ml, 10 ml
ATC code N01AX14

ANESTHETIC, GENERAL

Therapeutic indications:

- Induction and maintenance of general anaesthesia, as the only anaesthetic or in combination with another anaesthetic.
- Anaesthesia and pain relief (analgesia) in emergency medicine.
- Supplementation of regional or local anaesthesia.

Fentanyl injection
 0.05 mg/ml 2 ml and 10 ml

N01AH01 - ANESTHETICS, GENERAL



Morphine hydrochloride injection
 10 mg/ml 1 ml; 20 mg/ml 1 ml, 5 ml and 10 ml

N02AA01 - ANALGESICS, OPIOID



Morphine sulfate injection (w/o preservatives)
 2 mg/ml, 5 mg/ml, 10 mg/ml,
 15 mg/ml, 30 mg/ml 1 ml

N02AA01 - ANALGESICS, OPIOID



Hydromorphone hydrochloride injection (generic of Palladone®) 2 mg/ml, 10 mg/ml, 20 mg/ml, 50 mg/ml 1 ml
 10 mg/ml 10 ml

N02AA03 - ANALGESICS, OPIOID



Oxycodone hydrochloride injection (generic of Oxycontin®) 10 mg/ml, 50 mg/ml 1 ml
 10 mg/ml 2 ml

N02AA05 - ANALGESICS, OPIOID



Remifentanyl powder for concentrate for solution for injection/infusion* (generic of Ultiva®) 1 mg, 2 mg, 5 mg

N01AH06 - ANESTHETICS, GENERAL



Alfentanil injection (generic of Rapifen®)
 0.5 mg/ml 2 ml and 10 ml

N01AH02 - ANESTHETICS, GENERAL



Sufentanil injection* (generic of Sufenta®)
 0.005 mg/ml 2 ml and 10 ml; 0.05 mg/ml 5 ml and 10 ml

N01AH03 - ANESTHETICS, GENERAL



Esketamine injection (generic of Ketanest® S)
 5 mg/ml 5 ml; 25 mg/ml 2 ml and 10 ml

N01AX14 - ANESTHETICS, GENERAL



Ropivacaine hydrochloride injection* (generic of Naropin®) 2 mg/ml 10 ml, 20 ml, 100 ml and 200 ml; 5 mg/ml 10 ml;
 7.5 mg/ml 10 ml and 20 ml; 10 mg/ml 10 ml and 20 ml

N01BB09 - ANESTHETICS, LOCAL



Fentanyl nasal spray* (generic of PecFent®)
 50 µg/dose and 200 µg/dose 2.9 ml

N02AB03 - ANALGESICS, OPIOID



Fentanyl sublingual tablets* (generic of Abstral®)
 100 µg, 200 µg, 300 µg, 400 µg, 600 µg, 800 µg

N02AB03 - ANALGESICS, OPIOIDS



Tramadol hydrochloride injection (generic of Tramal®)
 50 mg/ml 1 ml and 2 ml

N02AX02 - ANALGESICS, OPIOID



Trimeperidine hydrochloride injection
 20 mg/ml 1 ml

N02AX - ANALGESICS, OPIOID



Metamizole sodium monohydrate injection (generic of Novalgin®)
 500 mg/ml 2 ml and 5 ml

N02BB02 - ANALGESICS,
 OTHER ANALGESICS AND ANTIPYRETICS



Nefopam hydrochloride injection* (generic of Acupan®)
 10 mg/ml 2 ml

N02BG06 - ANALGESICS, OTHER



Morphine prolonged release tablets* (generic of MS Contius®) 10 mg, 30 mg, 60 mg, 100 mg

N02AA01 - ANALGESICS, OPIOIDS



Oxycodone prolonged release tablets* (generic of Oxycontin®) 5 mg, 10 mg, 20 mg, 40 mg, 80 mg

N02AA05 - ANALGESICS, OPIOIDS



Fentanyl transdermal patches* (generic of Durogesic®)
 12.5 µg/h, 25 µg/h, 50 µg/h, 75 µg/h, 100 µg/h

N02AB03 - ANALGESICS, OPIOIDS



Buprenorphine transdermal patches* (generic of Norspan®)
 5 µg/h, 10 µg/h, 20 µg/h

N02AE01 - ANALGESICS, OPIOIDS



* under development



Strength 10 mg/ml
Volume 2.5 ml, 5 ml
ATC code M03AC04

MUSCLE RELAXANTS, PERIPHERALLY ACTING AGENTS

This medicine is used as an adjunct to general anesthesia to facilitate tracheal intubation, to relax skeletal muscles during surgery or controlled ventilation, and to facilitate mechanical ventilation of patients in the intensive care unit.



Strength 2 mg/ml
Volume 2.5 ml, 5 ml, 10 ml
ATC code M03AC11

MUSCLE RELAXANTS, PERIPHERALLY ACTING AGENTS

Therapeutic indications
Cisatracurium Kalceks is indicated for use during surgical and other procedures in adults and children aged 1 month and over. It is also indicated for use in adults requiring intensive care. Cisatracurium Kalceks can be used as an adjunct to general anaesthesia, or sedation in the Intensive Care Unit (ICU) to relax skeletal muscles, and to facilitate tracheal intubation and mechanical ventilation.

Atracurium besilate injection (generic of Tracrium®)
10 mg/ml 2.5 ml and 5 ml

M03AC04 - MUSCLE RELAXANTS,
PERIPHERALLY ACTING AGENTS



Cisatracurium injection (generic of Nimbex®)
2 mg/ml 2.5 ml, 5 ml and 10 ml

M03AC11 - MUSCLE RELAXANTS,
PERIPHERALLY ACTING AGENTS



Rocuronium bromide injection (generic of Esmeron®)
10 mg/ml 5 ml

M03AC09 - MUSCLE RELAXANTS,
PERIPHERALLY ACTING AGENTS



Mivacurium injection* (generic of Mivacron®)
2 mg/ml 5 ml and 10 ml

M03AC10 - MUSCLE RELAXANTS,
PERIPHERALLY ACTING AGENTS



Dexketoprofen injection (generic of Keral®, Ketesse®)
25 mg/ml 2 ml

M01AE17 - ANTIINFLAMMATORY
AND ANTIRHEUMATIC PRODUCTS,
NON-STERIODS



Strength 10 mg/ml
Volume 5 ml
ATC code M03AC09

MUSCLE RELAXANTS, PERIPHERALLY ACTING AGENTS

This medicine is indicated in adult and paediatric patients (from term neonates to adolescents [0 to <18 years]) as an adjunct to general anaesthesia to facilitate tracheal intubation during routine sequence induction and to provide skeletal muscle relaxation during surgery. In adults rocuronium bromide is also indicated to facilitate tracheal intubation during rapid sequence induction and as an adjunct in the intensive care unit (ICU) to facilitate intubation and mechanical ventilation.



Strength 500 mg/ml
Volume 180 ml
ATC code N07XX04

OTHER NERVOUS SYSTEM DRUGS

Treatment of narcolepsy with cataplexy in adult patients.

Dexmedetomidine injection (generic of Dexdor®)
100 µg/ml 2 ml, 4 ml and 10 ml

N05CM18 - HYPNOTICS AND SEDATIVES



Sodium oxybate oral solution (generic of Xyrem®)
500 mg/ml 180 ml

N07XX04 - OTHER NERVOUS SYSTEM DRUGS



Midazolam injection (generic of Dormicum®)
5 mg/ml 1 ml, 3 ml and 10 ml; 1 mg/ml 5 ml

N05CD08 - HYPNOTICS AND SEDATIVES



Apomorphine hydrochloride hemihydrate injection* (generic of APO-go®)
5 mg/ml 10 ml

N04BC07 - ANTI-PARKINSON DRUGS, DOPAMINERGIC AGENTS



Ondansetron injection*
2 mg/ml 2 ml and 4 ml

A04AA01 - ANTIEMETICS AND ANTINAUSEANTS



Droperidol injection
1.25 mg/ml 1 ml; 2.5 mg/ml 1 ml

N05AD08 - PSYCHOLEPTICS, ANTIPSYCHOTICS



Rivastigmine transdermal pathes* (generic of Exelon®)
4.6 µg/24 h, 9.5 µg/24 h, 13.3 µg/24 h

N06DA03 - ANTI-DEMENTIA DRUG



Piracetam injection
200 mg/ml 5 ml and 10 ml

N06BX03 - PSYCHOANALEPTICS, PSYCHOSTIMULANTS, AGENTS USED FOR ADHD AND NOOTROPICS



Neostigmine metilsulfate injection
0.5 mg/ml 1 ml

N07AA01 - OTHER NERVOUS SYSTEM DRUGS, PARASYMPATHOMIMETICS



*under development



Strength 100 µg/ml
Volume 2 ml, 4 ml, 10 ml
ATC code N05CM18

HYPNOTICS AND SEDATIVES

Therapeutic indications
For sedation of adult ICU (Intensive Care Unit) patients requiring a sedation level not deeper than arousal in response to verbal stimulation (corresponding to Richmond Agitation-Sedation Scale (RASS) 0 to -3).

For sedation of non-intubated adult patients prior to and/or during diagnostic or surgical procedures requiring sedation, i.e. procedural/awake sedation.



Strength 1.25 mg/ml, 2.5 mg/ml
Volume 1 ml
ATC code N05AD08

PSYCHOLEPTICS, ANTIPSYCHOTICS



Strength 1 mg/ml
Volume 1 ml, 2 ml, 4 ml, 5 ml, 8 ml, 10 ml, 25 ml
ATC code C01CA03

CARDIAC STIMULANTS

Therapeutic indications
Recommended for use as an emergency measure in the restoration of blood pressure in cases of acute hypotension.



Strength 5 mg/ml
Volume 5 ml, 10 ml
ATC code C02CA06

ANTIHYPERTENSIVES

Therapeutic indications
Hypertensive emergencies (e.g. a critical rise in blood pressure), severe and very severe forms of hypertensive disease, hypertension resistant to treatment.
Controlled lowering of blood pressure in hypertensive patients during and/or after surgery.

Norepinephrine injection
1 mg/ml 1 ml, 2 ml, 4 ml, 5 ml, 8 ml, 10 ml and 25 ml

C01CA03 - CARDIAC STIMULANTS



Levosimendan injection* (generic of Simdax®)
1.25 mg/ml, 2.5 mg/ml 1 ml

C01CX08 - CARDIAC SIMULANTS



Urapidil injection (generic of Ebrantil®)
5 mg/ml 5 ml and 10 ml

C02CA06 - ANTIHYPERTENSIVES



Furosemide injection (generic of Lasix®)
10 mg/ml 2 ml, 4 ml and 5 ml

C03CA01 - DIURETIC



Strength 1.25 mg/ml, 2.5 mg/ml
Volume 1 ml
ATC code C01CX08

CARDIAC STIMULANTS

Therapeutic indications

Indicated for the short-term treatment of acutely decompensated severe chronic heart failure (ADHF) in situations where conventional therapy is not sufficient, and in cases where inotropic support is considered appropriate.

* under development



Strength 50 mg / 50 mg / 0.5 mg / 10 mg/ml
Volume 2 ml
ATC code A11DB

VITAMIN B1, PLAIN AND IN COMBINATION WITH VITAMIN B6 AND B12

This medicine is used for treatment of haematologic and neurologic symptoms caused by continuous deficiency of vitamins B1, B6 and B12 in adults and children over 12 years.



Strength 100 mg/ml, 200 mg/ml, 250 mg/ml, 500 mg/ml
 100 mg/ml, 200 mg/ml, 250 mg/ml 10 ml;
 500 mg/ml (WHO prequalified) 2 ml and 10 ml
Volume 10 ml
ATC code A12CC02

OTHER MINERAL SUPPLEMENTS

Therapeutic indications

Magnesium sulfate injection is indicated in

- the treatment of magnesium deficiency in proven hypomagnesaemia;
- the prevention and treatment of hypomagnesaemia in patients receiving total parenteral nutrition;
- torsade de pointes;
- the control and prevention of seizures in severe pre-eclampsia;
- the control and prevention of recurrent seizures in eclampsia.



Strength 20 mg/ml
Volume 1 ml
ATC code A03BB01

Belladonna alkaloids, semisynthetic, quaternary ammonium compounds

Therapeutic indications

Acute spasm of the gastrointestinal tract, biliary tract, pancreas and urogenital tract.

As antispasmodic agent in radiology in different diagnostic procedures where spasm may be a problem (e.g. gastroduodenal endoscopy).

Scopolamine butylbromide injection (generic of Buscopan®)
 20 mg/ml 1 ml

A03BB01 - ANTIEMETICS AND ANTINAUSEANTS



Palonosetron injection* (generic of Aloxi®)
 0.05 mg/ml 5 ml

A04AA05 - ANTIEMETICS AND ANTINAUSEANTS



Sugammadex injection* (generic of Bridion®)
 100 mg/ml 2 ml and 5 ml

V03AB35 - ALL OTHER THERAPEUTIC PRODUCTS



Calcium folinate injection*
 10 mg/ml 5 ml, 10 ml, 20 ml, 30 ml, 50 ml and 100 ml

V03AF03 - ALL OTHER THERAPEUTIC PRODUCTS



Dexamethasone phosphate injection*
 4 mg/ml 1 ml and 2 ml

H02AB02 - CORTICOSTEROIDS



B-vitamins complex injection (generic of Milgamma®)
 (Pyridoxine hydrochloride, Thiamine hydrochloride, Cyanocobalamin, Lidocaine hydrochloride)
 100 mg/100 mg/1 mg/20 mg/2 ml solution for injection

A11DB - VITAMIN B1, PLAIN AND IN COMBINATION WITH VITAMIN B6 AND B12



Pantoprazole powder for solution for injection* (generic of Pantozol®) 40 mg

A02BC02 - DRUGS FOR PEPTIC ULCER AND GASTRO-OESOPHAGEAL REFLUX DISEASE (GORD)



Magnesium sulfate heptahydrate injection
 100 mg/ml, 200 mg/ml, 250 mg/ml 10 ml
 500 mg/ml (WHO prequalified) 2 ml and 10 ml

A12CC02 - OTHER MINERAL SUPPLEMENTS



Pyridoxine hydrochloride injection
 50 mg/ml 1 ml

A11HA02 - VITAMINS, OTHER PLAIN VITAMIN PREPARATIONS



Sodium chloride injection
 9 mg/ml 10 ml

B05XA03 - BLOOD SUBSTITUTES AND PERFUSION SOLUTIONS, I.V. SOLUTION ADDITIVES



Iohexol injection*
 300 mg I/ml, 350 mg I/ml

VA8AB02 - CONTRAST MEDIA

