



Contributing to the health and happiness of humankind
www.ildong.com/eng

PRODUCT LIST



Head office
2, Baumoe-ro 27-gil, Seocho-gu, Seoul, Korea Tel : +82-2-526-3114 Fax : +82-2-526-3031
Factory
Finished products : 25, Gongdan 1-ro, Anseong-si, Gyeonggi-do, Korea
Raw materials : 53, Gongdan-ro 98 beon-gil, Heungdeok-gu, Cheongju-si, Chungcheongbuk-do, Korea
E-mail address : export@ildong.com Home page : www.ildong.com/eng



Philosophy


A leading global organization that helps people live healthier and happier lives



Vision

As a sustainable total healthcare company with over 1 tril. won in sales and 0.1 tril. won in income, we will perform innovative R&D for new solutions, become the most trusted partner for health professionals, and build the most valuable consumer brand.

ILDONG Group



Overview


Establishment March 14, 1941	Employees 1,319 (Jul, 2023)	Number of patents 125 patents (ILDONG Group)
Turnover US\$580M (2022)	Growth rate CAGR 5.57% (2018-2022)	Head office 2, Baumoe-ro 27-gil, Seocho-gu, Seoul, Korea
R&D and Plant 1 central R&D center 4 manufacturing plants	Branches of domestic sales 15 branches for hospital sales 21 branches for clinic sales 12 branches for pharmacy sales	Main business Manufacturing and sales of pharmaceutical products & API

Main Products

48%	ETC Besifovir Tab. Pemetrexed Inj.	42%	OTC Zea mays Tab. Active Multivitamin Tab.
6%	Food supplement Vitamin Complex Probiotics	4%	Cosmetic Probiotic Mask Probiotic Serum

R&D Center

Becoming a leading global pharmaceutical company through development of innovative new drugs



R&D Source of Innovation



Strong in-house medicinal chemistry capability



Empowered lab-venture agile organization




Partnership with world-class CROs and firms



Uncompromised quality and speed, cost-effective

R&D Expense



Manufacturing Facilities



General facility(Anseong)

1. Automated facilities and professional manpower
2. Stabilized manufacturing process
3. PIC/s GMP compliance
4. Capacity(yr) : Tablet(11.3B), Capsule(2.5B), Ampoule(94M), Liquid(74M), Lyophilized(18M)
5. Floor area 25,101m²

Anticancer(Anseong)

1. Dedicated facility for cytotoxic anticancer drugs
2. All formulation available
3. PIC/s GMP compliance
4. Capacity(yr) : Tablet(100M), Capsule(300M), Lyophilized(0.55M), Liquid(30M)
5. Floor area 2,344m²



Cephalosporin(Anseong)

1. The biggest capacity of lyophilized cephalosporin injection in Korea
2. All formulation available
3. PIC/s GMP compliance
4. Capacity(yr) : Tablet(500M), Capsule(660M), Lyophilized(11M), Granule(0.7M KG)
5. Floor area 7,587m²

API(Cheongju)

1. Synthesis plant for high-quality API
2. Accreditation certificate of foreign drug manufacturer(Japan)
3. PIC/s GMP and PMDA compliance
4. Floor area 9,761m²
5. Manufacturing products: API(Chemical synthesis)



Probiotics(Poseung)

1. The biggest fermentation & extraction facilities in Korea
2. Certified GMP, HACCP, ISO14001
3. Patented technology "Quadruple coating" & "Tyndallization"
4. Customized formulation available
5. Floor area 9,761m²
6. Manufacturing products: Probiotics

HA & Dermal Filler(Cheongju)

1. Raw material manufacturing site approved aseptic GMP
2. Dermal filler manufacturing site approved GMP
3. Manufacture high purity HA & Dermal filler
4. Floor area 4,837m²
5. Manufacturing products: Sodium Hyaluronate(Raw material, Dermal filler)

Gastrointestinal system

Product name	Picture	Classification	API	Packing unit
BESIVO Tablets		Hepatitis B virus treatments	Besifovir dipivoxil 150mg	30T / Bottle
VICURE Tablets		Hepatitis B virus treatments	Entecavir 0.5mg, 1mg	30T / Alu-Alu
RABIET DUO Tablets		Proton pump inhibitor / Antacid	Rabeprazole sodium/ Sodium bicarbonate 10/500mg, 20/500mg	28T / Bottle

Anticancer

SPECSSA Tablets		Targeted cancer therapy	Gefitinib 250mg	30T / PTP
ALGIK Injection		Antimetabolite	Pemetrexed 100, 500mg	1V / Box
XELOBIG Tablets		Antimetabolite	Capecitabine 150, 500mg	60T / PTP 120T / PTP (500mg)
ID GEMCITABINE Injection (Lyophilized)		Antimetabolite	Gemcitabine HCl 228mg, 1,140mg(200mg, 1g as Gemcitabine)	1V / Box
ID FLUOROURACIL Injection (Liquid)		Antimetabolite	Fluorouracil 50.0mg/mL (5mL, 10mL, 20mL)	1V / Box 10V / Box

Cardiovascular system

XARELIBAN Tablets		Antithrombotics, Antiplatelet agents.	Rivaroxaban 2.5mg, 10mg, 15mg, 20mg	30T / PTP
-----------------------------	--	--	--	-----------

Product name	Picture	Classification	API	Packing unit
PITA-Q Tablets		Antihyperlipidemic agents	Pitavastatin calcium 2mg, 4mg	30T / Bottle 100T / Bottle (2mg)
ROVETIN Tablets		Antihyperlipidemic agents	Rosuvastatin 5mg, 10mg, 20mg	30T / Bottle 100T / Bottle
DROPTOP Tablets		Antihyperlipidemic agents	Rosuvastatin/Ezetimibe 5/10mg, 10/10mg, 20/10mg	30T / Alu-Alu
MICATERE Tablets		Antihypertensive agents	Telmisartan 40mg, 80mg	30T / Alu-Alu
MICATERE PLUS Tablets		Antihypertensive agents	Telmisartan/Hydrochlorothiazide 40/12.5mg, 80/12.5mg, 80/25mg	30T / Alu-Alu
TELOSTOP Tablets		Antihypertensive/ Antihyperlipidemic agents	Telmisartan/Rosuvastatin 40/5mg, 40/10mg, 40/20mg 80/5mg, 80/10mg, 80/20mg	30T / Alu-Alu
TELOSTOP PLUS Tablets		Antihypertensive/ Antihyperlipidemic agents	Telmisartan/Amlodipine/ Rosuvastatin 40/5/5mg, 40/5/10mg, 80/5/5mg, 80/5/10mg	30T / Alu-Alu
TWOTOPS Tablets		Antihypertensive agents	Telmisartan/Amlodipine 40/5mg, 40/10mg, 80/5mg, 80/10mg	30T / Alu-Alu
TWOTOPS PLUS Tablets		Antihypertensive agents	Telmisartan/Amlodipine/ Hydrochlorothiazide 40/5/12.5mg, 80/5/12.5mg, 80/5/5mg, 80/10/12.5m	30T / Alu-Alu

Product name	Picture	Classification	API	Packing unit
DIOPASS Tablets		Antihypertensive agents	Valsartan 40mg, 80mg, 160mg	28T / PTP 98T / PTP (80mg, 160mg) 30T / Bottle (40mg, 80mg)
CO-DIOPASS Tablets		Antihypertensive agents	Valsartan/Hydrochlorothiazide 80/12.5mg, 160/12.5mg	28T / PTP
BIFORGE Tablets		Antihypertensive agents	Amlodipine/Valsartan 5/80mg, 5/160mg, 10/160mg	28T / Alu-Alu
AMLOTEN Tablets		Antihypertensive agents	Amlodipine 5mg	30T / Bottle 300T / Bottle
BENDIPINE Tablets		Antihypertensive agents	Benidipine 4mg, 8mg	30T / Bottle 100T / Bottle (4mg) 300T / Bottle
SETORAM Tablets		Antihypertensive agents	Torsemide 2.5mg, 5mg, 10mg	30T / Bottle 100T / Bottle (5mg)
L-CARN Tablets		Miscellaneous cardiovascular system	Levocarnitine 330mg	60T / Alu-Alu


Endocrine & Metabolic system

SITAMONO Tablets		Antidiabetic agents	Sitagliptin HCl hydrate 100mg	28T / PTP
SITACOMBI Tablets		Antidiabetic agents	Sitagliptin HCl hydrate/ Metformin HCl 50/500mg, 50/850mg, 50/1,000mg	56T / PTP 30T / Bottle 200T / Bottle
SITACOMBI XR Tablets		Antidiabetic agents	Sitagliptin HCl hydrate/ Metformin HCl 50/500mg, 50/1,000mg, 100/1,000mg	28T / Bottle 56T / Bottle 200T / Bottle


Antibiotics

Product name	Picture	Classification	API	Packing unit
CEFACLOR Capsules		Second-generation cephalosporins	Cefaclor 250mg (potency)	30C / Bottle 100C / PTP 300C / Bottle
CEFACLOR Dry Syrup		Second-generation cephalosporins	Cefaclor 25mg/mL (150mL)	150mL / Bottle
EFFEXIN Tablets		Fluoroquinolones	Ofloxacin 100mg, 200mg	10T / PTP (200mg) 30T / Bottle (100mg) 300T / Bottle (100mg)
EFFEXIN Injection		Fluoroquinolones	Ofloxacin 200mg (2mg/mL)	1V / Box
EFFEXIN Ophthalmic Solution		Fluoroquinolones	Ofloxacin 15mg (3mg/mL)	5mL / Bottle
EFFEXIN Otic Solution		Fluoroquinolones	Ofloxacin 15mg (3mg/mL)	5mL / Bottle
EFFEXIN Ophthalmic Ointment		Fluoroquinolones	Ofloxacin 3mg/g	3.5g / Tube
LEVOFEXIN Tablets		Fluoroquinolones	Levofloxacin 100mg, 250mg, 500mg	30T / Bottle 100T / Bottle
LEVOFEXIN Ophthalmic Solution		Fluoroquinolones	Levofloxacin 25mg(5mg/mL)	5mL / Bottle
LEVOFEXIN Injection		Fluoroquinolones	Levofloxacin 250mg, 500mg, 750mg	1V / Box
TEICOCIN Injection		Glycopeptides	Teicoplanin 200mg, 400mg	1V + 1A(solvent) / Box
ID AMIKACIN Injection		Aminoglycosides	Amikacin sulfate 250mg, 500mg	10V / Box
TAZOLACTAM Injection		Penicillins/ Beta-lactamase inhibitors	Piperacillin sodium/ Tazobactam sodium 2.25g, 4.5g	10V / Box



Respiratory system

Product name	Picture	Classification	API	Packing unit
MONITAZONE Nasal Spray		Corticosteroids for nasal use	Mometasone furoate 0.5mg/mL	18mL / Bottle (140 sprays)



Central Nervous system

MEMANTO Tablets		Anti-dementia	Memantine HCl 10mg	30T / Bottle 100T / Bottle 100T / PTP
-----------------	---	---------------	--------------------	---


Urogenital system

UROCARE Tablets		Antimuscarinic	Solifenacin succinate 5mg, 10mg	30T / PTP
TONADE Tablets		PDE5 inhibitors	Tadalafil 5mg, 10mg, 20mg	28T / PTP (5mg) 4T / PTP (10, 20mg)

Intra-articular injection

HYNALUBON Injection		Treatment of periartthritis of shoulder and gonarthrosis	Sodium hyaluronate 25mg/2.5mL	10PFS / Box
HYNALUBON PLUS Injection		Treatment of periartthritis of shoulder and osteoarthritis of the knee joint	Sodium hyaluronate 20mg/2mL	3PFS / Box

Dermal filler

HYALEVE No.1 No.2 No.3 No.4		Temporary improvement of adult facial wrinkles through physical restoration	Sodium hyaluronate 20mg/mL, Lidocaine 3mg/mL	1PFS / Box
--------------------------------------	---	---	---	------------

No.1 Top selling Multi Vitamin brand in Korea
(2020 IQVIA)

ARONAMIN[®]

Since 1963



Periodontal Disease



Intestinal tonic, Anti-diarrheal Agent



Cold Antipyretic Analgesics



Cold Antipyretic Analgesics



Cold Antipyretic Analgesics



DEN Q Tablets

Composition (Each tablet contains)
Titrated extract of the unsaponifiable fraction *zea mays L.* 35.0mg(7.0mg as b-sitosterol)

Indication Periodontal disease(gingivitis, periodontosis)

Dosage & Administration Initial dose(2weeks) : 2 tablets 3 times daily before meal
Maintenance dose : 1 tablet 3 times daily before meal

Packing unit 30T / Box, 240T / Box, 360T / Bottle



FURABERIN QX Tablets

Composition (Each tablet contains)
Acrinol 14.0mg, Berberine Chloride 36.0mg, Scopolia Ex. 5.0mg, Bismuth Subnitrate 150.0mg, Ursodesoxycholic acid 5.0mg

Indication Diarrhea, diarrhea with abdominal pain, indigestion, watery stool and vomiting

Dosage & Administration 3 times daily after meal
• Over 15 yrs : 2 tablets per one time
• 8-15 yrs : 1 tablet per one time

Packing unit 20T / Box



CAROL-F Tablets

Composition (Each tablet contains)
Ibuprofen 200mg

Indication Fever and pain due to cold, headache, dysmenorrhea(period pain), posttraumatic anti-inflammatory and analgesic effect, rheumatoid arthritis, osteoarthritis, dorsalgia(backache)

Dosage & Administration 1 or 2 tablets every 4-6 hours
Up to 6 tablets per day can be administered.

Packing unit 10T / Box, 30T / Bottle, 100T / Bottle, 300T / Bottle



CAROL Syrup

Composition (1mL contains) Ibuprofen 20mg

Indication Fever and pain due to cold, headache, neuralgia, myalgia, dysmenorrhea, strains pain, dental pain, arthralgia and rheumatic pain

Dosage & Administration • Adults 10-20mL/time, 2-4 times/day • 11-14 yrs 10-13mL/dose
• 7-10 yrs 8-10mL/dose • 3-6 yrs 5-8mL/dose
• 1-2 yrs 3-5mL/dose

Packing unit 90mL / Bottle, 500mL / Bottle

NACOL PLUS Syrup

Composition (90mL contain) Acetaminophen 1000mg, Chlorpheniramine maleate 8.3mg, Tifeptide citrate 66.6mg, dl-Methylephedrine hcl 83.3mg, Caffeine 83.83mg

Indication Relief of common cold(fever, chills, sore throat, cough, sputum, sneezing, rhinorrhea, headache, arthralgia and myalgia)

Dosage & Administration One time dose 4 times a day in 30mins after meal and bed time
• 11-15 yrs 10mL/dose • 7-11 yrs 7.5mL/dose
• 3-7 yrs 5mL/dose • 2-3 yrs 3.75mL/dose

Packing unit 90mL / Bottle

KENOFEN Gel

Composition (1g contains) Ketoprofen 30mg

Indication Degenerative arthritis, shoulder arthritis, tendinitis, epicondylitis of the humerus, muscle pain and post-traumatic swelling / pain

Dosage & Administration Apply 1-4 times a day to the affected area

Packing unit 50g / Tube, 200g / Tube

PREPAIN Ointment

Composition (1g contains)
Lidocaine 30mg, Allantoin 10mg, Tetrahydrozoline HCl 0.5mg, Chlorhexidine HCl 5mg, l-Menthol 5mg

Indication Temporary relief of pain, itching, edema(swelling), bleeding caused by anal fissure, hemorrhoids and disinfection

Dosage & Administration Adults and adolescents (> Over 15yrs)
Application : Directly apply to the affected area in 3 times a day.
Injection : Inject into the rectum within 2g per time, maximum 3 times a day.

Packing unit 28g / Tube

PREPAIN MILD Ointment

Composition (1g contains)
Lidocaine 30mg, Allantoin 10mg, Tetrahydrozoline HCl 0.5mg, Chlorhexidine HCl 5mg

Indication Temporary relief of pain, itching, edema(swelling), bleeding caused by anal fissure, hemorrhoid and disinfection

Dosage & Administration Adults and adolescents (> Over 15yrs)
Application : Directly apply to the affected area within 3 times a day.
Injection : Inject into the rectum within 2g per time, maximum 3 times a day.

Packing unit 28g / Tube

PREPAIN MILD Suppositories

Composition (Each suppository contains)
Lidocaine 60mg, Tetrahydrozoline HCl 1mg, Chlorhexidine HCl 5mg

Indication Temporary relief of pain, itching, edema(swelling), bleeding caused by anal fissure, hemorrhoid and disinfection

Dosage & Administration Adults and adolescents (> Over 15yrs)
Inject into the rectum 1 suppository per time, 3 times a day.

Packing unit 10 suppositories / Box



PREPAVEIN Capsules

Ingredient (Each capsule contains)
Diosmin 300mg

Indication Hemorrhoid, improvement of various symptoms(such as pressure, pain, edema(swelling), etc.) due to following diseases; varix, venous insufficiency(including during pregnancy), postphlebotic syndrome, hemorrhagic symptoms due to capillary weakness; purpura

Dosage & Administration 300mg as diosmin twice a day, orally(after lunch or dinner)

Packing unit 20C / Box



Non-steroidal Topical Analgesics



Hemorrhoid Treatment



Hemorrhoid Treatment



Hemorrhoid Treatment



Hemorrhoid Treatment



Wound Healing Hydrocolloid Dressing




Wound Healing Hydrocolloid Dressing



Wound Healing Hydrocolloid Dressing



Wound Healing Hydrocolloid Dressing



MEDITOUCH H SUN PROTECTION

- Material_** Hydrocolloid dressing
- Features_**
- Sun protection product(SPF 50+)
 - Waterproof
 - 100% Hydrocolloid(odorless, colorless, preservative free)
- Indication_** Thin wound(abrasion, laceration, etc.)
- Packing unit_** Sheet : 2 Sheets (10.5 x 10.5cm), 10 Sheets (10 x 10cm), 10 Sheets (20 x 20cm)
 Dot : 48 Dots (1.2cm x 30 Dots, 1.0cm x 18 Dots)
 2,100 Dots (1.0cm x 42 Dots x 50EA)
 2,100 Dots (1.2cm x 42 Dots x 50EA)

MEDITOUCH H PLUS

- Material_** Hydrocolloid dressing
- Features_**
- Semi-permeable and consists of an outer layer of polyurethane film that controls moisture evaporation and a hydrocolloid layer that absorbs secretions from the wound and protects the wound
 - Soft when attaching or take off
 - Can be cut to fit the size of the wound (sheet type)
- Indication_** Thin wound(abrasion, laceration etc)
- Packing unit_** Sheet : 2 Sheets (10cm x 10cm)
 Dot : 48 Dots (1.2cm x 30 Dots, 1.0cm x 18 Dots)

MEDITOUCH H BABY DOT

- Material_** Hydrocolloid dressing
- Features_**
- UV protection product (UPF 50+)
 - Waterproof
 - Contains Dexpanthenol (moisturizing effect)
- Indication_** Wounds such as abrasion, low or moderate exudates wound
- Packing unit_** 48 Dots (1.2cm x 30 Dots, 1cm x 18 Dots)

MEDITOUCH H CARE

- Material_** Hydrocolloid dressing
- Features_**
- UV protection product (UPF 50+)
 - Waterproof
 - Contains Dexpanthenol (moisturizing effect)
- Indication_** Wounds such as abrasion, low or moderate exudates wound
- Packing unit_** 10.5 x 10.5cm

MEDITOUCH H BAND

- Material_** Hydrocolloid dressing
- Features_**
- Hydrocolloid adhesive wet band
 - Good adhesion due to thin rim
 - Light shower with waterproof function

Packing unit_ MEDITOUCH H MIX : 7EA / Box (3EA : 2 x 6.3cm, 2EA : 3.1 x 4.4cm, 2EA : 2.5 x 6cm)

MEDITOUCH LIQUID

- Material_** Polyurethane, Alcohol, Ethylacetate
- Features_**
- Waterproof protective film for cracked wounds in flexion areas such as fingers, toes, etc.
 - Hygienic with 2 more exchange brushes
 - Refreshing with peppermint scent added

Indication_ Small wounds

Packing unit_ 8g / Bottle

MEDITOUCH A

- Material_** Polyurethane foam dressing
- Features_**
- Self-adhesive, convenient dressing fixation
 - Easy to attach to curved areas or wounds with a lot of movement
 - Additional support protects the wound surface and minimizes skin troubles
- Indication_** 1mm : Thin wound(abrasion, laceration etc)
 5mm : Heavy wound
- Packing unit_** 1mm : [S] : 3 Sheets (4 x 9cm)
 [L] : 1 Sheet (10 x 10cm)
 5mm : 1 Sheet (10 x 10cm)

MEDITOUCH ELASTIC BAND

- Material_** Polyurethane foam dressing band
- Features_**
- Wound protection with waterproof band
 - Polyurethane foam provides a humid environment
 - Smooth elasticity with polyurethane film
- Indication_** Thin wound(abrasion, laceration etc)
- Packing unit_** [S] : 3 Sheets (5.5 x 7.5cm (Foam : 2.X 3.5cm))
 [M] : 3 Sheets (7.5 x 10cm (Foam : 3 x 5cm))
 [General] : 7 Sheets (3 x 7cm (Foam 1.5 x 3.4cm))
 [Mixed] : 3 Sheets [General], 2 Sheets [S],
 3 Sheets [Oval] (3.5 x 7cm (Foam 2 x 2.5cm))

Wound Healing Hydrocolloid Band



Wound Healing Liquid



Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



MEDITOUCH MOM'S HEART

Material_ Polyurethane foam dressing band

Features_

- Wound protection with waterproof band
- Polyurethane foam provides a humid environment
- 3mm thick foam dressing that is convenient to use as an integrated unit

Packing unit_ 2 Sheets (Foam 5 x 5cm)

MEDITOUCH BURN PROTECTION

Material_ Polyurethan foam dressing

Features_

- 2mm / 5mm thick hydrophilic polyurethane foam with waterproof film
- Contains silver nitrate(antibacterial action) and active carbon(odour absorption)

Indication_ Wounds with lots of exudates such as burn

Packing unit_ 2mm : 3 Sheets (5 x 7cm)
5mm : 1 Sheet (10 x 10cm)

MEDITOUCH 2, MEDITOUCH 5

Material_ Polyurethane foam only

Indication_ It is applied to wounds that exudate such as abrasions, burns (1st to 2nd degree), pressure sores, venous ulcers, diabetic ulcers, donor wounds, and wounds from general surgical operations to prevent contamination and protect, and for secondary healing purposes.

Size_ 2mm : 10 x 10cm, 5 x 10cm, 5 x 20cm, 5 x 30cm
5mm : 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm, 30 x 100cm, 35 x 150cm

MEDITOUCH HAND

Material_ Polyurethane foam dressing with hand support structure

Indication_ Wounds such as cuts, scrapes, abrasions burns (1 to 2 degrees), surgical wounds, pressure sores (stages 1 to 4), and exudative wounds such as diabetic ulcer

Size_ 31 x 36cm (2 sizes of hand-shaped molding : Small, Large)

MEDITOUCH F

Material_ 2mm, 5mm thick polyurethane foam with waterproof film

Indication_ Abrasions, burns (1st to 2nd degree), pressure sores, venous ulcers, diabetic ulcers, donor wounds, wounds from general surgery

Size_ 7.5 x 10cm (Foam 3.5 x 5cm), 9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 9 x 35cm (Foam 5 x 30cm), 14 x 14cm (Foam 10 x 10cm)

MEDITOUCH AD / AD CIRCLE

Material_ 2mm thick silicone adhesive polyurethane foam dressing

Indication_ It is applied to wounds that exudate such as abrasions, burns (1st to 2nd degree), pressure sores, venous ulcers, diabetic ulcers, donor wounds, and wounds from general surgical operations to prevent contamination and protect, and for secondary healing purposes, and breast surgery, fixing drain tube (AD Circle)

Size_ Sheet : 5 x 10cm, 5 x 20cm, 10 x 10cm, 10 x 20cm, 20 x 20cm
Circle : 6.5 x 1.6cm (perforated)

MEDITOUCH NET

Material_ 5mm Polyurethane foam + NET film layer

Indication_ Absorption and protection of secretions at the wound site

Size_ 10 x 10cm, 10 x 20cm, 20 x 20cm, 30 x 55cm

MEDITOUCH BORDER

Material_ 3mm thick polyurethane foam with silicone film attached to the contact layer

Indication_ Absorption and protection of secretions at the wound site

Size_ 5.5 x 6.5cm (Foam 3 x 4cm), 7.5 x 7.5cm (Foam 5 x 5cm), 10 x 10cm (Foam 6.5 x 6.5cm), 9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 15 x 15cm (Foam 10 x 10cm)

Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



MEDITOUCH BORDER THIN

Material_ 2mm thick border type foam dressing with soft silicone attached to the contact layer

Indication_ It is a wound dressing to protect exudative wounds

Size_ 5.5 x 6.5cm (Foam 3 x 4cm), 9 x 9cm (Foam 5 x 5cm), 10 x 10cm (Foam 7 x 7cm), 9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 15 x 15cm (Foam 10 x 10cm)

MEDITOUCH BORDER POST-OP

Material_ 1.7mm thick adhesive border type silicone gauze dressing

Indication_ Absorption and protection of secretions at the wound site and affected area

Size_ 5.5 x 6.5cm (Pad 3 x 4), 7.5 x 7.5cm (Pad 5 x 5), 9 x 15cm (Pad 5 x 10cm), 9 x 20cm (Pad 5 x 15cm), 9 x 25cm (Pad 5 x 20cm), 9 x 30cm (Pad 5 x 25cm)

MEDITOUCH ADHESIVE

Material_ 2mm thick foam dressing with silicone adhesive

Indication_ It is a hydrophilic foam dressing to protect exudative wounds

Size_ 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm

MEDITOUCH CHITOSAN

Material_ Non-adhesive polyurethan foam dressing containing chitosan

Indication_ It is a hydrophilic wound dressing to protect exudative wounds

Size_ 2mm : 5 x 10cm, 5 x 20cm, 5 x 30cm, 10 x 10cm, 10 x 20cm, 20 x 20cm
5mm : 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm, 30 x 100cm, 35 x 150cm
7mm(Roll) : 10 x 65cm, 20 x 100cm

MEDITOUCH HEEL

Material_ 7mm thick non-adhesive polyurethane foam dressing for feet

Indication_ It is a wound dressing to protect exudative wounds such as foot ulcer, and cushion for foot cast.

Size_ [S] : 13 x 10cm
[L] : 22 x 11.5cm

MEDITOUCH H

Material_ Hydrocolloid dressing

Indication_ It is applied to minor wounds such as abrasion, mild burns, bedsores, leg ulcer, donor wounds, surgery wounds

Size_ Sheet : 10 Sheets (10 x 10cm)
Dot : 2,100 Dots (0.9cm x 42 Dots x 50EA)

MEDITOUCH SCAR CLEAR

Material_ Silicone gel sheet

Indication_ Scar management

Size_ 5 x 6cm, 6 x 10cm, 10 x 12cm, 12 x 15cm, 15 x 24cm, 4 x 20cm

MEDITOUCH SCAR GEL

Material_ Silicone gel

Indication_ Used to protect wounds for the purpose of managing thickened scars and keloid scars caused by general surgery, trauma, burns, etc.

Packing unit_ 10g / Tube, 20g / Tube

Wound Healing Foam Dressing



Wound Healing Hydrocolloid Dressing



Scar Care



Scar Care



Classification by purpose

Total wound care management


Burns



Bedsores



Minor wounds / Cut



Surgical wounds



Foot ulcer / Heel pain



Finger replantation




Breast surgery (Procedure)




Acne / Laser resurfacing




Probiotics




Probiotics



Probiotics



Probiotics



BIOBABY GOLD Powder

Composition_ Total 1billion CFU/stick (*L. rhamnosus, B. lactis, E. faecium*), Fructooligosaccharide, Zinc, Vit. B1, B6, C (Chocolate cookie flavor)

Dosage & Administration_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 30 sticks / Box (1.5g / stick)

BIOBABY GOLD Chewable tablets

Composition_ Total 0.5billion CFU/tablet (*L. rhamnosus, L. casei, L. plantarum, B. lactis, E. faecium*), Fructooligosaccharide, Zinc, Magnesium, Calcium, Vit. B2, B12, C (Strawberry flavor)

Dosage & Administration_ 2 tablets a day

Shelf life_ 24 months

Packing unit_ 30 tablets / Bottle (1g / tablet)

LACTO GOLD Powder

Composition_ Total 2billion CFU/stick (*L. rhamnosus, B. lactis, E. faecium*), Fructooligosaccharide, Magnesium, Calcium, Vit. B1, B2, B6, C, E (Grape flavor)

Dosage & Administration_ 1 stick a day

Shelf life_ 24 months

Packing unit_ 30 sticks / Box (2g / stick)

LACTO PRO Powder

Composition_ Total 2billion CFU/stick (*B. bifidum, B. breve, B. animalis ssp. lactis, L. acidophilus, L. plantarum*), Fructooligosaccharide, Zinc, Niacin (Cranberry flavor)

Dosage & Administration_ 1 ~ 3 sticks a day

Shelf life_ 24 months

Packing unit_ 30 sticks / Box (1.5g / stick)

LACTO LEO Powder

Composition_ Total 2billion CFU/stick (*B. bifidum, B. breve, B. animalis ssp. lactis, L. acidophilus, L. plantarum*), Fructooligosaccharide, Zinc, Niacin (Orange flavor)

Dosage & Administration_ 1 ~ 3 sticks a day

Shelf life_ 24 months

Packing unit_ 30 sticks / Box (1.5g / stick)

BIOLACT Powder

Composition_ Total 3billion CFU/stick (*L. acidophilus, B. longum, E. faecium*), Fructooligosaccharide, Magnesium (Orange flavor)

Dosage & Administration_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 10 sticks / Box (3g / stick)

BIOLACT FORTE Powder

Composition_ Total 4billion CFU/stick (*L. acidophilus, B. longum, E. faecium*), Fructooligosaccharide, Magnesium (Orange flavor)

Dosage & Administration_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 10 sticks / Box (3g / stick)

BIOLACT EVA Powder


Composition_ Total 3billion CFU/stick (*L. acidophilus, B. longum, E. faecium*), Fructooligosaccharide, Magnesium, Zinc (Cranberry flavor)

Dosage & Administration_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 10 sticks / Box (1.5g / stick)

Probiotics



Probiotics




Probiotics




Probiotics




Vitamins



Vitamins



Vitamins



C CARE+ 500 Tablets

Composition_ Vitamin C 500mg

Dosage & Administration_ 1 tablet a day

Shelf life_ 24 months

Packing unit_ 10 tablets / blister x 4 / Alu-foil bag

C CARE+ 1000 Tablets

Composition_ Vitamin C 1,000mg

Dosage & Administration_ 1 tablet a day

Shelf life_ 24 months

Packing unit_ 10 tablets / blister x 4 / Alu-foil bag

TRI-B ZINC Tablets

Composition_ Vitamin B1, B6, B12, Zinc

Dosage & Administration_ 1 tablet a day

Shelf life_ 24 months

Packing unit_ 10 tablets / blister x 3 / Box

[API]

Synthesis

- Benidipine hydrochloride
- Ciprofloxacin base
- Donepezil hydrochloride hydrate
- Levofloxacin hemihydrate
- Mosapride citrate dihydrate
- Quetiapine fumarate
- Rabeprazole sodium
- Rivaroxaban
- Rosuvastatin calcium
- Telmisartan
- Topiramate

HA

3M Da(Aseptic)

Vitamins

- Fursultiamine
- Fursultiamine hydrochloride
- Thiamine disulfide
- Riboflavin butyrate

