



Vision Inspection for Tablet & Capsule

Next Generation

PLANET 66 series

PLANET 6G

Tablet and Capsule Vision Inspection

Tablet and Capsule Capability
Free Shape Tablet Application
Time Saving New Product Setup
Rapid Changeover
cGMP Design



Enclony Produces

Tablet and capsule inspection machines, Empty hard capsule inspection machines and Tablet UV Laser printing with inspection machines.


Enclony is committed to continuous research and development of equipment that contributes to world-class product at pharmaceutical manufacturing facilities.

PLANET 65 series

- PLANET 6G/T for Tablet
- PLANET 6G/C for Capsule
- PLANET 66/TC for Tablet and Capsule




A clean cGMP design is the key concept for PLANET 6G




Tablet Inspection

Each tablet is inspected by ten interdependent 2D cameras capturing the complete surface area. Two additional 3D cameras capture the surface image of both the top and bottom of each tablet.








PLANET 6G has no Blind Spot

Blind spots have been eliminated by capturing each tablet from eight different angles including top and bottom.



(case of hair on the edge)





Applicable Tablet Flexibility

Round Tablet : diameter allowance min. 3.5mm - max. 14mm

Oblong/Oval Tablet : width allowance min. 3.5mm - max. 14mm,

length allowance min. 8mm - max. 22mm

Polygon Shaped Tablets: triangle, square, diamond, pentagon, hexagon,

octagon shapes and so on

Free Shapes : heart shape, kidney shape, bean shape, water drop


shape, half round shape, almond shape and so on

Allowance of Tablet Difference Dimension (TDD = diameter/width - thickness) ≥0.7mm




Capsule Inspection


Each capsule is inspected by ten interdependent 2D cameras capturing the complete surface area. An additional infrared camera identifies empty capsules and checks for filled volume.



Cylindrical Part

6 images of cylindrical parts are combined and made as a banded image through several steps of image reformation algorithm which is essentially required for detail image analyzation.






Powerful Capsule Inspection by PLANET

Example 1, Letter Tracing

Print image does not effect to identify defects on capsule.



split in cap cutting area and hole defects





- PLANET clearly identified

 ① split defect just beside of print ('300')
- ② hole just beside of print ('P') analyzed on band image

Example 2, Joint Line Tracing

PLANET traces joint line on single color of capsule.








PLANET clearly identified joint line

Example 3. Widely Different Brightness of Cap and Body

PLANET has a special algorithm to divide cap and body to get an optimized image as per specific color on each part. It works well in identifying capsules with widely differing brightness of cap and body.

image for body, lighting sets for bright color (white)










image for cap, lighting sets for dark color (dark red)







New Lighting System

New lighting system makes almost equal brightness to everywhere of capsule which minimizing of shadow.



4 Sides Wing Door Open

Allows full access to the inspection process path.


Smart HMI

Controlled through a very intuitive Smart HMI. This interface controls mechanical setting, inspection fine tuning, and all compliance reports.

Jam Free Sorting

PLANET uses an open feed structure to prevent jamming of tablets.

PLANET's open structure





Dust Protected Enclosed Cameras

All cameras and sensors are placed behind glass windows. A protective air curtain reduces dust accumulation.







Humidity and Temperature sensor

Continuous monitoring of the inspection environment allows the Planet to notify the operator of any conditions that are outside the set range.

Discharge

Each tablet is classified as 1) un-inspected 2) defect 3) un-rejected and 4) good.



Threshold free edge


Neat outline design for easy cleaning




Analyzing Algorithm

Shape Tracing

Shape tracing is the first key to the analyzation algorithm of PLANET. The most critical and important issue of vision inspection is how to reform the camera images of an object. PLANET uses an algorithm, with five dimensional shape tracing technology. Vision analyzation is fulfilled through comparison of reformed images with the standard image.






free direction

Letter Tracing

Tracing of letters, printed or engraved, is the next important technological step for precise inspection of letters on the tablet or capsule. Again, PLANET uses five dimensional tracing technology for letter tracing.


free direction

Both Shape and Letter Tracing are essential processes for Sectionization and Geographical Analyzation.




tilted






Sectionization

One single image is sectionized as shown below.



Geographical Analyzation

Every reformed object image by shape and letter tracing is compared with a standard one, pixel by pixel. This algorithm distinguishes the areas where the letter should be and should not be.



Job Change-Over

PLANET is designed for compact Job change-over in less than one hour. Dismantling (5 min.), cleaning and reassembly (5min.) are done without tools



Change Parts

The Planet is only mechanically dependent on the width/diameter of the product. With each set of tools covering 1mm of width/diameter, most products can be inspected with 4 to 8 sets of change parts.



one set of size parts



Auto-Setting of Mechanical Gaps

Product dimensions are programmed through the Smart HMI. All these parameters are saved in each product recipe for easy recall later.

New Product Setting in 30 Minutes

No factory support is required. The intuitive Smart HMI guides the operator thorough the process of programing a new product. These 6 steps can be completed within 30-35 minutes.





Once a product recipe has been created, it's a short 3 step process to start an inspection.

128 Multi-Core DSP Board

PLANET's Image Processing Board that is integrated in high density with DSP (Digital Signal Processor) can calculate complex image processing algorithm in real time.

With specialized OS developed by Enclony, it makes maximum inspection capability without error or time delay. Image Processing composed of total 128-Core is, in effect, equivalent to the capability of 30 sets of PCs loaded with latest CPU (on Intel i5 basis).



Compliance with regulations

FDA 21 CFR Part 11, CE, EU GMP, GAMP, UL and so on as option

Tablet

human eye camera image analyzed
















































Capsule





Ergonomic Layout



Effective Output

Round tablet

dia. 5mm: up to 350,000 tab./hr dia. 7mm: up to 240,000 tab./hr dia. 9mm: up to 200,000 tab./hr dia. 10mm: up to 180,000 tab./hr

dia. 12mm: up to 150,000 tab./hr

Oblong and Oval tablet

length 10mm : up to 200,000 tab./hr length 14mm : up to 160,000 tab./hr length 17mm : up to 130,000 tab./hr length 21mm : up to 100,000 tab./hr

Capsule

no. 4: up to 150,000 cap./hr no. 3: up to 140,000 cap./hr no. 2: up to 130,000 cap./hr no. 1: up to 120,000 cap./hr no. 0: up to 110,000 cap./hr no. 00: up to 100,000 cap./hr

Free shaped tablets are restricted as per above dimension. Custom size may require discussion for custom tooling. Actual output is subject to product specific characteristics

PLANET 66 series



ENCLONY.COSO

Marketing and Sales: Cosa Partners Corporation www.cosa.kr

#305, Kolon Idea-Polis, Sohyang-ro 11, Wonmi-gu, Bucheon-si, Gyunggi-do, Korea 14544 E-mail : sales@cosa.kr Tel.: +82 32 323 8378 Fax.: +82 32 323 8379

Manufacturing : Enclony Co., Ltd. www.enclony.com

#910, Ace Twin Tower 1, Digital-ro 285, Guro-gu, Seoul, Korea 08381

E-mail : enclony@enclony.com Tel.: +82 2 855 0095 Fax.:+82 70 8650 4810

Enclony-Europe in Frankfrut, Germany

E-mail : sales@cosa.kr

Contents on this catalogue are to assist understanding of the equipment only and are subject to technical modifications without prior notice. The final specifications is as per our quotation offered to you exclusively.