

"Transforming Discovery into Care"




SHUBHAMPHARMATECH

Mfgr. & Exporter of Pharma Machineries

E-Mail: shubhampharmatech@gmail.com | Contact: +91-9924555600, +91-9925517909

LIQUID / SYRUP PROCESS PLANT GMP MODEL



MOC SS 304 / 316 / 316L | PLC Based Fully Automatic Plant Also Available | Flush Bottom valve Available. Electric Heating Also Possible | We Can Manufacture As Per Customized Design / Requirement. Load Cell Available for Main Manufacturing Vessel | cGMP With Documentation



ZERO HOLD UP FILTER PRESS GMP MODEL

- Available Models 8",14",24", & 33" Plate Diameter.
- Fitted With Pressure Gauge, Safety Valve & Airvent
- Available With Centrifugal / Gear / Lobe Pump.
- MOC SS 316 / 316L.
- Flame Proof Construction also Available
- Complete Unit on Trolley Mounted with Castor Wheel
- Model Available SPIH 100 to SPIH 3000
- High Speed Stator And Rotor Construction
- Inbuilt Mechanical Seal.
- Available For Both Batch & Continuous Production.
- MOC SS 316 / 136L.
- High Degree Of Surface Finish.

INLINE HOMOZINIZER GMP MODEL





- Capacity From 50kgs. to 1500kgs.
- MOC SS 316 / 316L.
- Hydraulic Lid Lifting For Main Mfg. Vessel.
- Inbuilt Bottom Homogenizer For Main Vessel
- Dual Anchor Agitator With Fix Anchor For Main Mfg. Vessel.
- Small Anchor for Wax Vessel
- Working Platform with Staircase above 200kgs Plant
- Propeller Type Stirrer for Water Vessel
- Load Cell Available for Main Mfg. Vessel
- PLC Baser Fully Automatic Plant Also Available

OINTMENT / CREAM MFG. SINGLE VESSEL

- Capacity From 25kgs. To 1500kgs.
- Hydraulic Lid Lifting For Mfg. Vessel.
- MOC SS 316 \316L.
- Semi Automatic Operation
- Bottom Homogenizer.
- Dual Anchor With Fix Anchor









- Available Model From 5kgs To 300kgs Capacity
- Better Productivity And Lesser Drying Time
- Single Piece Design Construction To Enhance GMP And To Facilitate Hygienic Cleaning
- Light Glass Provided For Inside View During Operation
- Bag Sealing Through Inflatable Seal Pneumatic Operated
- Auto Bag Shaking Pneumatic Operated With Digital Timer
- Butterfly Valve Type Damper also Available
- Auto Damper On \off Pneumatic Operated During Bag Shaking Cycle
- Bowl Locking Pneumatic Operated
- Sampling Port For Inline Checking
- Pre Air Filtration By 20 Or 10 Micron Filters
- Three Stage Filtration 0.3 Micron Hepa Filter (optional)
- PLC based Operating Panel (Optional)
- Solid Flow Monitoring (Optional)

RAPID MIXER GRANULATOR GMP MODEL

- Available Model From 5 Ltrs to 1200 Ltrs Capacity
- Better Mixing Granulation And Lesser Process Time
- Discharge Pneumatic Operated
- Main Lid Opening Pneumatic Operated After 150 Ltrs
- Continuous Air Purging Provided
- Special Designed Main Blade Angle
- Chopper Blade Provided
- PLC based Operating Panel (Optional)





OCTAGONAL BLENDER GMP MODEL

- Available Model From 10 Ltrs To 3000 Ltrs Capacity
- Efficient & Versatile Dry Mixing System
- Discharge Butterfly Valve Hand Operated
- Pedestal Type Bearing At Shaft End
- Front Safety Guard with Interlock
- Digital Process Timer
- AC Drive (Optional)



ROLL COMPACTOR GMP MODEL





- Totally cGMP Compact Design Available In Plain / Water Jeckted
- It's Improve The Bulk Density Of Material.
- Various Types Of Roll Available To Achieve Maximum Bulk Density
- Specially Designed Feeding System Consisting Of Hopper Pre-densifer & Variable Speed Drive Unit.
- · Feeding Unit Can Hydraulically Lift By Hydraulic Pump For Easy Cleaning.
- Specially Design Provide In The Roller To Prevent Powder Sticking On The Roll.
- Pre-compression Chamber Guides The Powder Without Any Slippage Or Leakage.
- To Prevent Major Accident The Roll Is Designed To Rotate Reverse
 Forward When Cleaning.

MULTI MILL GMP MODEL

- Designed for Continuous Wet or Dry Granulation
- Beaters & Scrapers Blades Made of SS 316
- Easy to Dismantle & Clean
- Beater Drive Quipped with Reversible Switch
- Castor Wheels Provided for Mobility
- Flameproof Version can be Provided at an Extra Cost





VIBRO SIFTER GMP MODEL

- Compact Vibratory Design For High Speed & Dust Free Sieving.
- Noiseless & Maintenance Free Machine.
- All Contact Parts And Screen Made Of SS 316
- Easy Dismantling & Cleaning Of Contact Parts.



- Available Model From 10 Ltrs to 3000 Ltrs Capacity
- Efficient and Versatile dry mixing system
- Discharge Butterfly valve Hand Operated
- Digital Process Timer
- Front safety guard with interlock
- AC Drive (Optional)





AUTO COATER GMP MODEL



- In FLP Construction
- With Solution Tank, Multi Air Pump, Double Skin AHU With Pre,
 Micro, Hepa Filter With Steam / Electrical Heater Bank
- With Exhaust Blower
- With Wet Scrubber Assembly
- With Siddharth / Spraying System USA Make Anti-bearding Spray Gun
- With PLC based Operating Panel

COATING MACHINE GMP MODEL

- Inbuilt Hot Air Blowing System Is With Digital Temperature Controler
- Coating Pan Is Fabricated From SS 316
- Totally Enclosed Machine Drive And Hot Air Blowing System.
- Spray Gun with Stand (Optional)
- Pneumatic Operated Spray Gun can be Provided at an Extra Cost
- Spraying System can be Provided at an Extra Cost



TABLET INSPECTION BELT GMP MODEL



- 100% Reversible Of Tablets
- Both Side of Tablet Inspection
- Tube Lights Are Provided Both Side For Clear Visualization
- Foot Switch Provided For Intermediate Stop The Machine
- Vibrator With Tray & Vibrator Controlling Device Provide
- Maintenance Free Machine
- Satisfactory Result With DS Tablets
- Castor Wheel Proving for Easy Movement



All R & D Models are Available

SHUBHAMPHARMATECH

Mfgr. & Exporter of Pharma Machineries

33 Vrundavan Industrial Estate, Nr. Ring Road Ramol Tall Plaza, Ramol Road, Ramol Ahmedabad - 382 443, Gujarat, INDIA.

Contact No.: +91 - 99245 55600, +91-84607 65600, +91-99255 17909

E-mail: shubhampharmatech@gmail.com | Web: www.shubhampharmatech.com