




#### Herpes Labialis

Herpes or cold sores on the lips are usually caused by herpes simplex virus type I. Globally, an estimated two-thirds of the population under 50 are infected with HSV-1\*. This means that the virus constantly lives in the body, but mostly "sleeps", not everyone has manifestations of the disease.









# ¿What is Profilm Herpes Labial?

**Profilm** Herpes Labial is a liquid dressing for topical use, indicated to relieve the initial symptoms of cold sores.

Its technology firms a protective and discreet physical barrier that adapts to the shape of the skin, reducing the risk of infection and the spread of the virus.

Due to its composition, **Profilm** Herpes Labial conditions the skin and helps to relieve the initial symptoms of the herpes outbreak (such as tingling, pain, itching or burning in the area).





### Composition

Melaleuca alternifolia (tea tree) extract, propolis extract, stabilized vitamin C (sodium ascorbyl phosphate), sodium carboxymethyl cellulose, sodium alginate, potassium sorbate, sodium benzoate and water.

The unique combination of specially selected active ingredients allows you to quickly, effectively and simply combat the symptoms of cold sores.
















# Properties of Profilm Herpes Labial

- > Forms a protective film that adapts to the shape of the skin.
- > Relieves initial symptoms of cold sores.
- > Reduces the duration of the outbreak.
- > Reduces the risk of contagion and the spread of the virus.
- > Relieves itch and pain.








### Posology and mode of use

- > Wash and dry your hands.
- > Dispense one pump and apply to clean skin, covering the affected area and the surrounding border.
- > Let dry for 1-2 minutes to form the film. The drying time depends on the amount of product applied.
- > A transparent, inconspicuous film is formed and should not be removed to prevent contagion to other parts of the body or people.
- > Renew the application up to 3-4 times a day.
- > Wash hands after each use.

It is advisable to start using the gel when the first symptoms appear (tingling, itching, burning).








#### Canker sores

Canker sores, also called "aphthous ulcers", are quite common and are experienced by 5% to 80% of the general population\*. They are small, superficial lesions that appear in the soft tissues of the mouth or at the base of the gums. The ulcers can be painful and cause discomfort when eating and talking.









### ¿What is Profilm Aftas Bucales?

**Profilm** Aftas Bucales is a hydrogel with a polymeric base, supplemented with natural extracts of propolis and teatree, and enriched with stabilized vitamin C.

After its application, a protective physical barrier is formed that adapts to the shape of the mucosa. It prevents contact with food, saliva and other irritating or sensitizing elements or substances.

Provides analgesic effects, creates an environment that favors the healing of injuries.





## Composition

Tea tree extract, propolis extract, stabilized vitamin C (sodium ascorbyl phosphate), glycerin, sodium carboxymethyl cellulose, sodium alginate, citric acid, potassium sorbate, sodium benzoate and water.

The unique combination of specially selected active ingredients allows it to adhere to the mucosa to form the protective film and isolate the lesion.





