

# CELL CULTURE PRODUCTS



**PRODUCT LIST**  
2022

# OVERVIEW



[P. 14 Order](#) | [P. 15 Payment terms](#) | [P. 15 Product warranty](#)



Product	Vol.	Cat.No.	✳
FBS Xtra, Fetal Bovine Serum, Collected in South America	100 ml 500 ml	FBS-16B FBS-16A	✳ ✳
Fetal Bovine Serum Advanced, Collected in South America	100 ml 500 ml	FBS-11B FBS-11A	✳ ✳
Fetal Bovine Serum, Collected in South America	100 ml 500 ml	FBS-12B FBS-12A	✳ ✳
Fetal Bovine Serum, Origin USA	100 ml 500 ml	FBS-22B FBS-22A	✳ ✳
Fetal Bovine Serum Bioprocess, USA Origin	100 ml 500 ml	FBS-24B FBS-24A	✳ ✳
Fetal Bovine Serum, Collected in South America, Charcoal Stripped	100 ml 500 ml	FBS-CS-12B FBS-CS-12A	✳ ✳
Fetal Bovine Serum, Collected in South America, Dialysed	100 ml 500 ml	FBS-DIA-12B FBS-DIA-12A	✳ ✳
Fetal Bovine Serum, Collected in South America, Delipidated	100 ml 500 ml	FBS-DL-12B FBS-DL-12A	✳ ✳
Fetal Bovine Serum, Collected in South America, ES cell pre-tested	100 ml 500 ml	FBS-ES-12B FBS-ES-12A	✳ ✳
Fetal Bovine Serum, Collected in South America, Exosome Depleted	20 ml 50 ml 100 ml	FBS-ED-12G FBS-ED-12F FBS-ED-12B	✳ ✳ ✳
Fetal Bovine Serum, Collected in South America, Low Endotoxin	100 ml 500 ml	FBS-LE-12B FBS-LE-12A	✳ ✳
Fetal Bovine Serum, Collected in South America, IgG Depleted	100 ml 500 ml	FBS-IG-12B FBS-IG-12A	✳ ✳
Fetal Bovine Serum, Collected in South America, Gamma Irradiated	100 ml 500 ml	FBS-GI-12B FBS-GI-12A	✳ ✳
Fetal Bovine Serum Advanced, Collected in South America, Heat Inactivated	100 ml 500 ml	FBS-HI-11B FBS-HI-11A	✳ ✳
Fetal Bovine Serum, Collected in South America, Heat Inactivated	100 ml 500 ml	FBS-HI-12B FBS-HI-12A	✳ ✳
Fetal Bovine Serum, Origin USA, Heat Inactivated	100 ml 500 ml	FBS-HI-22B FBS-HI-22A	✳ ✳
Fetal Bovine Serum Tetracycline Negative, Collected in South America	100 ml 500 ml	FBS-TET-12B FBS-TET-12A	✳ ✳
Fetal-Calf Serum, Iron supplemented Bovine Serum	100 ml 500 ml	FCS-62B FCS-62A	✳ ✳

# SERA



## Other Animal Sera

Product	Vol.	Cat.No.	※
Donor Horse Serum	100 ml	DHS-1B	※
	500 ml	DHS-1A	※
Horse Serum	100 ml	HOS-1B	※
	500 ml	HOS-1A	※
Goat Serum	100 ml	GOA-1B	※
	500 ml	GOA-1A	※
Mouse Serum	100 ml	MOU-1B	※
Rat Serum	100 ml	RAT-1B	※
Porcine Serum	100 ml	POR-1B	※
	500 ml	POR-1A	※
Rabbit Serum	100 ml	RAB-1B	※
Sheep Serum	100 ml	SHP-1B	※
	500 ml	SHP-1A	※
Chicken Serum	100 ml	CHI-1B	※
	500 ml	CHI-1A	※



## Other Bovine Sera

Product	Vol.	Cat.No.	※
Adult Bovine Serum	100 ml	ABS-1B	※
	500 ml	ABS-1A	※
	1000 ml	ABS-1D	※
Calf Serum	100 ml	CS-1B	※
	500 ml	CS-1A	※
	1000 ml	CS-1D	※
Newborn Calf Serum	100 ml	NCS-1B	※
	500 ml	NCS-1A	※
	1000 ml	NCS-1D	※
Newborn Calf Serum, Heat Inactivated	100 ml	NCS-HI-1B	※
	500 ml	NCS-HI-1A	※

## Human Sera

Product	Vol.	Cat.No.	※
Human Serum, Type AB	100 ml	HUM-3B	※

# CELL CULTURE MEDIA

## Classical Media, liquid

Product	Vol.	Cat.No.	
DMEM/Ham's F-12, with L-Glutamine	500 ml	DMEM-12-A	
DMEM/Ham's F-12, w/o L-Glutamine, with 15 mM HEPES	500 ml	DMEM-12-HXA	
DMEM High Glucose (4.5 g/l), with L-Glutamine	500 ml	DMEM-HA	
DMEM Advanced High Glucose (4.5 g/l), w/o L-Glutamine	500 ml	DMEM-ADV-500ML	
DMEM High Glucose (4.5 g/l), with Stable Glutamine, with 25 mM HEPES	500 ml	DMEM-HHSTA	
DMEM High Glucose (4.5 g/l), with L-Glutamine, with Sodium Pyruvate	500 ml	DMEM-HPA	
DMEM High Glucose (4.5 g/l), with Stable Glutamine	500 ml	DMEM-HPSTA	
DMEM High Glucose (4.5 g/l), w/o L-Glutamine, with Sodium Pyruvate	500 ml	DMEM-HPXA	
DMEM High Glucose (4.5 g/l), w/o L-Glutamine	500 ml	DMEM-HXA	
DMEM High Glucose (4.5 g/l), w/o L-Glutamine, w/o Phenol Red	500 ml	DMEM-HXRXA	
DMEM Low Glucose (1 g/l), with L-Glutamine, with Sodium Pyruvate	500 ml	DMEM-LPA	
DMEM Low Glucose (1 g/l), with Stable Glutamine, with Sodium Pyruvate	500 ml	DMEM-LPSTA	
DMEM Low Glucose (1 g/l), w/o L-Glutamine, with Sodium Pyruvate	500 ml	DMEM-LPXA	
Ham's F-12, with L-Glutamine	500 ml	HAM-12-A	
IMDM, with L-Glutamine, w/o Supplements	500 ml	IMDM-A	
Leibovitz's L-15 Medium, w/o L-Glutamine	500 ml	L15-XA	
Medium 199 with Earle's Salts, with L-Glutamine	500 ml	M199-A	


# CELL CULTURE MEDIA

## Classical Media, liquid

Product	Vol.	Cat.No.	*
McCoy's 5A Medium, with L-Glutamine	500 ml	MCC-A	
MEM with Earle's Salts, with L-Glutamine	500 ml	MEM-A	
MEM Alpha Modification, w/o L-Glutamine, with Nucleosides	500 ml	MEMA-RXA	
MEM Alpha Modification, w/o L-Glutamine, w/o Nucleosides	500 ml	MEMA-XRXA	
MEM with Earle's Salts, with Stable Glutamine	500 ml	MEM-STA	
MEM with Earle's Salts, w/o L-Glutamine	500 ml	MEM-XA	
RPMI 1640, with L-Glutamine	500 ml	RPMI-A	
RPMI 1640 Advanced, w/o L-Glutamine	500 ml	RPMI-ADV-500ML	
RPMI 1640, with L-Glutamine, with 25 mM HEPES	500 ml	RPMI-HA	
RPMI 1640, w/o L-Glutamine, with 25 mM HEPES	500 ml	RPMI-HXA	
RPMI 1640, with Stable Glutamine	500 ml	RPMI-STA	
RPMI 1640, w/o L-Glutamine	500 ml	RPMI-XA	
RPMI 1640, w/o L-Glutamine, w/o Phenol Red	500 ml	RPMI-XRXA	

## Classical Media, powder

Product	Vol.	Cat.No.	*
DMEM High Glucose (4.5 g/l) powder medium, with L-Glutamine, w/o Sodium Bicarbonate	10 L 50 L	DMEM-HA-P10 DMEM-HA-P50	



## Classical Media, powder

Product	Vol.	Cat.No.	
DMEM High Glucose (4.5 g/l) powder medium, with L-Glutamine, with Sodium Pyruvate, w/o Sodium Bicarbonate	10 L 50 L	DMEM-HPA-P10 DMEM-HPA-P50	
DMEM Low Glucose (1 g/l) powder medium, with L-Glutamine, with Sodium Pyruvate, w/o Sodium Bicarbonate	10 L 50 L	DMEM-LPA-P10 DMEM-LPA-P50	
MEM with Earle's Salts, powder medium, with L-Glutamine, w/o Sodium Bicarbonate	10 L 50 L	MEM-A-P10 MEM-A-P50	
RPMI 1640, powder medium, with L-Glutamine, w/o Sodium Bicarbonate	10 L 50 L	RPMI-A-P10 RPMI-A-P50	
RPMI 1640, with L-Glutamine, powder medium, with 25 mM HEPES, w/o Sodium Bicarbonate	10 L 50 L	RPMI-HA-P10 RPMI-HA-P50	



## Special Media



Product	Vol.	Cat.No.	
HybridomaPlus, Protein-free Hybridoma Medium, with L-Glutamine	500 ml	HY-A	
TumorPlus 263, Complete Medium for Tumor Cells, with L-Glutamine	500 ml	TP-A	
CHO ONE A, Adaptation Medium, w/o Insulin, w/o L-Glutamine, with Pluronic <sup>TM</sup>	500 ml	CHOA-500ML	
CHO ONE E, Expression Medium, w/o Insulin, w/o L-Glutamine, with Pluronic <sup>TM</sup>	500 ml 1000 ml	CHOE-500ML CHOE-1000ML	

# CELL CULTURE MEDIA

## Special Media

Product	Vol.	Cat.No.	*
CHO ONE Feed 1, Supplement for CHO cells, w/o Insulin, w/o L-Glutamine	100 ml 500 ml	CHOF1-100ML CHOF1-500ML	
CHO ONE Feed 2, Supplement for CHO cells, w/o L-Glutamine	10 ml 50 ml	CHOF2-10ML CHOF2-50ML	
CHO ONE Starter Kit	-	CHO-K1	
HEK ONE T, Chemically Defined Medium for Transient Expression, w/o L-Glutamine, with Growth Hormones	1000 ml	HEKT-1000ML	
HEK ONE S, Chemically Defined Medium for Stable Expression, w/o L-Glutamine, with Growth Hormones	1000 ml	HEKS-1000ML	
HEK ONE Feed, Chemically Defined Feeding Supplement, w/o L-Glutamine	1000 ml	HEKF-1000ML	
VeroVax, Serum-Free Medium, w/o L-Glutamine	500 ml	VEV-500ML	
VeroPrime, Chemically Defined Medium, w/o L-Glutamine	500 ml	VEP-500ML	

## Cryopreservation Media

Product	Vol.	Cat.No.	*
FreezeMe One, Cryopreservation Medium with Fetal Bovine Serum	50 ml	FM1-F	*
FreezeMe Two, Cryopreservation Medium Serum-free	50 ml	FM2-F	*



# CELL CULTURE REAGENTS

## Supplements and Additives

Product	Vol.	Cat.No.	*
NCS21 Supplement (50x), Serum-free	10 ml	C21-H	*
N2 Supplement (100x), Serum-free	5 ml	N2-K	*
Hybridoma Supplement, Serum-free	50 ml	HCS-F	*
Sodium Pyruvate (100 mM)	100 ml	NPY-B	
L-Glutamine (200 mM)	100 ml	GLN-B	*
MEM Nonessential Amino Acids (100x)	100 ml	NEAA-B	
Stable Glutamine (200 mM)	100 ml	STA-B	*
ITS (100x), Insulin, Transferrin, Selenium	10 ml	ITS-H	
Insulin human recombinant Solution (5 mg/ml)	5 ml	INS-K	
Glucose Solution (250 g/L)	50 ml	GLC-F	



## Antibiotics

Product	Vol.	Cat.No.	*
Amphotericin B Solution (100x)	100 ml	AMP-B	*
Gentamicin Solution, 10 mg/ml	100 ml	GEN-10B	
MycoXpert, Mycoplasma Removal Reagent (50x)	100 ml	MYX-B	*
Penicillin/Streptomycin (100x)	100 ml	PS-B	*
Penicillin/Streptomycin (100x), with L-Glutamine	100 ml	PSG-B	*
Antibiotic/Antimycotic Solution (100x)	100 ml	AAS-B	*

# CELL CULTURE REAGENTS

## Cell Separation Media

Product	Vol.	Cat.No.	
Lymphocyte Separation Medium, Density 1.077 g/ml	100 ml	LSM-B	
	500 ml	LSM-A	



## Detachment

Product	Vol.	Cat.No.	
Accutase Cell Detachment Solution	100 ml	ACC-1B	※
Accumax Cell Detachment Solution	50 ml	ACM-1F	※
Trypsin-EDTA (0.05 %) in DPBS (1x)	100 ml	TRY-1B	※
Trypsin-EDTA (0.5 %) in DPBS (10x)	100 ml	TRY-1B10	※
Trypsin (0.25 %) in DPBS (1x)	100 ml	TRY-2B	※
Trypsin (2.5 %) in DPBS (10x)	100 ml	TRY-2B10	※
Trypsin-EDTA (0.25 %) in HBSS (1x), with phenol red	100 ml	TRY-3B	※
Trypsin-EDTA (0.05 %) in HBSS (1x), with phenol red	100 ml	TRY-4B	※



## Transfection

Product	Vol.	Cat.No.	
G-418 Sulfate, Solution, 100 % Activity (50 mg/ml)	10 ml	G418-H	※
	100 ml	G418-B	※
G-418 Sulfate, Powder	5 g	G418-Q	
	10 g	G418-R	
Hygromycin B, Solution (50 mg/ml)	10 ml	HYG-H	
Puromycin, Powder	100 mg	PUR-1X	



## Bovine Serum Albumin

Product	Vol.	Cat.No.	*
Bovine Serum Albumin, Standard Grade, pH 7.0, Origin USA	50 g	BSA-1U	
	100 g	BSA-1S	
	500 g	BSA-1T	
Bovine Serum Albumin, Fatty Acid Free, Origin USA	50 g	BSA-FAF-1U	
	100 g	BSA-FAF-1S	
Bovine Serum Albumin, Protease Free, Origin USA	50 g	BSA-PF-1U	
	100 g	BSA-PF-1S	
Bovine Serum Albumin, Diagnostic Grade, pH 7.0	50 g	BSA-DG-50G	
	100 g	BSA-DG-100G	
	500 g	BSA-DG-500G	



WE ALSO OFFER...

**CUSTOMIZED  
MANUFACTURING**

Fast and flexible production  
for research and industry according  
to your formulation!

GET IN TOUCH!

# BALANCED SALT SOLUTIONS

## Buffer and Salt Solutions, liquid

Product	Vol.	Cat.No.	❄
Dulbecco's PBS (1x), w/o Ca & Mg, w/o Phenol Red	500 ml	PBS-1A	
Dulbecco's PBS (10x), w/o Ca & Mg, w/o Phenol Red	500 ml	PBS-10XA	
Dulbecco's PBS (1x), with Ca & Mg, w/o Phenol Red	500 ml	PBS-2A	
Hanks' Balanced Salts, with Ca & Mg, w/o Phenol Red	500 ml	HBSS-1A	
Hanks' Balanced Salts, w/o Ca & Mg, w/o Phenol Red	500 ml	HBSS-2A	
Hanks' Balanced Salts, w/o Ca & Mg, with Phenol Red	500 ml	HBSS-3A	
HEPES Buffer Solution (1 M)	100 ml	HEP-B	
Water, suitable for cell culture, sterile-filtered	1000 ml	WAT-1000ML	

## Buffer and Salt Solutions, powder

Product	Vol.	Cat.No.	❄
Dulbecco's PBS (1x), powder, w/o Ca & Mg, w/o Phenol Red	10 L	PBS-1A-P10	
	50 L	PBS-1A-P50	



# DIAGNOSTICS

## Cytogenetics

Product	Vol.	Cat.No.	❄
AmnioPrime Complete Medium for Cultivation of Amnion and Chorionic Villi Cells, CE Marked	100 ml	APR-B	✳
LymphoPrime, Complete Medium for Peripheral Blood Lymphocytes, CE Marked	100 ml	LPR-B	✳
Colcemid Solution (10 µg/ml) in DPBS, CE Marked	10 ml	COL-H	
MarrowPrime Complete Medium for Bone Marrow Cells, CE Marked	100 ml	MP-B	✳
Phytohemagglutin M (PHA-M), CE Marked	5 ml	PHA-K	✳

## Virology

Product	Vol.	Cat.No.	❄
Viral Transport Medium, Formula CDC, CE Marked	1000 ml	VTM-1000ML	
Viral Transport Medium, Formula CDC, with Phenol Red, CE Marked	1000 ml	VTM-R-1000ML	





## ORDER

We recommend that you send your order to Capricorn Scientific by fax, email or via our website. Purchase orders by telephone will be also accepted, however we will not be held responsible for any errors in orders.

To place an order, please include the following:

**1** Your purchase order number and/or quotation number

**2** Catalogue number and quantities

**3** Complete ship-to location (also bill-to address, if differing)

**4** Contact name, customer ID number once assigned

**5** Orders will be shipped with the company's standard lead-time unless otherwise specified

We will confirm receipt of your order by return fax or email only if requested.

# CAPRICORN SCIENTIFIC

## Your Reliable Partner in Cell Culture



### PAYMENT TERMS

This price list is intended for transactions between Capricorn Scientific and commercial or institutional customers.

- All prices are in euro (€), ex works and do not include value-added tax. The prices stated in this price list are valid unless otherwise agreed in writing.
- Value-added tax, freight and dry ice costs (where applicable) are to be added.
- Payment is to be effected by bank transfer, without any deduction, within 21 days of receipt of our invoice unless otherwise arranged with Capricorn Scientific GmbH.



### PRODUCT WARRANTY

The customer is obliged to inspect goods delivered immediately upon receipt for completeness or visible signs of transport damage. Deliveries will be considered accepted if no complaints are made within five working days after receipt of the goods.

Capricorn Scientific GmbH cannot be held responsible for any loss, damage or inconvenience beyond replacement.

Any claim relating to product quality or failure to correspond with product specifications must be submitted in writing within seven (7) days after receipt of goods by customer.

Failure to notify Capricorn Scientific GmbH within this time may nullify product warranties. Where a valid claim with respect to product quality, specification or delivery is accepted by Capricorn Scientific GmbH, the defective goods will either be replaced free of charge or will be the subject of a credit note.

Capricorn Scientific GmbH cannot be held liable for any claims where the goods supplied have been used in applications other than those specified on the product label or in the Capricorn Scientific catalogue.

Please contact Capricorn Scientific GmbH in advance in case of any return shipments.



### DRY ICE

All frozen products (marked with a ❄ in this price list) will be shipped in Styrofoam boxes containing dry ice. Please notice that dry ice charges apply to these products. Caution should be taken when opening boxes containing dry ice.

# WHY US?



Fast and efficient  
order processing



Customer-oriented  
product flexibility



Your Partner in  
Cell Culture



Capricorn Scientific GmbH  
Auf der Lette 13 A  
35085 Ebsdorfergrund  
Germany

Tel.: +49 6424 944 64-0  
Fax: +49 6424 944 64-20  
[info@capricorn-scientific.com](mailto:info@capricorn-scientific.com)  
[techservice@capricorn-scientific.com](mailto:techservice@capricorn-scientific.com)  
[www.capricorn-scientific.com](http://www.capricorn-scientific.com)



 **CAPRICORN**  
SCIENTIFIC