

**广东世通药品包装材料有限公司**  
Guangdong Stone Medicinal Packaging Material Co.,Ltd

地址：广东省惠州市博罗县园洲镇龙兴路世通工业园  
ADD: Stone Industrial Zone, Longxing Road, Yuanzhou Town,  
Boluo County, Huizhou City, Guangdong Province, 516123 China  
电话 (Tel) : 0086-752-666 2692 0086-752-666 2682  
手机 (Mobile) :13809883816  
Email:inquiry@stone-pack.com  
http://www.stone-pack.com

**湖北世通定量喷雾泵有限公司**  
Hubei Stone Dosing Metering Sprayer Co., Ltd.

地址：湖北省荆州市沙市区银湖中小企业城B区10栋  
ADD: Building 10, Zone B, Yinhu SME ZONE,  
Shashi District, Jingzhou City, Hubei Province, 434000, China

**广东世通药品包装材料有限公司**  
GUANGDONG STONE MEDICINAL PACKAGING MATERIAL CO.,LTD.

➤ [www.stone-pack.com](http://www.stone-pack.com)

	<b>COMPANY PROFILE</b> 公司简介	01
	<b>COMPANY FACILITY</b> 产品检验、车间、设备	02-03
	<b>MIST/THROAT SPRAYER SERIES</b> 横向/转臂喷雾泵系列	04-05
	<b>NASAL SPRAYER SERIES</b> 鼻用喷雾泵系列	06-07
	<b>PE BOTTLE SERIES</b> PE圆瓶系列	08-09
	<b>PET BOTTLE SERIES</b> PET塑料瓶系列	10-11
	<b>OVER CAP WITH BOTTLE SERIES</b> 卡口瓶系列	12-13
	<b>FANCY BOTTLE, FLAT BOTTLE, OTHERS SERIES</b> 异型瓶, 扁瓶, 扎口瓶系列	14-15
	<b>ORAL/ LOTION/ DROP BOTTLE, OTHERS</b> 口服/洗液/滴瓶及其他	16-17



世通药品包装材料成立于2005年，是中国技术先进的医药包装材料生产厂家。公司拥有500多名员工，总部位于惠州，有深圳和湖北其他两个业务部门。18年多来，世通药品包装在药物递送、医药内包装材料和药物包装容器的研发和制造方面展示出了其技术实力的专业和优势。公司主要产品包括药用喷雾泵、药用给药器和医用塑料容器。位于惠州的现代化工厂拥有1.8万平方米的GMP标准的D级自动化制造车间，配备了PE、PP、PET吹瓶机，注塑机，全自动丝网印刷机以及先进的检测设备和模具生产设备，能为客户开发出各种形状，不同用途的药用塑料瓶和定量喷雾泵，可实现年产能塑料瓶3.2亿只，喷雾泵3.9亿只。同时公司还设置了360平方米的物理，化学，微生物实验室。产品符合CFDA、CE和FDA标准要求。

自2007年以来，世通进入国际市场并参加了多次国际展览和会议CPHI欧洲、日本和Pharmapack Paris，客户范围从初创企业到全球制药公司。经过多年的努力，我们出口到80多个国家和地区，全球700多家客户。世通致力于人类健康事业发展，关注包装材料的安全性与可持续性！让生活变得更美好！

StoneGroup is a leading pharmaceutical packaging company established in 2005. For over 18 years, StoneGroup has developed an expertise in the development and manufacturing of drug delivery devices, internal packaging materials and drug containers. The leading products include dosing spray pumps and medical plastic bottles. With more than 500 employees, StoneGroup is headquartered in Huizhou, and draws strength with another business unit in Hubei, China. The 25,000 square meters modern plant in Huizhou is equipped with GMP standard D-level automated manufacturing facility, which is capable of producing over 390 million spray pumps annually. Quality Assurance (QA) Department is fully equipped to perform quality test from raw materials to final products. Our products have been approved by CE and FDA. StoneGroup secures high product quality by implementing ISO management system for pharmaceutical packaging materials. Since 2007, StoneGroup has entered the international market and attended several Exhibitions and Conferences, such as CPHI Europe, Japan, and Pharmapack Paris for drug delivery and packaging. After years of efforts, our products has been exported to more than 80 countries and districts. Our clients base ranges from start-up to global pharmaceutical companies headquartered around the globe.

StoneGroup is dedicated to the development of human health, providing safe and stable pharmaceutical packaging materials! Let's make life better!

## 药品内包材的安全性和产品质量的稳定性控制



喷雾泵视觉检测 Sprayer Visual Inspection



塑料瓶视觉检测 Bottle Visual Inspection



阳性对照室 Positive Bacteria inoculated Room



菌检室 Bacterium Inspection



精密仪器室 Precise Instrument Lab



化学实验室 Chemical Lab

## 资质与认可



US-FDA



医疗器械注册证



ISO15378



ISO13485



高新技术企业证书

## 工厂展示

世通药品包装在药物递送、医药内包装材料和药物包装容器的研发和制造方面具有技术实力和专业优势。



注塑车间  
Injection



吹瓶车间  
PE Bottle Blowing



拉吹车间  
PET Bottle Blowing



印刷车间  
Printing



产品研发  
R&D Workshop



喷雾泵自动组装  
Automatic Sprayer Assembling

WHY STONE ?

- ✓ ISO certificate
- ✓ 18,000 sqm clean room
- ✓ Accurate dosage and abundant range
- ✓ Inhouse molding- Profession and high efficiency
- ✓ Annual capacity 390 million units dosing system
- ✓ DMF with reference to Good Manufacturing Practice (GMP)

定量给药喷雾泵  
Metered Dose Sprayer Pump

封口类型: 螺丝盖, 扎口盖, 扎口铝盖  
Sealing type: screw/snap/crimp on closure  
Neck finish:  $\Phi 18$ ,  $\Phi 20$ ,  $\Phi 24$ mm  
Dosage range: 0.03ml~0.2ml



TP-15

TP-18

TP-20


TP-24

SP-18S

SP-18L68

SP-18N

SPC-20T90



TPS-20

TPC-20

LP-18

TPV-254

SP-20D23

SP-20D110

SP-18SB2

为什么选择世通?

- ✔ 产品ISO国际认证
- ✔ 18000平米洁净车间
- ✔ 定量精准、品类丰富
- ✔ 自有模具开发车间，研发能力强
- ✔ 年产3.9亿只喷雾泵系统
- ✔ 产品符合美国、日本和欧洲管理规范 and 标准

定量给药喷雾泵  
Metered Dose Sprayer Pump

封口类型: 螺丝盖, 扎口盖, 扎口铝盖  
Sealing type: screw/snap/crimp on closure  
Neck finish:  $\Phi 18$ ,  $\Phi 20$ ,  $\Phi 24$ mm  
Dosage range: 0.03ml~0.2ml



NP-20A



NP-20B



NP-20C



NP-20D



NPC-20H



NPC-20K



NP-18I



NPS-20J



NPS-20E



NPS-20F



NPS-20G



NP-18G(K)



NP-20L



NPC-20M



NPS-24Z-2



NPV-254Y-2

PE圆瓶喷雾泵系列  
SPRAYER WITH PE BOTTLE SERIES

DO THE RIGHT THING!

- 18 years services
- Filling line test technique supports
- Product quality control for safety and sustainability



	<b>RB-4A</b>	<b>RB-5A</b>	<b>RB-10AZ</b>	<b>RB-10F</b>	<b>RB-15AZ</b>	<b>RB-15BZ</b>	<b>RB-20BZ</b>	<b>RB-20F</b>
H(mm)	35	45	51	44	60	63	67	53
D(mm)	22	22	24	26	24	24	26	28
L(ml)	8	11	15	14	19	20	25	21



	<b>RB-20AZ</b>	<b>RB-25A</b>	<b>RB-30AZ</b>	<b>RB-30BZ</b>	<b>RB-30F</b>	<b>RB-30G</b>	<b>RB-30C</b>	<b>RB-35AZ</b>
H(mm)	59	67	69	58	59	82	75	75
D(mm)	27	30	31	37	37	30	29	30
L(ml)	23	33	36	40	36	39	35	39



	<b>RB-35BZ</b>	<b>RB-40AZ</b>	<b>RB-50AZ</b>	<b>RB-60A</b>	<b>RB-75A</b>	<b>RB-90A</b>	<b>RB-100A</b>	<b>RB-120A</b>
H(mm)	78	80	81	92	103	109	108	115
D(mm)	29	32	36	36	36	40	42	48
L(ml)	35	48	58	67	77	102	118	142



世通-您的选择!

- 18年生产经验
- 灌装线调试技术支持
- 安全性和可持续性的产品质量控制



	<b>RBT-5A</b>	<b>RBT-10A</b>	<b>RBT-10B</b>
H(mm)	47	50	56
D(mm)	21	26	21
L(ml)	10	17	13



	<b>RBT-10E</b>	<b>RBT-15A</b>	<b>RBT-20C</b>	<b>RBT-20E</b>	<b>RBT-20A</b>
H(mm)	51	63	68	63	78
D(mm)	26	24	24	27	24
L(ml)	17	18	22	25	26



	<b>RBT-20F</b>	<b>RBT-22A</b>	<b>RBT-30I</b>	<b>RBT-30A</b>	<b>RBT-30B</b>	<b>RBT-30H</b>	<b>RBT-40A</b>	<b>RBT-50C</b>
H(mm)	64	70	72	78	74	79	78	72
D(mm)	26	25	31	29	30	28	32	36
L(ml)	24	24	37	37	40	35	45	56



	<b>RBT-60A</b>	<b>RBT-60B</b>	<b>RBT-60C</b>	<b>RBT-80A</b>	<b>RBT-100A</b>	<b>RBT-120A</b>	<b>RBT-120B</b>	<b>RBT-180A</b>
H(mm)	99	82	104	101	102	124	124	125
D(mm)	35	36	32	36	45	40	40	50
L(ml)	74	64	66	81	121	126	127	190



# 卡口瓶喷雾泵系列

## SPRAYER WITH OVER CAP WITH BOTTLE SERIES

							
<b>CB-10A</b>	<b>CB-15A</b>	<b>CB-15B</b>	<b>CB-20B</b>	<b>CB-30C</b>	<b>CB-30D</b>	<b>CB-50A</b>	<b>CB-60AZ</b>
H(mm) 53 D(mm) 25 L(ml) 17	H(mm) 55 D(mm) 27 L(ml) 20	H(mm) 59 D(mm) 26 L(ml) 20	H(mm) 55 D(mm) 32 L(ml) 26	H(mm) 66 D(mm) 25 L(ml) 38	H(mm) 47 D(mm) 44 L(ml) 39	H(mm) 82 D(mm) 38 L(ml) 69	H(mm) 97 D(mm) 34 L(ml) 68
							
<b>CB-70A</b>	<b>CB-80AZ</b>	<b>CB-100A</b>	<b>CB-110A</b>	<b>CB-160A</b>	<b>CBT-30A</b>	<b>CBT-50B</b>	<b>CBT-60A</b>
H(mm) 100 D(mm) 36 L(ml) 80	H(mm) 105 D(mm) 39 L(ml) 93	H(mm) 109 D(mm) 41 L(ml) 110	H(mm) 124 D(mm) 38 L(ml) 117	H(mm) 141 D(mm) 45 L(ml) 185	H(mm) 73 D(mm) 30 L(ml) 39	H(mm) 95 D(mm) 33 L(ml) 62	H(mm) 83 D(mm) 38 L(ml) 73
							
<b>CBT-70A</b>	<b>CBT-100A</b>	<b>CBT-100B</b>	<b>CBT-110A</b>	<b>CBT-120A</b>	<b>FB-22AZ</b>	<b>FB-22BZ</b>	<b>FB-70A</b>
H(mm) 100 D(mm) 36 L(ml) 80	H(mm) 104 D(mm) 42 L(ml) 116	H(mm) 116 D(mm) 40 L(ml) 113	H(mm) 125 D(mm) 39 L(ml) 117	H(mm) 142 D(mm) 39 L(ml) 134	H(mm) 56 D(mm) 24-41 L(ml) 27	H(mm) 56 D(mm) 25-41 L(ml) 28	H(mm) 84 D(mm) 31-44 L(ml) 77

### DO THE RIGHT THING!

- 18 years services
- Filling line test technique supports
- Product quality control for safety and sustainability





# 异形瓶、扁瓶、扎口瓶喷雾泵系列

## SPRAYER WITH FANCY BOTTLE, FLAT BOTTLE SERIES



	AB-10A	AB-15A	AB-15B	AB-30D	AB-25AZ	AB-30B	AB-40A	AB-50A	AB-50AZ	AB-60A	ABT-20A
H(mm)	45	57	46	75	69	66	78	87	75	98	74
D(mm)	21-30	21-32	25-38	24-46	29-36	28-46	28-46	35-44	43	34-43	28-34
L(ml)	14	19	21	34	31	36	45	64	55	64	29



	PB-3A	PB-8A	FB-30A	FB-50A	FB-50B	FB-150B	MB-20AZ	MB-25A	MB-28A	ABT-25A	ABT-40A
H(mm)	41	83	75	86	87	133	59	61	49	66	72
D(mm)	16	16	24-46	33-46	29-41	37-55	25	30	33	37	29-46
L(ml)	6	10	34	64	63	158	22	30	29	29	45



	MB-10A	MB-15AZ	MB-30AZ	MB-35AZ	MB-40AZ	MB-60A	MBT-10A	MBT-20B	MBT-30A	MBT-30B
H(mm)	45	55	65	47	65	92	51	71	71	69
D(mm)	26	26	31	40	35	36	24	24	29	29
L(ml)	14	20	35	39	44	69	16	25	35	35

### 世通-您的选择!

- ✓ 18年生产经验
- ✓ 灌装线调试技术支持
- ✓ 安全性和可持续性的产品质量控制



						
<b>DB-5A</b>	<b>DB-10AZ</b>	<b>DB-15AZ</b>	<b>DB-20AZ</b>	<b>DB-20AZ</b>	<b>DB-30AZ</b>	
H(mm) D(mm) L(ml)	45 20 8	51 24 15	60 24 19	59 27 25	59 27 25	68 31 36
						
<b>DB-30BZ</b>	<b>DB-35AZ</b>	<b>DB-40A</b>	<b>DB-100B</b>	<b>DB-360A</b>	<b>YSB-50A</b>	
H(mm) D(mm) L(ml)	72 22-36 32	74 30 38	82 31-39 54	117 31-58 122	159 64 390	73 48 60
						
<b>FB-80A</b>	<b>AB-100A</b>	<b>JB-150A</b>	<b>JB-150B</b>	<b>LA-W-3A</b>	<b>LA-M-3A</b>	
H(mm) D(mm) L(ml)	104 37-57 87	153 33-44 132	103 49-54 185	72 57 184	86 11	87 17

DO THE RIGHT THING!

- 18 years services
- Filling line test technique supports
- Product quality control for safety and sustainability

