



SAM PRODUCTS (P) Ltd

Greater Noida 201 310, U.P., INDIA

9810065139

samproducts1992@gmail.com

samproducts25@gmail.com

www.samproducts.net

09AAKCS6327D1Z8

U51101UP2007PTC055433

SINCE 1992

AIR CURTAINS

Sr No	Item	Refer Page No
1	Index	1
2	Models of AIR CURTAINS	2
3	Photographs of AIR CURTAINS	3 TO 4
4	Horizontal Models of AIR CURTAINS	4
5	SCM Series (MOC - Mild Steel)	5
6	SCS Series (MOC - SS 202 Grade)	6
7	SCS3 Series (MOC - SS 304 Grade)	7
8	SCA Series (MOC - Aluminium)	8
9	SCFP Series (Flame Proof Air Curtains)	9
10	Accessories/ Other Options	10
11	Verticale Models of AIR CURTAINS	11
12	SCMV Series (MOC - Mild Steel)	12
13	SCSV Series (MOC - SS 202 Grade)	13
14	SCS3V Series (MOC - SS 304 Grade)	14
15	SCAV Series (MOC - Aluminium)	15
16	SC3PHV Series (Three Phase Electrical Motors)	16
17	More Air Curtain Images	17

MODELS

Sr No	Series	Material of Construction	Size Available	Finish
1	SCM1	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
2	SCM2	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
3	SCM3	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
4	SCM4	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
5	SCM5	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated

Sr No	Series	Material of Construction	Size Available	Finish
1	SCS1	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
2	SCS2	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
3	SCS3	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
4	SCS4	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
5	SCS5	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.

Sr No	Series	Material of Construction	Size Available	Finish
1	SCS31	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
2	SCS32	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
3	SCS33	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
4	SCS34	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
5	SCS35	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.

Sr No	Series	Material of Construction	Size Available	Finish
1	SCA1	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.
2	SCA2	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.
3	SCA3	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.
4	SCA4	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.
5	SCA5	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.

Sr No	Series	Material of Construction	Size Available	Finish
1	SCM1FP	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
2	SCM5FP	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
3	SCS1FP	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
4	SCS35FP	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
5	SCS5FP	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
6	SCS35FP	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.

SCM1 S = SAM PRODUCTS; C = COMMERCIAL; M = MILD STEEL SHEET; 1 = SERIES 1.

SCS1 S = SAM PRODUCTS; C = COMMERCIAL; S = STAINLESS STEEL SHEET 202 ; 1 = SERIES 1.

SCS31 S = SAM PRODUCTS; C = COMMERCIAL; S = STAINLESS STEEL; 3 = 304 GRADE; 1 = SERIES 1.

SCA1 S = SAM PRODUCTS; C = COMMERCIAL; A = ALUMINUM; 1 = SERIES 1.



SCM34



SCM31




SCM24



SCM53





SCM3



SCM2



NEW MODEL



SCS1



MODEL SCM												
SCM1		S = SAM PRODUCTS; C = COMMERCIAL; M = MILD STEEL SHEET; 1 = SERIES 1.										

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No. of Motors	Finish	Material Construction	Motor Phase
SCM1	3'	915	SCM13	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM1	3'3"	1000	SCM11	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM1	4'	1220	SCM14	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM1	5'	1525	SCM15	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Mild Steel	Single
SCM1	6'	1830	SCM16	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Mild Steel	Single
SCM1	6'6"	2000	SCM12	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Mild Steel	Single

SCM2	3'	915	SCM23	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM2	3'3"	1000	SCM21	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM2	4'	1220	SCM24	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM2	5'	1525	SCM25	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Mild Steel	Single
SCM2	6'	1830	SCM26	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Mild Steel	Single
SCM2	6'6"	2000	SCM22	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Mild Steel	Single

SCM3	3'	915	SCM33	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Mild Steel	Single
SCM3	3'3"	1000	SCM31	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Mild Steel	Single
SCM3	4'	1220	SCM34	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Mild Steel	Single
SCM3	5'	1525	SCM35	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Mild Steel	Single
SCM3	6'	1830	SCM36	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Mild Steel	Single
SCM3	6'6"	2000	SCM32	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Mild Steel	Single

SCM4	3'	915	SCM43	Side	Plain Slope Sheet	285	220	17 - 19	1	Powder Coated	Mild Steel	Single
SCM4	3'3"	1000	SCM41	Side	Plain Slope Sheet	285	220	17 - 19	1	Powder Coated	Mild Steel	Single
SCM4	4'	1220	SCM44	Side	Plain Slope Sheet	285	220	21 - 23	3	Powder Coated	Mild Steel	Single
SCM4	5'	1525	SCM45	Side	Plain Slope Sheet	285	220	21 - 23	4	Powder Coated	Mild Steel	Single
SCM4	6'	1830	SCM46	Side	Plain Slope Sheet	285	220	21 - 23	4	Powder Coated	Mild Steel	Single
SCM4	6'6"	2000	SCM42	Side	Plain Slope Sheet	285	220	21 - 23	5	Powder Coated	Mild Steel	Single

SCM5	3'	915	SCM53	Top/ Side	Slotted	415	330	24 - 26	1	Powder Coated	Mild Steel	Single
SCM5	3'3"	1000	SCM51	Top/ Side	Slotted	415	330	24 - 26	1	Powder Coated	Mild Steel	Single
SCM5	4'	1220	SCM54	Top/ Side	Slotted	415	330	24 - 26	2	Powder Coated	Mild Steel	Single
SCM5	5'	1525	SCM55	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Mild Steel	Single
SCM5	6'	1830	SCM56	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Mild Steel	Single
SCM5	6'6"	2000	SCM52	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Mild Steel	Single

MODEL SCS												
SCS1 S = SAM PRODUCTS; C = COMMERCIAL; S = STAINLESS STEEL SHEET 202 ; 1 = SERIES 1.												

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No of Motors	Finish	Material of Construction	Motor Phase
SCS1	3'	915	SCS13	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1	3'3"	1000	SCS11	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1	4'	1220	SCS14	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1	5'	1525	SCS15	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS1	6'	1830	SCS16	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS1	6'6"	2000	SCS12	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single

SCS2	3'	915	SCS23	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS2	3'3"	1000	SCS21	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS2	4'	1220	SCS24	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS2	5'	1525	SCS25	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS2	6'	1830	SCS26	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS2	6'6"	2000	SCS22	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single

SCS3	3'	915	SCS33	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 202	Single
SCS3	3'3"	1000	SCS31	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 202	Single
SCS3	4'	1220	SCS34	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 202	Single
SCS3	5'	1525	SCS35	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 202	Single
SCS3	6'	1830	SCS36	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 202	Single
SCS3	6'6"	2000	SCS32	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 202	Single

SCS4	3'	915	SCS43	Side	Plain Slope Sheet	285	220	17 - 19	1	Hairline	Stainless Steel 202	Single
SCS4	3'3"	1000	SCS41	Side	Plain Slope Sheet	285	220	17 - 19	1	Hairline	Stainless Steel 202	Single
SCS4	4'	1220	SCS44	Side	Plain Slope Sheet	285	220	21 - 23	3	Hairline	Stainless Steel 202	Single
SCS4	5'	1525	SCS45	Side	Plain Slope Sheet	285	220	21 - 23	4	Hairline	Stainless Steel 202	Single
SCS4	6'	1830	SCS46	Side	Plain Slope Sheet	285	220	21 - 23	4	Hairline	Stainless Steel 202	Single
SCS4	6'6"	2000	SCS42	Side	Plain Slope Sheet	285	220	21 - 23	5	Hairline	Stainless Steel 202	Single

SCS5	3'	915	SCS53	Top/ Side	Slotted	415	330	24 - 26	1	Hairline	Stainless Steel 202	Single
SCS5	3'3"	1000	SCS51	Top/ Side	Slotted	415	330	24 - 26	1	Hairline	Stainless Steel 202	Single
SCS5	4'	1220	SCS54	Top/ Side	Slotted	415	330	24 - 26	2	Hairline	Stainless Steel 202	Single
SCS5	5'	1525	SCS55	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 202	Single
SCS5	6'	1830	SCS56	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 202	Single
SCS5	6'6"	2000	SCS52	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 202	Single

MODEL SCS3												
SCS31 S = SAM PRODUCTS; C = COMMERCIAL; S = STAINLESS STEEL; 3 = 304 GRADE; 1 = SERIES 1.												

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No. of Motors	Finish	Material of Construction	Motor Phase
SCS31	3'	915	SCS313	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31	3'3"	1000	SCS311	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31	4'	1220	SCS314	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31	5'	1525	SCS315	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS31	6'	1830	SCS316	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS31	6'6"	2000	SCS312	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single

SCS32	3'	915	SCS323	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS32	3'3"	1000	SCS321	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS32	4'	1220	SCS324	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS32	5'	1525	SCS325	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS32	6'	1830	SCS326	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS32	6'6"	2000	SCS322	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single

SCS33	3'	915	SCS333	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 304	Single
SCS33	3'3"	1000	SCS331	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 304	Single
SCS33	4'	1220	SCS334	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 304	Single
SCS33	5'	1525	SCS335	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 304	Single
SCS33	6'	1830	SCS336	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 304	Single
SCS33	6'6"	2000	SCS332	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 304	Single

SCS34	3'	915	SCS343	Side	Plain Slope Sheet	285	220	17 - 19	1	Hairline	Stainless Steel 304	Single
SCS34	3'3"	1000	SCS341	Side	Plain Slope Sheet	285	220	17 - 19	1	Hairline	Stainless Steel 304	Single
SCS34	4'	1220	SCS344	Side	Plain Slope Sheet	285	220	21 - 23	3	Hairline	Stainless Steel 304	Single
SCS34	5'	1525	SCS345	Side	Plain Slope Sheet	285	220	21 - 23	4	Hairline	Stainless Steel 304	Single
SCS34	6'	1830	SCS346	Side	Plain Slope Sheet	285	220	21 - 23	4	Hairline	Stainless Steel 304	Single
SCS34	6'6"	2000	SCS342	Side	Plain Slope Sheet	285	220	21 - 23	5	Hairline	Stainless Steel 304	Single

SCS35	3'	915	SCS353	Top/ Side	Slotted	415	330	24 - 26	1	Hairline	Stainless Steel 304	Single
SCS35	3'3"	1000	SCS351	Top/ Side	Slotted	415	330	24 - 26	1	Hairline	Stainless Steel 304	Single
SCS35	4'	1220	SCS354	Top/ Side	Slotted	415	330	24 - 26	2	Hairline	Stainless Steel 304	Single
SCS35	5'	1525	SCS355	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 304	Single
SCS35	6'	1830	SCS356	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 304	Single
SCS35	6'6"	2000	SCS352	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 304	Single

MODEL SCA												
SCA1 S = SAM PRODUCTS; C = COMMERCIAL; A = ALUMINUM; 1 = SERIES 1.												

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No. of Motors	Finish	Material Construction	Motor Phase
SCA1	3'	915	SCA13	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA1	3'3"	1000	SCA11	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA1	4'	1220	SCA14	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA1	5'	1525	SCA15	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Aluminium	Single
SCA1	6'	1830	SCA16	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Aluminium	Single
SCA1	6'6"	2000	SCA12	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Aluminium	Single

SCA2	3'	915	SCA23	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA2	3'3"	1000	SCA21	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA2	4'	1220	SCA24	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA2	5'	1525	SCA25	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Aluminium	Single
SCA2	6'	1830	SCA26	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Aluminium	Single
SCA2	6'6"	2000	SCA22	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Aluminium	Single

SCA3	3'	915	SCA33	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Aluminium	Single
SCA3	3'3"	1000	SCA31	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Aluminium	Single
SCA3	4'	1220	SCA34	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Aluminium	Single
SCA3	5'	1525	SCA35	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Aluminium	Single
SCA3	6'	1830	SCA36	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Aluminium	Single
SCA3	6'6"	2000	SCA32	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Aluminium	Single

SCA4	3'	915	SCA43	Side	Plain Slope Sheet	285	220	17 - 19	1	Powder Coated	Aluminium	Single
SCA4	3'3"	1000	SCA41	Side	Plain Slope Sheet	285	220	17 - 19	1	Powder Coated	Aluminium	Single
SCA4	4'	1220	SCA44	Side	Plain Slope Sheet	285	220	21 - 23	3	Powder Coated	Aluminium	Single
SCA4	5'	1525	SCA45	Side	Plain Slope Sheet	285	220	21 - 23	4	Powder Coated	Aluminium	Single
SCA4	6'	1830	SCA46	Side	Plain Slope Sheet	285	220	21 - 23	4	Powder Coated	Aluminium	Single
SCA4	6'6"	2000	SCA42	Side	Plain Slope Sheet	285	220	21 - 23	5	Powder Coated	Aluminium	Single

SCA5	3'	915	SCA53	Top/ Side	Slotted	415	330	24 - 26	1	Powder Coated	Aluminium	Single
SCA5	3'3"	1000	SCA51	Top/ Side	Slotted	415	330	24 - 26	1	Powder Coated	Aluminium	Single
SCA5	4'	1220	SCA54	Top/ Side	Slotted	415	330	24 - 26	2	Powder Coated	Aluminium	Single
SCA5	5'	1525	SCA55	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Aluminium	Single
SCA5	6'	1830	SCA56	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Aluminium	Single
SCA5	6'6"	2000	SCA52	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Aluminium	Single

MODEL SCFP												
SCA1 S = SAM PRODUCTS; C = COMMERCIAL; FP = FLAME PROOF ELECTRICAL MOTOR; 1 = SERIES 1.												

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No. of Motors	Finish	Material of Construction	Motor Phase
SCM1FP	3'	915	SCM13FP	Front/ Top/ Side	Slotted	460	360	15 - 17	1	Powder Coated	Aluminium	Single
SCM1FP	3'3"	1000	SCM11FP	Front/ Top/ Side	Slotted	460	360	15 - 17	1	Powder Coated	Aluminium	Single
SCM1FP	4'	1220	SCM14FP	Front/ Top/ Side	Slotted	460	360	15 - 17	1	Powder Coated	Aluminium	Single
SCM1FP	5'	1525	SCM15FP	Front/ Top/ Side	Slotted	460	360	15 - 17	2	Powder Coated	Aluminium	Single
SCM1FP	6'	1830	SCM16FP	Front/ Top/ Side	Slotted	460	360	15 - 17	2	Powder Coated	Aluminium	Single
SCM1FP	6'6"	2000	SCM12FP	Front/ Top/ Side	Slotted	460	360	15 - 17	2	Powder Coated	Aluminium	Single

SCM5FP	3'	915	SCM53FP	Top/ Side	Plain Slope Sheet	370	280	23 - 25	1	Powder Coated	Aluminium	Single
SCM5FP	3'3"	1000	SCM51FP	Top/ Side	Plain Slope Sheet	370	280	23 - 25	1	Powder Coated	Aluminium	Single
SCM5FP	4'	1220	SCM54FP	Top/ Side	Plain Slope Sheet	370	280	23 - 25	1	Powder Coated	Aluminium	Single
SCM5FP	5'	1525	SCM55FP	Top/ Side	Plain Slope Sheet	370	280	23 - 25	2	Powder Coated	Aluminium	Single
SCM5FP	6'	1830	SCM56FP	Top/ Side	Plain Slope Sheet	370	280	23 - 25	2	Powder Coated	Aluminium	Single
SCM5FP	6'6"	2000	SCM52FP	Top/ Side	Plain Slope Sheet	370	280	23 - 25	2	Powder Coated	Aluminium	Single

SCS1FP	3'	915	SCS13FP	Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1FP	3'3"	1000	SCS11FP	Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1FP	4'	1220	SCS14FP	Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1FP	5'	1525	SCS15FP	Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS1FP	6'	1830	SCS16FP	Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS1FP	6'6"	2000	SCS12FP	Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 202	Single

SCS5FP	3'	915	SCS53FP	Side	Plain Slope Sheet	255	200	23 - 25	1	Hairline	Stainless Steel 202	Single
SCS5FP	3'3"	1000	SCS51FP	Side	Plain Slope Sheet	255	200	23 - 25	1	Hairline	Stainless Steel 202	Single
SCS5FP	4'	1220	SCS54FP	Side	Plain Slope Sheet	255	200	23 - 25	1	Hairline	Stainless Steel 202	Single
SCS5FP	5'	1525	SCS55FP	Side	Plain Slope Sheet	255	200	23 - 25	2	Hairline	Stainless Steel 202	Single
SCS5FP	6'	1830	SCS56FP	Side	Plain Slope Sheet	255	200	23 - 25	2	Hairline	Stainless Steel 202	Single
SCS5FP	6'6"	2000	SCS52FP	Side	Plain Slope Sheet	255	200	23 - 25	2	Hairline	Stainless Steel 202	Single

SCS31FP	3'	915	SCS313FP	Top/ Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31FP	3'3"	1000	SCS311FP	Top/ Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31FP	4'	1220	SCS314FP	Top/ Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31FP	5'	1525	SCS315FP	Top/ Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS31FP	6'	1830	SCS316FP	Top/ Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS31FP	6'6"	2000	SCS312FP	Top/ Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 304	Single

SCS35FP	3'	915	SCS353FP	Top/ Side	Slotted	460	360	23 - 25	1	Hairline	Stainless Steel 304	Single
SCS35FP	3'3"	1000	SCS351FP	Top/ Side	Slotted	460	360	23 - 25	1	Hairline	Stainless Steel 304	Single
SCS35FP	4'	1220	SCS354FP	Top/ Side	Slotted	460	360	23 - 25	1	Hairline	Stainless Steel 304	Single
SCS35FP	5'	1525	SCS355FP	Top/ Side	Slotted	460	360	23 - 25	2	Hairline	Stainless Steel 304	Single
SCS35FP	6'	1830	SCS356FP	Top/ Side	Slotted	460	360	23 - 25	2	Hairline	Stainless Steel 304	Single
SCS35FP	6'6"	2000	SCS352FP	Top/ Side	Slotted	460	360	23 - 25	2	Hairline	Stainless Steel 304	Single

ACCESSORIES/ OTHER OPTIONS

THREE PHASE ELECTRICAL AIR CURTAINS

To Purchase Three Phase Electrical AIR CURTAINS, Add 3P to the end of the Model Number Selected.

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	with Three Phase Electrical Motor the Model Number would change to	Three Phase Electrical Motor Options available for following Models
SCM1	3'	915	SCM13	SCM133P	SCM1, SCM2, SCM3, SCM4, SCM5, SCS1, SCS2, SCS3, SCS4, SCS5, SCS31, SCS32, SCS33, SCS34, SCS35, SCA1, SCA2, SCA3, SCA4, SCA5, SCMFPP(all Models).
** Unless confirmed in writing our Quote does not include Startor/ MCB/ Three Phase Wire/ etc., except Three Phase Electrical Motor.					

INLET PRE FILTER AIR CURTAINS

To Purchase AIR CURTAINS, with PRE Filter at Inlet Air, Add F to the end of the Model Number Selected.

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	with Pre Filter the Model Number would change to	Air Pre Filter Options available for following Models
SCM1	3'	915	SCM13	SCM13F	SCM1, SCM5, SCS1, SCS5, SCS31, SCS35, SCA1, SCA5, SCM1FP, SCM5FP, SCS1FP, SCS5FP, SCS31FP, SCS35FP.
** Please Note Air Flow for various Models, would Not Hold Good with Pre Filter at Air Curtain Inlet.					

AIR FLOW CONTROL DAMPER AT OUTLET

To Purchase AIR CURTAINS, with Air Flow Control Damper at Outlet, Add D to the end of the Model Number Selected.

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	with Air Flow Control Damper the Model Number would change to	Air Flow Control Damper Options available for following Models
SCM1	3'	915	SCM13	SCM13D	SCM1, SCM2, SCM3, SCM4, SCM5, SCS1, SCS2, SCS3, SCS4, SCS5, SCS31, SCS32, SCS33, SCS34, SCS35, SCA1, SCA2, SCA3, SCA4, SCA5, SCMFPP(all Models).
** Please Note Air Flow for various Models, would Not Hold Good with Air Flow Control Dampers at Air Curtain Outlet.					

NON STANDARD SIZE AIR CURTAIN

Air Curtains are available for Non Standard Size such as 2'6" or 3'6" or 4'6" or 5'6" or 2100mm or 2400mm, etc. Please ask for Quote separately

Non Standard Size Air Curtains available for all Following Models.

SCM1, SCM2, SCM3, SCM4, SCM5, SCS1, SCS2, SCS3, SCS4, SCS5, SCS31, SCS32, SCS33, SCS34, SCS35, SCA1, SCA2, SCA3, SCA4, SCA5, SCMFPP(all Models).

MODELS

Sr No	Series	Material of Construction	Size Available	Finish
1	SCM1V	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
2	SCM2V	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
3	SCM3V	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
4	SCM4V	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
5	SCM5V	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated

Sr No	Series	Material of Construction	Size Available	Finish
1	SCS1V	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
2	SCS2V	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
3	SCS3V	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
4	SCS4V	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
5	SCS5V	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.

Sr No	Series	Material of Construction	Size Available	Finish
1	SCS31V	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
2	SCS32V	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
3	SCS33V	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
4	SCS34V	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
5	SCS35V	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.

Sr No	Series	Material of Construction	Size Available	Finish
1	SCA1V	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.
2	SCA2V	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.
3	SCA3V	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.
4	SCA4V	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.
5	SCA5V	Aluminum Sheet	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Plain Factory Finish.

Sr No	Series	Material of Construction	Size Available	Finish
1	SCM1FPV	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
2	SCS5FPV	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
3	SCS31FPV	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
4	SCM5FPV	Mild Steel Powder Coated	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Powder Coated
5	SCS5FPV	Stainless Steel Sheet 202	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.
6	SCS35FPV	Stainless Steel Sheet 304	3', 1m (3'3"), 3'6", 4', 5', 6', 2m.	Hairline Factory Finish.

SCM1 S = SAM PRODUCTS; C = COMMERCIAL; M = MILD STEEL SHEET; 1 = SERIES 1 ; V = VERTICALE AIR FLOW.

SCS1 S = SAM PRODUCTS; C = COMMERCIAL; S = STAINLESS STEEL SHEET 202 ; 1 = SERIES 1 ; V = VERTICALE AIR FLOW.

SCS31 S = SAM PRODUCTS; C = COMMERCIAL; S = STAINLESS STEEL; 3 = 304 GRADE; 1 = SERIES 1 ; V = VERTICALE AIR FLOW.

SCA1 S = SAM PRODUCTS; C = COMMERCIAL; A = ALUMINUM; 1 = SERIES 1 ; V = VERTICALE AIR FLOW.

MODEL SCMV												
SCM1		S = SAM PRODUCTS; C = COMMERCIAL; M = MILD STEEL SHEET; 1 = SERIES 1; V = VERTICALE AIR FLOW										

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No. of Motors	Finish	Material Construction	Motor Phase
SCM1V	3'	915	SCM13V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM1V	3'3"	1000	SCM11V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM1V	4'	1220	SCM14V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM1V	5'	1525	SCM15V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Mild Steel	Single
SCM1V	6'	1830	SCM16V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Mild Steel	Single
SCM1V	6'6"	2000	SCM12V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Mild Steel	Single

SCM2V	3'	915	SCM23V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM2V	3'3"	1000	SCM21V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM2V	4'	1220	SCM24V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Mild Steel	Single
SCM2V	5'	1525	SCM25V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Mild Steel	Single
SCM2V	6'	1830	SCM26V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Mild Steel	Single
SCM2V	6'6"	2000	SCM22V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Mild Steel	Single

SCM3V	3'	915	SCM33V	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Mild Steel	Single
SCM3V	3'3"	1000	SCM31V	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Mild Steel	Single
SCM3V	4'	1220	SCM34V	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Mild Steel	Single
SCM3V	5'	1525	SCM35V	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Mild Steel	Single
SCM3V	6'	1830	SCM36V	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Mild Steel	Single
SCM3V	6'6"	2000	SCM32V	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Mild Steel	Single

SCM4V	3'	915	SCM43V	Side	Plain Slope Sheet	285	220	17 - 19	1	Powder Coated	Mild Steel	Single
SCM4V	3'3"	1000	SCM41V	Side	Plain Slope Sheet	285	220	17 - 19	1	Powder Coated	Mild Steel	Single
SCM4V	4'	1220	SCM44V	Side	Plain Slope Sheet	285	220	21 - 23	3	Powder Coated	Mild Steel	Single
SCM4V	5'	1525	SCM45V	Side	Plain Slope Sheet	285	220	21 - 23	4	Powder Coated	Mild Steel	Single
SCM4V	6'	1830	SCM46V	Side	Plain Slope Sheet	285	220	21 - 23	4	Powder Coated	Mild Steel	Single
SCM4V	6'6"	2000	SCM42V	Side	Plain Slope Sheet	285	220	21 - 23	5	Powder Coated	Mild Steel	Single

SCM5V	3'	915	SCM53V	Top/ Side	Slotted	415	330	24 - 26	1	Powder Coated	Mild Steel	Single
SCM5V	3'3"	1000	SCM51V	Top/ Side	Slotted	415	330	24 - 26	1	Powder Coated	Mild Steel	Single
SCM5V	4'	1220	SCM54V	Top/ Side	Slotted	415	330	24 - 26	2	Powder Coated	Mild Steel	Single
SCM5V	5'	1525	SCM55V	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Mild Steel	Single
SCM5V	6'	1830	SCM56V	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Mild Steel	Single
SCM5V	6'6"	2000	SCM52V	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Mild Steel	Single

MODEL SCSV												
SCS1		S = SAM PRODUCTS; C = COMMERCIAL; S = STAINLESS STEEL SHEET 202 ; 1 = SERIES 1; V = VERTICALE AIR FLOW.										

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No of Motors	Finish	Material of Construction	Motor Phase
SCS1V	3'	915	SCS13V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1V	3'3"	1000	SCS11V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1V	4'	1220	SCS14V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1V	5'	1525	SCS15V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS1V	6'	1830	SCS16V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS1V	6'6"	2000	SCS12V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single

SCS2V	3'	915	SCS23V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS2V	3'3"	1000	SCS21V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS2V	4'	1220	SCS24V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS2V	5'	1525	SCS25V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS2V	6'	1830	SCS26V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS2V	6'6"	2000	SCS22V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 202	Single

SCS3V	3'	915	SCS33V	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 202	Single
SCS3V	3'3"	1000	SCS31V	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 202	Single
SCS3V	4'	1220	SCS34V	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 202	Single
SCS3V	5'	1525	SCS35V	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 202	Single
SCS3V	6'	1830	SCS36V	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 202	Single
SCS3V	6'6"	2000	SCS32V	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 202	Single

SCS4V	3'	915	SCS43V	Side	Plain Slope Sheet	285	220	17 - 19	1	Hairline	Stainless Steel 202	Single
SCS4V	3'3"	1000	SCS41V	Side	Plain Slope Sheet	285	220	17 - 19	1	Hairline	Stainless Steel 202	Single
SCS4V	4'	1220	SCS44V	Side	Plain Slope Sheet	285	220	21 - 23	3	Hairline	Stainless Steel 202	Single
SCS4V	5'	1525	SCS45V	Side	Plain Slope Sheet	285	220	21 - 23	4	Hairline	Stainless Steel 202	Single
SCS4V	6'	1830	SCS46V	Side	Plain Slope Sheet	285	220	21 - 23	4	Hairline	Stainless Steel 202	Single
SCS4V	6'6"	2000	SCS42V	Side	Plain Slope Sheet	285	220	21 - 23	5	Hairline	Stainless Steel 202	Single

SCS5V	3'	915	SCS53V	Top/ Side	Slotted	415	330	24 - 26	1	Hairline	Stainless Steel 202	Single
SCS5V	3'3"	1000	SCS51V	Top/ Side	Slotted	415	330	24 - 26	1	Hairline	Stainless Steel 202	Single
SCS5V	4'	1220	SCS54V	Top/ Side	Slotted	415	330	24 - 26	2	Hairline	Stainless Steel 202	Single
SCS5V	5'	1525	SCS55V	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 202	Single
SCS5V	6'	1830	SCS56V	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 202	Single
SCS5V	6'6"	2000	SCS52V	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 202	Single

MODEL SCS3V												
SCS31 S = SAM PRODUCTS; C = COMMERCIAL; S = STAINLESS STEEL; 3 = 304 GRADE; 1 = SERIES 1; V = VERTICALE AIR FLOW.												

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No. of Motors	Finish	Material Construction	Motor Phase
SCS31V	3'	915	SCS313V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31V	3'3"	1000	SCS311V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31V	4'	1220	SCS314V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31V	5'	1525	SCS315V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS31V	6'	1830	SCS316V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS31V	6'6"	2000	SCS312V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single

SCS32V	3'	915	SCS323V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS32V	3'3"	1000	SCS321V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS32V	4'	1220	SCS324V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS32V	5'	1525	SCS325V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS32V	6'	1830	SCS326V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS32V	6'6"	2000	SCS322V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Hairline	Stainless Steel 304	Single

SCS33V	3'	915	SCS333V	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 304	Single
SCS33V	3'3"	1000	SCS331V	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 304	Single
SCS33V	4'	1220	SCS334V	Side	Plain Slope Sheet	285	220	17 - 19	2	Hairline	Stainless Steel 304	Single
SCS33V	5'	1525	SCS335V	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 304	Single
SCS33V	6'	1830	SCS336V	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 304	Single
SCS33V	6'6"	2000	SCS332V	Side	Plain Slope Sheet	285	220	17 - 19	3	Hairline	Stainless Steel 304	Single

SCS34V	3'	915	SCS343V	Side	Plain Slope Sheet	285	220	17 - 19	1	Hairline	Stainless Steel 304	Single
SCS34V	3'3"	1000	SCS341V	Side	Plain Slope Sheet	285	220	17 - 19	1	Hairline	Stainless Steel 304	Single
SCS34V	4'	1220	SCS344V	Side	Plain Slope Sheet	285	220	21 - 23	3	Hairline	Stainless Steel 304	Single
SCS34V	5'	1525	SCS345V	Side	Plain Slope Sheet	285	220	21 - 23	4	Hairline	Stainless Steel 304	Single
SCS34V	6'	1830	SCS346V	Side	Plain Slope Sheet	285	220	21 - 23	4	Hairline	Stainless Steel 304	Single
SCS34V	6'6"	2000	SCS342V	Side	Plain Slope Sheet	285	220	21 - 23	5	Hairline	Stainless Steel 304	Single

SCS35V	3'	915	SCS353V	Top/ Side	Slotted	415	330	24 - 26	1	Hairline	Stainless Steel 304	Single
SCS35V	3'3"	1000	SCS351V	Top/ Side	Slotted	415	330	24 - 26	1	Hairline	Stainless Steel 304	Single
SCS35V	4'	1220	SCS354V	Top/ Side	Slotted	415	330	24 - 26	2	Hairline	Stainless Steel 304	Single
SCS35V	5'	1525	SCS355V	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 304	Single
SCS35V	6'	1830	SCS356V	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 304	Single
SCS35V	6'6"	2000	SCS352V	Top/ Side	Slotted	415	330	24 - 26	3	Hairline	Stainless Steel 304	Single

MODEL SCAV												
SCA1 S = SAM PRODUCTS; C = COMMERCIAL; A = ALUMINIUM; 1 = SERIES 1; V = VERTICALE AIR FLOW.												

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No of Motors	Finish	Material Construction	Motor Phase
SCA1V	3'	915	SCA13V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA1V	3'3"	1000	SCA11V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA1V	4'	1220	SCA14V	Front/ Top/ Side	Slotted	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA1V	5'	1525	SCA15V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Aluminium	Single
SCA1V	6'	1830	SCA16V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Aluminium	Single
SCA1V	6'6"	2000	SCA12V	Front/ Top/ Side	Slotted	370	280	15 - 17	2	Powder Coated	Aluminium	Single

SCA2V	3'	915	SCA23V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA2V	3'3"	1000	SCA21V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA2V	4'	1220	SCA24V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	1	Powder Coated	Aluminium	Single
SCA2V	5'	1525	SCA25V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Aluminium	Single
SCA2V	6'	1830	SCA26V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Aluminium	Single
SCA2V	6'6"	2000	SCA22V	Top/ Side	Plain Curved Sheet	370	280	15 - 17	2	Powder Coated	Aluminium	Single

SCA3V	3'	915	SCA33V	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Aluminium	Single
SCA3V	3'3"	1000	SCA31V	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Aluminium	Single
SCA3V	4'	1220	SCA34V	Side	Plain Slope Sheet	285	220	17 - 19	2	Powder Coated	Aluminium	Single
SCA3V	5'	1525	SCA35V	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Aluminium	Single
SCA3V	6'	1830	SCA36V	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Aluminium	Single
SCA3V	6'6"	2000	SCA32V	Side	Plain Slope Sheet	285	220	17 - 19	3	Powder Coated	Aluminium	Single

SCA4V	3'	915	SCA43V	Side	Plain Slope Sheet	285	220	17 - 19	1	Powder Coated	Aluminium	Single
SCA4V	3'3"	1000	SCA41V	Side	Plain Slope Sheet	285	220	17 - 19	1	Powder Coated	Aluminium	Single
SCA4V	4'	1220	SCA44V	Side	Plain Slope Sheet	285	220	21 - 23	3	Powder Coated	Aluminium	Single
SCA4V	5'	1525	SCA45V	Side	Plain Slope Sheet	285	220	21 - 23	4	Powder Coated	Aluminium	Single
SCA4V	6'	1830	SCA46V	Side	Plain Slope Sheet	285	220	21 - 23	4	Powder Coated	Aluminium	Single
SCA4V	6'6"	2000	SCA42V	Side	Plain Slope Sheet	285	220	21 - 23	5	Powder Coated	Aluminium	Single

SCA5V	3'	915	SCA53V	Top/ Side	Slotted	415	330	24 - 26	1	Powder Coated	Aluminium	Single
SCA5V	3'3"	1000	SCA51V	Top/ Side	Slotted	415	330	24 - 26	1	Powder Coated	Aluminium	Single
SCA5V	4'	1220	SCA54V	Top/ Side	Slotted	415	330	24 - 26	2	Powder Coated	Aluminium	Single
SCA5V	5'	1525	SCA55V	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Aluminium	Single
SCA5V	6'	1830	SCA56V	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Aluminium	Single
SCA5V	6'6"	2000	SCA52V	Top/ Side	Slotted	415	330	24 - 26	3	Powder Coated	Aluminium	Single

MODEL SCFPV												
SCA1		S = SAM PRODUCTS; C = COMMERCIAL; FP = FLAME PROOF ELECTRICAL MOTOR; 1 = SERIES 1; V = VERTICALE AIR FLOW.										

Series	Size of Air Curtain (Width) ft	Size of Air Curtain (Width) mm	Model Number	Air Inlet	Front Face	OD Height (mm)	OD Depth (mm)	Air Flow (m/s)	No. of Motors	Finish	Material of Construction	Motor Phase
SCM1V	3'	915	SCM13FPV	Front/ Top/ Side	Slotted	460	360	15 - 17	1	Powder Coated	Aluminium	Single
SCM1V	3'3"	1000	SCM11FPV	Front/ Top/ Side	Slotted	460	360	15 - 17	1	Powder Coated	Aluminium	Single
SCM1V	4'	1220	SCM14FPV	Front/ Top/ Side	Slotted	460	360	15 - 17	1	Powder Coated	Aluminium	Single
SCM1V	5'	1525	SCM15FPV	Front/ Top/ Side	Slotted	460	360	15 - 17	2	Powder Coated	Aluminium	Single
SCM1V	6'	1830	SCM16FPV	Front/ Top/ Side	Slotted	460	360	15 - 17	2	Powder Coated	Aluminium	Single
SCM1V	6'6"	2000	SCM12FPV	Front/ Top/ Side	Slotted	460	360	15 - 17	2	Powder Coated	Aluminium	Single

SCM5V	3'	915	SCM53FPV	Top/ Side	Plain Slope Sheet	370	280	23 - 25	1	Powder Coated	Aluminium	Single
SCM5V	3'3"	1000	SCM51FPV	Top/ Side	Plain Slope Sheet	370	280	23 - 25	1	Powder Coated	Aluminium	Single
SCM5V	4'	1220	SCM54FPV	Top/ Side	Plain Slope Sheet	370	280	23 - 25	1	Powder Coated	Aluminium	Single
SCM5V	5'	1525	SCM55FPV	Top/ Side	Plain Slope Sheet	370	280	23 - 25	2	Powder Coated	Aluminium	Single
SCM5V	6'	1830	SCM56FPV	Top/ Side	Plain Slope Sheet	370	280	23 - 25	2	Powder Coated	Aluminium	Single
SCM5V	6'6"	2000	SCM52FPV	Top/ Side	Plain Slope Sheet	370	280	23 - 25	2	Powder Coated	Aluminium	Single

SCS1V	3'	915	SCS13FPV	Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1V	3'3"	1000	SCS11FPV	Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1V	4'	1220	SCS14FPV	Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 202	Single
SCS1V	5'	1525	SCS15FPV	Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS1V	6'	1830	SCS16FPV	Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 202	Single
SCS1V	6'6"	2000	SCS12FPV	Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 202	Single

SCS5V	3'	915	SCS53FPV	Side	Plain Slope Sheet	255	200	23 - 25	1	Hairline	Stainless Steel 202	Single
SCS5V	3'3"	1000	SCS51FPV	Side	Plain Slope Sheet	255	200	23 - 25	1	Hairline	Stainless Steel 202	Single
SCS5V	4'	1220	SCS54FPV	Side	Plain Slope Sheet	255	200	23 - 25	1	Hairline	Stainless Steel 202	Single
SCS5V	5'	1525	SCS55FPV	Side	Plain Slope Sheet	255	200	23 - 25	2	Hairline	Stainless Steel 202	Single
SCS5V	6'	1830	SCS56FPV	Side	Plain Slope Sheet	255	200	23 - 25	2	Hairline	Stainless Steel 202	Single
SCS5V	6'6"	2000	SCS52FPV	Side	Plain Slope Sheet	255	200	23 - 25	2	Hairline	Stainless Steel 202	Single

SCS31V	3'	915	SCS313FPV	Top/ Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31V	3'3"	1000	SCS311FPV	Top/ Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31V	4'	1220	SCS314FPV	Top/ Side	Front/ Top/ Side	460	360	15 - 17	1	Hairline	Stainless Steel 304	Single
SCS31V	5'	1525	SCS315FPV	Top/ Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS31V	6'	1830	SCS316FPV	Top/ Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 304	Single
SCS31V	6'6"	2000	SCS312FPV	Top/ Side	Front/ Top/ Side	460	360	15 - 17	2	Hairline	Stainless Steel 304	Single

SCS35V	3'	915	SCS353FPV	Top/ Side	Slotted	460	360	23 - 25	1	Hairline	Stainless Steel 304	Single
SCS35V	3'3"	1000	SCS351FPV	Top/ Side	Slotted	460	360	23 - 25	1	Hairline	Stainless Steel 304	Single
SCS35V	4'	1220	SCS354FPV	Top/ Side	Slotted	460	360	23 - 25	1	Hairline	Stainless Steel 304	Single
SCS35V	5'	1525	SCS355FPV	Top/ Side	Slotted	460	360	23 - 25	2	Hairline	Stainless Steel 304	Single
SCS35V	6'	1830	SCS356FPV	Top/ Side	Slotted	460	360	23 - 25	2	Hairline	Stainless Steel 304	Single
SCS35V	6'6"	2000	SCS352FPV	Top/ Side	Slotted	460	360	23 - 25	2	Hairline	Stainless Steel 304	Single



AIR CURTAIN STILL WORKING NON STOP SINCE 2003 ON SINGLE PHASE



THANKS