




Bionativa

Fitopreparatori
Italiani®

I.P. FARMA

OTORHINOLARYNGOLOGY - GASTROENTEROLOGY
PEDIATRICS - GYNECOLOGY - PROCTOLOGY





Bionativa

MADE IN ITALY, INSPIRING GLOBALLY

Originating from Biodue SpA's Own Brands Division, Bionativa continues its legacy of innovation in medical devices, cosmetics and dietary supplements, rooted in Tuscany's research and production excellence.

PHARCOS

AGEX
by PHARCOS

 Fitopreparatori
Italiani®

@ BIOFTA

 RIVER
PHARMA

I.P. FARMA

EFFECTIVE AND SAFE PRODUCTS THROUGH SCIENTIFIC RESEARCH

In **Bionativa**, continuous innovation in product development is supported by scientific research in collaboration with leading research institutions. This approach allows us to create state of the art products focused on achieving effective outcomes, utilizing raw materials of the highest quality and meticulous processes.

- 380+ Products
- 120+ Product brands, active ingredients and technologies
- 10 Patents registered globally
- 30+ R&D Projects annually
- 40+ Scientific studies with 2,000+ participants

OUR BRANDS

Bionativa unites leading brands in the Health & Beauty sectors under one corporate ethos, focused on the specifics of each area while sharing a common mission: to value professional advice in a constantly evolving market.

PHARCOS • *Dermatology and Cosmetics*

AGEX • *Aesthetic Medicine*

FITOPREPARATORI ITALIANI • *Proctology and Gastroenterology*

BIOFTA • *Ophthalmology*

RIVER PHARMA • *Orthopedics, Neurology*

IP FARMA • *Otorhinolaryngology, Gynecology, Pediatrics, Urology, Pneumology and General Surgery*



Fitopreparatori
Italiani®

Its mission is to elevate natural products to a higher level of therapeutic efficacy while supporting professionals through targeted training pathways.

In the field of natural phytotherapeutic and nutraceutical supplements and natural cosmetics, Fitopreparatori Italiani is a brand guaranteeing quality, efficacy, and safety.

I.P. FARMA

IP Farma specializes in marketing medical devices, cosmetic products and dietary supplements across multiple general and specialized medical sectors: Otorhinolaryngology, Gynecology, Urology, Pediatrics, and General Surgery.



ESPERSOL VIALS

Nebulizing solution based on sea water and hyaluronic acid with a soothing and fluidifying action for the treatment of colds, rhinitis and sinusitis.

- ◆ Rhinitis, allergic rhinitis, sinusitis
- ◆ Washing and cleaning the nasal cavities
- ◆ Nasopharyngeal disorders with congestion and mucociliary clearance alteration

ACTIVE SUBSTANCES

HIGH MOLECULAR WEIGHT HYALURONIC ACID *(vegetable origin)*

Obtained by bio-fermentation of a plant substrate. It creates a barrier effect against the spread of toxins, foreign bodies and microorganisms. It moisturizes mucous membranes and stimulates mucociliary clearance.

SEA WATER

Fluidifies secretions, promoting the elimination of mucus.

DOSAGE

Remove a single-dose vial and gently open it by turning the cap until its removal. Tilt the head, gently insert the nozzle of the vial into the nostril and press lightly. After a few seconds, blow your nose or, if necessary, use a nasal aspirator to remove any secretions. Repeat for the other nostril after tilting the head on the other side. In case of partial use of the single-dose vial, close the vial again by using the appropriate cap (upside down) and store in the refrigerator. In any case, use the remaining product within 24 hours after first opening.

| Preserves the hydration of the nasal cavities

RESPIRATORY TRACT



MEDICAL DEVICE CLASS IIA
20 x 5 ml single-dose vials

RRP in Italy:
€ 16.50

**BIBLIOGRAPHIC
EVIDENCE**

ISOTONIC SOLUTION

**PRESERVATIVE FREE
ALSO FOR CHILDREN**

FOR AEROSOL THERAPY AND NASAL WASHES

FREQUENCY AND DURATION OF USE

For a correct use it is advisable:

- In infants, to instill a few drops in each nostril several times during the day.
- In children older than 12 months, perform a complete washing with 1 vial once a day
- In adults, carry out complete washes with 1 vial twice a day.

The duration of use depends on the evolution of symptoms and if necessary it can be used even for prolonged periods following the advice of your doctor.

COMPOSITION

WATER, SEA WATER, SODIUM HYALURONATE, SODIUM CHLORIDE, POTASSIUM MONOBASIC PHOSPHATE AND POTASSIUM DIBASIC PHOSPHATE.

NATURMAR VIALS

Nebulizing solution based on sea water and hyaluronic acid with a soothing and fluidifying action for the treatment of colds, rhinitis and sinusitis.

- ◆ Rhinitis, allergic rhinitis, sinusitis
- ◆ Washing and cleaning the nasal cavities
- ◆ Nasopharyngeal disorders with congestion and mucociliary clearance alteration

ACTIVE SUBSTANCES

HIGH MOLECULAR WEIGHT HYALURONIC ACID (*vegetable origin*)

Obtained by bio-fermentation of a plant substrate. It creates a barrier effect against the spread of toxins, foreign bodies and microorganisms. It moisturizes mucous membranes and stimulates mucociliary clearance.

SEA WATER

Fluidifies secretions, promoting the elimination of mucus.

DOSAGE

Remove a single-dose vial and gently open it by turning the cap until its removal. Tilt the head, gently insert the nozzle of the vial into the nostril and press lightly. After a few seconds, blow your nose or, if necessary, use a nasal aspirator to remove any secretions. Repeat for the other nostril after tilting the head on the other side. In case of partial use of the single-dose vial, close the vial again by using the appropriate cap (upside down) and store in the refrigerator. In any case, use the remaining product within 24 hours after first opening.

| *Preserves the hydration of the nasal cavities*

RESPIRATORY TRACT



MEDICAL DEVICE CLASS IIA
20 x 5 ml single-dose vials

RRP in Italy:
€ 16.50

**BIBLIOGRAPHIC
EVIDENCE**

**HYPERTONIC
SOLUTION**

**PRESERVATIVE FREE
ALSO FOR CHILDREN**

FOR AEROSOL THERAPY AND NASAL WASHES

FREQUENCY AND DURATION OF USE

For a correct use it is advisable:

- In infants, to instill a few drops in each nostril several times during the day.
- In children older than 12 months, perform a complete washing with 1 vial once a day
- In adults, carry out complete washes with 1 vial twice a day.

The duration of use depends on the evolution of symptoms and if necessary it can be used even for prolonged periods following the advice of your doctor.

COMPOSITION

WATER, SEA WATER, VEGETALIALO® SODIUM HYALURONATE, MONOBASIC POTASSIUM PHOSPHATE AND DIBASIC POTASSIUM PHOSPHATE.

ESPERSOL NASAL SPRAY

Hypertonic nasal solution based on sea water and hyaluronic acid to protect and restores the normal conditions physiological mucous membranes of the respiratory tract.

- ◆ Rhinitis allergic rhinitis sinusitis
- ◆ Washing and cleaning the nasal cavities
- ◆ Nasopharyngeal disorders such as congestion and mucociliary clearance alteration
- ◆ Post-operative
- ◆ Maintenance therapy following cortisone use

A. SUBSTANCES

HIGH MOLECULAR WEIGHT HYALURONIC ACID *(of vegetable origin)*

Obtained by bio-fermentation of a plant substrate. It creates a barrier effect against the spread of toxins, foreign bodies and microorganisms. It moisturizes mucous membranes and stimulates mucociliary clearance.

SEA WATER

Fluidifies secretions, promoting the elimination of mucus.

RESPIRATORY TRACT

MEDICAL DEVICE CLASS IIA

100 ml spray

RRP in Italy:

€ 15.00

CLINICAL STUDY

HYPERTONIC SOLUTION

**BAG ON VALVE TECHNOLOGY
WITH AIR AS PROPELLANT
PRESERVATIVES FREE**



DOSAGE

Remove the cap, gently introduce the nozzle into the nostril, recline the head to one side and press the dispenser. Repeat for the other nostril.

FREQUENCY AND DURATION OF USE

For a correct use we recommend:

- In children 1-2 sprays 2-3 times a day.
- In adults 2-3 sprays up to 4 times a day.

The duration of therapy depends on the evolution of the symptoms and if necessary it can be used even for prolonged periods under advice of your doctor.

INGREDIENTS

WATER, SEA WATER, SODIUM HYALURONATE, SODIUM CHLORIDE, MONOBASIC POTASSIUM PHOSPHATE AND DIBASIC POTASSIUM PHOSPHATE.

| Effective in the treatment of cold, sinus symptoms and allergic rhinitis

EXTRACT FROM CLINICAL STUDIES

Efficacy of Espersol nasal spray in the treatment of cold and sinus symptoms and allergic rhinitis



MATERIALS AND METHODS

104 patients aged 1-73 years

Assessment of health status using a 0-7 point scale (0= no symptoms, 7= severe symptoms) at the beginning of the study (T0) and after 10 days of treatment (T1).

TREATMENT

2-3 sprays up to 4 times a day



FITOIALO SPRAY

Nasal spray with seawater and hyaluronic acid, helps to treat cold and sinus symptoms.

- ◆ Colds and sinusitis
- ◆ Protects and hydrates nasal mucosa
- ◆ Restores normal nasal conditions

ACTIVE SUBSTANCES

THYMUS SERPYLLUM

Selective expectorant and antibacterial activity on staphylococcus aureus and pseudomonas aeruginosa.

GRAPEFRUIT SEED

Antibacterial and antiviral activity, effective for colds and sinusitis of viral and bacterial nature.

DROSERA

Bronchial activity as spasmolytic, antibacterial and anti-inflammatory.

ECHINACEA

Stimulates immune defenses.

SEAWATER

Decongestant action, promotes production of mucus.

HIGH MOLECULAR WEIGHT HYALURONIC ACID (*plant origin*)

Creates a barrier against the spread of toxins, microorganisms and foreign bodies. Hydrates the mucosa and stimulates mucociliary clearance.

RESPIRATORY TRACT

MEDICAL DEVICE CLASS IIA

50 ml bottle

RRP in Italy:

€ 12.90



BIBLIOGRAPHIC EVIDENCE

GLUTEN-FREE

**SUITABLE FOR CHILDREN
FROM THREE YEARS OF AGE**

GENTLE SPRAY

NO BURNING

NO PROPELLANTS, PEGS OR ALCOHOL

DIRECTIONS FOR USE

As needed, remove the protective cap, and after gently blowing your nose, insert the nozzle into one nostril and spray 1-2 times, do the same in the other nostril. Application can be repeated 4-5 times throughout the day.

COMPOSITION

SEAWATER, SODIUM HYALURONATE, GRAPEFRUIT SEED GLYCERIC EXTRACT, ECHINACEA HYDROGLYCERIC EXTRACT, SUNDEW HYDROGLYCERIC EXTRACT, THYME SERPYLLUM HYDROGLYCERIC EXTRACT, DIBASIC POTASSIUM PHOSPHATE, MONOBASIC POTASSIUM PHOSPHATE, SODIUM CHLORIDE, WATER.

| **with APF technology: no preservatives needed**

DECON DAY

Food supplement containing Myo-inositol, Nicotinamide, and Folic acid, designed to promote correct ovulation and regulate the ovarian cycle.

- ◆ Polycystic ovary syndrome
- ◆ Neural tube defects
- ◆ Ovarian cycle disorders

A. SUBSTANCES

MYO-INOSITOL

Improves insulin resistance; Mitigates peripheral hyperandrogenism.

NICOTINAMIDE

Has an anti-inflammatory action and restores the skin barrier.

QUATREFOLIC® (active Folic acid)

Regulates homocysteine levels. Quatrefolic® is a salt of glucosamine 5 methyltetrahydrofolate (5-MTHF), which is the active form of folic acid.

GYNECOLOGY

FOOD SUPPLEMENT

30 x 4,7 g sachets

RRP in Italy:
€ 35.00

**BIBLIOGRAPHIC
EVIDENCE**

**GLUTEN FREE
NO ADDED SUGAR
NATURALLY LACTOSE FREE**



HOW TO USE AND DOSAGE

Dissolve the contents of one sachet in a glass of water (at least 150 ml), mix well and drink immediately after preparation. Any insoluble residues are due to the high concentration of the active substances present and are not indicative of product defectiveness. The recommended dosage is 1 sachet per day. Do not exceed the recommended daily dose.

NUTRITIONAL INFORMATION

	for 1 sachet	%NRV for 1 sachet
Myo-inositol	4 g	
Nicotinamide	50 mg	312,5%
Folic acid	400 mcg	200%

%NRV = percent of nutrient reference value (EU Reg. no. 1169/2011)

| Contains the **active form** of highly bioavailable **Folic acid**

MYO-AC COMPRESSE

Food supplement containing the patented combination of Myo-inositol/D-chiro-inositol, formulated to mitigate hyperandrogenism and promote regular ovulation.

- ◆ Polycystic ovary syndrome
- ◆ Ovarian cycle disorders

A. SUBSTANCES

MYO-INOSITOL/D-CHIRO-INOSITOL

Exclusive, patented molecular complex in a 3.6:1 ratio. The combination of myo-inositol and D-chiro-inositol restores normal insulin sensitivity in tissues, reducing circulating levels of insulin and androgens. This also leads to an improvement in the clinical signs of hyperandrogenism.

DOUBLE-LAYER TABLETS WITH DIFFERENTIATED-RELEASE

350 mg
MYO-INOSITOL + D-CHIRO-INOSITOL
fast-release layer: within 30 min



350 mg
MYO-INOSITOL + D-CHIRO-INOSITOL
medium-release layer: after 30 min

Therapeutic doses are maintained over time

GYNECOLOGY

30 double-layer tablets with differentiated-release

RRP in Italy:
€ 29.00

BIBLIOGRAPHIC EVIDENCE

GLUTEN FREE
LACTOSE FREE

PATENTED COMBINATION MI/DCI 3.6:1



DIRECTIONS FOR USE

One tablet in the morning and one in the evening, swallowed whole with a glass of water.

INGREDIENTS

MIXTURE OF D-CHIRO-INOSITOL FROM CAROB FRUIT (CERATONIA SILIQUA L.) AND MYO-INOSITOL FROM CORN FRUIT (ZEA MAYS L.); BULKING AGENT: MICROCRYSTALLINE CELLULOSE, CELLULOSE GEL; ANTI-CAKING AGENTS: HYDROXYPROPYL METHYLCELLULOSE, MONO- AND DIGLYCERIDES OF FATTY ACIDS; BULKING AGENT: DICALCIUM PHOSPHATE; ANTI-CAKING AGENTS: CROSS-LINKED SODIUM CARBOXYMETHYLCELLULOSE, CROSS-LINKED CELLULOSE GUM, SILICON DIOXIDE, MAGNESIUM SALTS OF FATTY ACIDS; COLOURING AGENT: RIBOFLAVIN.



qr.bionativa.net/myoD

Comparison of the effect of two combinations of myo-inositol and D-chiro-inositol in women with polycystic ovary syndrome undergoing ICSI: a randomized controlled trial


ABSTRACT

The purpose of this study was to evaluate the effect of two doses of **D-chiro-inositol (DCI)** in combination with **Myo-inositol (MYO)** in women with PCOS undergoing ICSI. This was a multicenter controlled, randomized, double-blind parallel group study with two MYO-DCI formulations for 12 weeks.


The study group (SG) was administered 550 mg of MYO + 150 mg of DCI twice daily; the control group (CG) was administered 550 mg of MYO + 13.8 mg of DCI twice daily.

The participants comprised 60 women with PCOS undergoing ICSI. At baseline, no differences were found between the two groups regarding age, BMI, HOMA-IR or testosterone levels.

The pregnancy and live birth rates were significantly higher in the SG than in the CG (65.5 vs. 25.9 and 55.2 vs. 14.8, respectively) [risk ratio (RR) = 0.4; 95%CI (0.2, 0.79); p = .003 and RR = 0.27; 95%CI (0.10, 0.70); p = .002 respectively]. The risk of ovarian hyperstimulation syndrome (OHSS) was lower in the SG (3.44 vs. 18.5%, p = .07). The combination of MYO-DCI at high doses of DCI improves the pregnancy rates and reduces the risk of OHSS in women with PCOS undergoing ICSI.



MI/DCI 3.6:1 REDUCES TESTOSTERONE AND INSULIN LEVELS IN WOMEN WITH PCOS



The study shows that the increase in DCI dose at 300 mg/day in combination with 1100 mg myo/day significantly improves the pregnancy rate in women suffering PCOS compared to the effect of the combination of 27 mg DCI and 1100 mg MYO.

DECOVAGIN OVULES

It is an adjuvant in the treatment and prevention of vaginal mucosa diseases due to bacteria (as vulvovaginitis) or to fungal infections (such as Candida).

- ◆ Vaginal burning itching and redness
- ◆ Bacterial or fungal infections (in combination with drug)
- ◆ Preventive treatment in patients with frequent infection.

ACTIVE SUBSTANCES

CANDIRESOLVE®

Herbal complex based on polysaccharides from Aloe Vera, Sage Essential Oils, Tea Tree oil (30% terpinen-4-ol) and Grapefruit seed extract (2% naringin).
The anti candida activity is tested in vitro against three strains of Candida.

Effective in **reducing** signs and symptoms of **bacterial or fungal infection**



GYNECOLOGY

MEDICAL DEVICE CLASS IIA

10 x 2g vaginal ovules

RRP in Italy:

€ 18.00

**IN VITRO STUDY ON
CANDIRESOLVE**

**FOR TREATMENT AND PREVENTION
OF VAGINAL MUCOSA DISEASES**

DOSAGE

Treatment: 1 ovule per day, in the evening, before going to bed lying down, for at least 10 consecutive days. Associate a vaginal washing in the morning in order to rebalance the vaginal flora.

Prevention: Cyclically 1 ovule per day, in the evening before going to bed lying down, for at least 10 consecutive days.

COMPOSITION

POLYSACCHARIDES FROM ALOE VERA, ESSENTIAL OILS OF SAGE, TEA TREE OIL AND GRAPEFRUIT EXTRACT SEEDS, LACTIC ACID, MIXTURE OF TRIGLYCERIDES.

Very effective on different **Candida spp. strains**

EXTRACT FROM CLINICAL STUDY

In vitro anti Candida spp. activity of a proprietary complex containing sage oil, grapefruit seed, aloe gel and tea tree oil (CANDIResolve®)



qr.bionativa.net/candiresolve

Prof. M. Biagi

RESULTS

Figure 1, 2 and 3 show the activity of CANDIResolve® against all the three tested Candida spp. strains. Images show the effectiveness of CANDIResolve® against all the three tested Candida spp. strains. Triplicates produced no statistical differences.

In [Table 1](#) inhibition diameters were reported.

STRAIN	INHIBITION DIAMETER (MM) (AVERAGE OF TRIPLICATES)
C. albicans ATCC	25,3
C. parapsilosis ATCC	25,4
C. krusei ATCC	20,4

Table 1: Inhibition diameter on Candida spp. caused by the gel.

CONCLUSIONS

The proprietary natural complex containing sage soft extract, grapefruit seed extract and tea tree oil resulted very effective on different Candida spp. strains.



Fig. 1, Activity of Candiresolve® against Candida albicans

Fig. 2, Activity of Candiresolve® against Candida parapsilosis

Fig. 3, Activity of Candiresolve® against Candida krusei

Efficacy of Decovagin ovules in the treatment of vaginal mucosal disorders of bacterial or fungal origin

MATERIALS AND METHODS



27 patients aged between 17 and 65 years.

The evaluation was done by means of the "Evaluation of clinical signs and symptoms of the vaginal disease", which allows a score from 1 to 4 to be assigned to signs and symptoms of infection.

TREATMENT

1 ovum in the evening for 10 days. VISITS: before starting treatment (T0), at the end of treatment (T1 - day 10), follow-up at day 20 and day 30.

RESULTS



DECOVAGIN GEL

It is an adjuvant in the treatment of vaginal disorders due to dryness and irritation of vaginal mucosa.

Vaginal disorders:

- ◆ Redness
- ◆ Itching
- ◆ Burning
- ◆ Dryness

ACTIVE SUBSTANCES

HIGH MOLECULAR WEIGHT

HYALURONIC ACID (*vegetable origin*)

Obtained through a patented fermentation process starting from a lactic acid bacterium on a vegetable substrate. It keeps the tissue elastic and promotes cell renewal and rejuvenation, thanks to its high capacity of hydration.

ALOE

Creates a protective barrier on vaginal mucosa which gives immediate relief with deep soothing and lubricating actions.

GRAPEFRUIT SEED, SAGE

Anti-inflammatory and antibacterial activity.

LACTIC ACID

Contributes to the preservation and stabilization of the physiological pH.

GYNECOLOGY

MEDICAL DEVICE CLASS II A

40 ml gel + 6 cannulas

RRP in Italy:

€ 18.00



**NO STAINS
ON CLOTHING**

**FREE FROM
COLOURING, PARFUME, PARABENS,
PHENOXYETHANOL, SLS, SLES, PEG**

DOSAGE

Recommended one application per day for 6 days, changing applicator every time. Treatment can be prolonged according to the needs and / or advice of the pharmacist.

INGREDIENTS

ALOE BARBADENSIS, GRAPEFRUIT SEED DRY EXTRACT, SALVIA OFFICINALIS GLYCOLIC EXTRACT, SALVIA OFFICINALIS ESSENTIAL OIL, SODIUM HYALURONATE, POLYCARBOPHIL, HYDROXYETHYLCELLULOSE, LACTIC ACID, DISODIUM EDTA, SODIUM HYDROXIDE, SODIUM DEHYDROACETATE, IMIDAZOLIDINYL UREA, WATER, EXCIPIENTS.

| **Lubricant against itching and burning, leaves no residue and does not stain clothing**

DECOVAGIN VAGINAL DOUCHE

Biphasic vaginal douche that helps improving the typical symptoms of vaginal discomfort. It protects the vaginal ecosystem and prevents the annoying symptoms that arise with various forms of vaginitis and vaginosis.

- ◆ Vaginal discomfort
- ◆ Burning, itching, irritation, dryness
- ◆ Menopausal women
- ◆ After menstruation
- ◆ After sexual intercourse

ACTIVE SUBSTANCES

MAGALDRATE

Cytoprotective properties.

HIGH MOLECULAR WEIGHT HYALURONIC ACID *(vegetable origin)*

Obtained through a patented fermentation process starting from a lactic acid bacterium on a vegetable substrate. It keeps the tissue elastic and promotes cell renewal and rejuvenation, thanks to its high capacity of hydration.

ALOE VERA

Creates a protective barrier on vaginal mucosa which gives immediate relief with deep soothing and lubricating actions.

LACTIC ACID

Contributes to the preservation and stabilization of the physiological pH.

GYNECOLOGY

MEDICAL DEVICE CLASS IIA

5 x 100 ml + 5 applicators

RRP in Italy:

€ 19.00



BIBLIOGRAPHIC EVIDENCE

FREQUENCY OF USE

We recommend 1 application per day, in the morning or in the evening before going to bed.

INGREDIENTS

WATER, SODIUM HYALURONATE, ALOE VERA GEL, LACTIC ACID, POLYSORBATE 20, SODIUM BENZOATE, POTASSIUM SORBATE, FRAGRANCE. THE DOSING CAP CONTAINS MAGALDRATE, MAGNESIUM STEARATE, MICRONISED SILICA.

Relief from symptoms caused by non-specific vaginitis such as vaginal discharge, itching and burning

DECON VAGINAL DOUCHE

It is an adjuvant treatment for Irritation and inflammation in the vagina. Decon vaginal douche helps to safeguard the vaginal ecosystem and prevent annoying symptoms that appear in case of vaginitis and vaginosis.

- ◆ Vaginal irritation, burning, itching and dryness
- ◆ Menopausal women
- ◆ After menstruation
- ◆ After sexual intercourse

ACTIVE SUBSTANCES

HIGH MOLECULAR WEIGHT HYALURONIC ACID *(vegetable origin)*

Obtained through a patented fermentation process starting from a lactic acid bacterium on a vegetable substrate. It keeps the tissue elastic and promotes cell renewal and rejuvenation, thanks to its high capacity of hydration.

ALOE VERA

Creates a protective barrier on vaginal mucosa which gives immediate relief with deep soothing and lubricating actions.

LACTIC ACID

Found naturally in the vaginal environment, it facilitates the adjustment of pH.

GYNECOLOGY

MEDICAL DEVICE CLASS IIA

5 x 100 ml + 5 applicators

RRP in Italy:

€ 18.00



BIBLIOGRAPHIC EVIDENCE

ROSE SCENT

FREQUENCY OF USE

The recommended frequency is 1 application per day, in the morning or in the evening before bedtime.

INGREDIENTS

AQUA, SODIUM HYALURONATE, ALOE VERA GEL, LACTIC ACID, POLYSORBATE 20, SODIUM BENZOATE, POTASSIUM SORBATE, FRAGRANCE.

Prevent annoying symptoms in case of vaginitis and vaginosis

DECON D

Vitamin D3 of vegetal origin, with a pleasant taste, that contributes to the normal maintenance of bone and calcium and phosphorus absorption and normal function of the immune system in newborns, children, but also in menopause or pregnant women and in adults.

- ◆ Deficiency of vitamin D
- ◆ Improve function of the immune system
- ◆ Prevents osteoporosis

ACTIVE SUBSTANCES

VITAMIN D

Fundamental substance for the good health of our body, in particular of teeth and bones. A deficiency of Vitamin D may depend on various factors: advanced age, lifestyle (prolonged time spent indoors, low exposure to the open air and sun, phototype) and excessive use of sunscreen.

Decon D extracted from lichen is in an oily solution, with a pleasant orange taste, with Vitamin E which acts as an antioxidant in order to guarantee the stability of VITAMIN D3 until its expiration.

The oily vehicle guarantees maximum bioavailability of vitamin D.

High bioavailability Vitamin D of vegetal origin

GYNECOLOGY

FOOD SUPPLEMENT

50 ml drops

RRP in Italy:
€ 19,00

GLUTEN FREE

NATURALLY LACTOSE FREE

SUITABLE FOR VEGANS



DOSAGE

From 3 to 10 years: 4 drops per day. Juniors, pregnant women (indicated especially in the last quarter) and breastfeeding: 6 drops per day. Adults: 20 drops per day. The product can be taken with a spoon or with yoghurt, fruit juices or a slice of bread.

DURATION OF THERAPY

Children	8 months
Women during pregnancy and lactation	6 months
Adults	2 months

INGREDIENTS

SUNFLOWER SEED OIL, VITAMIN E ACETATE, NATURAL LEMON FLAVOURING, NATURAL ORANGE FLAVOURING, VITAMIN D3 OF PLANT ORIGIN (CHOLECALCIFEROL).

NUTRITIONAL INFORMATION

Per 4 drops	Vit. D3 10 µg - 200% NRV
Per 6 drops	Vit. D3 15 µg - 300% NRV
Per 20 drops	Vit. D3 50 µg (2000 IU) - 1000% NRV
Vitamin E	1.8 mg (15% of NRV)%

*%NRV = percentage reference nutritional value (EU Reg. 1169/2011)

DECONFLOG GEL

Medical device that works by protecting the wound that has damaged the dermis, creating an optimal environment for the repair processes and at the same time protecting the area from external physical and bacterial agents.

- ◆ Irritation and redness (including diaper rash)
- ◆ Post peeling, hair removal and laser treatments
- ◆ Navel of the newborn
- ◆ Superficial injuries: cracks, scratches, grazes, abrasions, minor burns, cuts
- ◆ Deep wounds: surgical wounds, bedsores, ulcers

ACTIVE SUBSTANCES

HIGH MOLECULAR WEIGHT HYALURONIC ACID (0.3% plant-based)

Moisturizing, protective film-forming.
Damaged skin regenerating properties.

ACEMANNAN (high molecular weight polysaccharide fraction)

Immuno-stimulating, antibacterial and antiseptic.
Facilitates tissue repair.

JOJOBA OIL (*Simmondsia chinensis*)

Esterified wax mixture that restores the correct hydrolipidic film on the skin with anti-inflammatory action.

**Rapid recovery
from pain or
burning**

**Resolves rashes and
scabs in nearly half
the expected time**

SKIN AND SCAR REPAIR

MEDICAL DEVICE CLASS IIB

25 g gel

RRP in Italy:

€ 20.00

Also available in:

50 g, 15 g

CLINICAL STUDY

**DERMATOLOGICALLY TESTED
FOR WOUNDS, BURNS AND IRRITATIONS**



DOSAGE AND INSTRUCTIONS FOR USE

Wash your hands before use. After cleaning and disinfecting the area to be treated, apply a thin layer of gel directly on it.

In case of deep wounds, perform a light massage and apply a gauze on the injured part with a sterile bandage. Apply twice a day, until symptoms disappear. The treatment should not exceed 30 days.

INGREDIENTS

ALOE VERA, SODIUM HYALURONATE, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, JOJOBA OIL*, POLYVINYLPIRROLIDONE (PVP), SODIUM HYDRATE PEARLS, BENZYL ALCOHOL, GLYCERYL CAPRYLATE, GLYCERYL UNDECYLENATE, WATER.

* FROM ORGANIC FARMING

CLINICAL STUDIES



qr.bionativa.net/cicatr

"CLINICAL STUDY – DR. GIUSEPPE ALESSANDRINI"

LIFE NIPIO

Antireflux syrup for infants and children up to 3 years of age. It is intended to be used to alleviate symptoms related to gastroesophageal reflux disease and esophagitis.

- ◆ Newborn regurgitation
- ◆ Gastroesophageal reflux
- ◆ Esophagitis

ACTIVE S.

MAGNESIUM ALGINATE

Alginates are polysaccharides extracted and purified from marine algae. They block reflux mechanically, and when they reach the stomach, they precipitate and form a floating gel that acts as an anti-reflux barrier.

GASTROENTEROLOGY

MEDICAL DEVICE CLASS IIA - oral solution

150 ml bottle with syringe

RRP in Italy:

€ 18.00



BIBLIOGRAPHIC EVIDENCE

WITHOUT BICARBONATE/CARBONATE
WITHOUT SODIUM ADDED
LACTOSE FREE
GLUTEN FREE
OGM FREE

INSTRUCTIONS FOR USE

Shake before use.

Administer according to the following dosage or according to medical opinion:

- Infants (up to 5 kg) 1 ml of product, 5-10 minutes after feeding. In case of regurgitation after administration, administer additional 1 ml.
- Up to 3 years of age (6-15 kg) 4 ml after meals and at bedtime.

INGREDIENTS

MAGNESIUM ALGINATE, XANTHAN GUM, SUCRALOSE, SODIUM METHYL P-HYDROXYBENZOATE, SODIUM PROPYL P-HYDROXYBENZOATE, DEMINERALISED WATER.

| Can be used from the first days of life

LIFE STICK

Antireflux to limit symptoms related to gastroesophageal reflux disease and to esophagitis. It limits the burning sensation (heartburn), regurgitation, difficulty swallowing (dysphagia), painful swallowing (odynophagia), cough, hoarseness.

- ◆ Gastroesophageal reflux
- ◆ Esophagitis
- ◆ Symptoms related to reflux: burning sensation
- ◆ Regurgitation
- ◆ Dysphagia
- ◆ Painful swallowing
- ◆ Cough
- ◆ Hoarseness

A. SUBSTANCES

MAGNESIUM ALGINATE

Alginates are polysaccharides extracted and purified from marine algae. It blocks reflux mechanically, and when it reaches the stomach, it precipitates and forms a floating gel that acts as an anti-reflux barrier.

PLANT EXTRACTS (*Anisum Stellatum*, *Foeniculum Vulgare*, *Chamomilla Recutita*, *Lavandula Angustifolia*, *Tilia Platyphyllos*)

Promote gastric emptying, limit cough, burning sensation and irritation of mucosa.

INSTRUCTIONS FOR USING STICK-PACKS

Children under 12 years: half dose or second medical opinion. Shake before the use.

Adults and children over 12 years: 10-20 ml or 1-2 stick pack after meals and at bedtime or according to medical opinion.

INGREDIENTS

MAGNESIUM ALGINATE, ANISUM STELLATUM EXTRACT, CHAMOMILLA RECUTITA EXTRACT, FOENICULUM VULGARE EXTRACT, XANTHAN GUM, LAVANDULA ANGUSTIFOLIA EXTRACT, TILIA PLATYPHYLLOS EXTRACT, SUCRALOSE, SODIUM METHYL P-HYDROXYBENZOATE, SODIUM PROPYL P-HYDROXYBENZOATE, DEMINERALISED WATER.

GASTROENTEROLOGY



MEDICAL DEVICE CLASS IIA

24 x 10 ml stick pack

RRP in Italy:

€ 20.00

BIBLIOGRAPHIC EVIDENCE

WITHOUT BICARBONATE/CARBONATE

WITHOUT SODIUM ADDED

LACTOSE FREE

GLUTEN FREE

OGM FREE

**Blocks reflux
Reduces burning
Soothes the mucosa**

EXTRACT FROM CLINICAL STUDIES

MATERIALS AND METHODS

123 patients aged 12-82 years

TREATMENT


Treatment of reflux with Life Stick, 1 stick after meals and at bedtime for 15 days

REFLUXAID STICK

Antireflux stick to limit symptoms related to gastroesophageal reflux disease and to esophagitis. The use of the product limits the burning sensation (heartburn), regurgitation, difficulty swallowing (dysphagia), painful swallowing (odynophagia), cough, hoarseness.

- ◆ Gastroesophageal reflux
- ◆ Esophagitis
- ◆ Symptoms related to reflux:
 - burning sensation
- ◆ Regurgitation
- ◆ Dysphagia
- ◆ Painful swallowing
- ◆ Cough
- ◆ Hoarseness

One product, different brands



GASTROENTEROLOGY

MEDICAL DEVICE CLASS IIA

24 x 10 ml stick pack

RRP in Italy:
€ 20.00



BIBLIOGRAPHIC EVIDENCE

WITHOUT BICARBONATE/CARBONATE
WITHOUT SODIUM ADDED
LACTOSE FREE
GLUTEN FREE
OGM FREE

ACTIVE SUBSTANCES

MAGNESIUM ALGINATE

Alginates are polysaccharides extracted and purified from marine algae. It blocks reflux mechanically, and when it reaches the stomach, it precipitates and forms a floating gel that acts as an anti-reflux barrier.

PLANT EXTRACTS (*Anisum Stellatum, Foeniculum Vulgare, Chamomilla Recutita, Lavandula Angustifolia, Tilia Platyphyllos*)

Promote gastric emptying, limit cough, burning sensation and irritation of mucosa.

INSTRUCTIONS FOR USING STICK-PACKS

Children under 12 years: half dose or second medical opinion. Shake before the use.

Adults and children over 12 years: 10-20 ml or 1-2 stick pack after meals and at bedtime or according to medical opinion.

INGREDIENTS (STICK)

MAGNESIUM ALGINATE, ANISUM STELLATUM EXTRACT, CHAMOMILLA RECUTITA EXTRACT, FOENICULUM VULGARE EXTRACT, XANTHAN GUM, LAVANDULA ANGUSTIFOLIA EXTRACT, TILIA PLATYPHYLLOS EXTRACT, SUCRALOSE, SODIUM METHYL P-HYDROXYBENZOATE, SODIUM PROPYL P-HYDROXYBENZOATE, DEMINERALISED WATER.

REFLUXAID SYRUP | TABLETS

Antireflux to limit symptoms related to gastroesophageal reflux disease and to esophagitis. It limits the burning sensation (heartburn), regurgitation, difficulty swallowing (dysphagia), painful swallowing (odynophagia), cough, hoarseness.

- ◆ Gastroesophageal reflux
- ◆ Esophagitis
- ◆ Symptoms related to reflux: burning sensation
- ◆ Regurgitation
- ◆ Dysphagia
- ◆ Painful swallowing
- ◆ Cough
- ◆ Hoarseness

ACTIVE SUBSTANCES

MAGNESIUM ALGINATE

Alginates are polysaccharides extracted and purified from marine algae. It blocks reflux mechanically, and when it reaches the stomach, it precipitates and forms a floating gel that acts as an anti-reflux barrier.

PLANT EXTRACTS (*Anisum Stellatum*, *Foeniculum Vulgare*, *Chamomilla Recutita*, *Lavandula Angustifolia*, *Tilia Platyphyllos*)

Promote gastric emptying, limit cough, burning sensation and irritation of mucosa.

GASTROENTEROLOGY



MEDICAL DEVICE CLASS IIA - oral solution

250 ml bottle

RRP in Italy:
€ 16.50

BIBLIOGRAPHIC EVIDENCE

WITHOUT BICARBONATE/CARBONATE
WITHOUT SODIUM ADDED
LACTOSE FREE
GLUTEN FREE
OGM FREE

COMPOSITION (SYRUP)

MAGNESIUM ALGINATE, ANISUM STELLATUM EXTRACT, CHAMOMILLA RECUTITA EXTRACT, FOENICULUM VULGARE EXTRACT, XANTHAN GUM, LAVANDULA ANGUSTIFOLIA EXTRACT, TILIA PLATYPHYLLOS EXTRACT, SUCRALOSE, SODIUM METHYL P-HYDROXYBENZOATE, SODIUM PROPYL P-HYDROXYBENZOATE, PURIFIED WATER.

GASTROENTEROLOGY



MEDICAL DEVICE CLASS IIA

24 chewable tablets

RRP in Italy:
€ 14.90

BIBLIOGRAPHIC EVIDENCE

WITHOUT BICARBONATE/CARBONATE
WITHOUT SODIUM ADDED
LACTOSE FREE
GLUTEN FREE
OGM FREE

COMPOSITION (TABLETS)

SORBITOL, MAGNESIUM ALGINATE, ANISUM STELLATUM EXTRACT, FOENICULUM VULGARE EXTRACT, CHAMOMILLA RECUTITA EXTRACT, LAVANDULA ANGUSTIFOLIA EXTRACT, TILIA PLATYPHYLLOS EXTRACT, MAGNESIUM STEARATE, ACESULFAME K, SUCRALOSE, FLAVOURINGS.

ERBOFLORA INFANT 0+

Dietary supplement with probiotic ferments that help balancing intestinal bacterial flora, with organic extra virgin olive oil as carrier. Given the formulation, can be taken as of the first days of life.

- ◆ Infant colic
- ◆ Gastroenteritis
- ◆ Antibiotic therapy
- ◆ Atopic dermatitis

ACTIVE SUBSTANCES

LACTOBACILLUS REUTERI

The only native species present throughout the human gastrointestinal tract, especially in healthy infants and children. It is also present in breast milk. It has been seen to colonize the gastric and intestinal epithelium better than any other lactobacillus species. It is able to produce molecules with a specific antimicrobial action such as Reuterin and Reutericycline, which can prevent the growth of many human pathogenic species.

LACTOBACILLUS RHAMNOSUS

It is able to colonize the entire digestive tract. The main area where it acts is the large intestine, where it helps to make the environment inhospitable for pathogenic bacteria.

GASTROENTEROLOGY



FOOD SUPPLEMENT

8 ml bottle with dropper

RRP in Italy:
€ 16.50

BIBLIOGRAPHIC EVIDENCE

CAN BE USED FROM THE FIRST DAYS OF LIFE

3 BILLION MILK ENZYMES GUARANTEED ALIVE UNTIL EXPIRATION

NATURALLY LACTOSE FREE

GLUTEN-FREE

NO PRESERVATIVES

NO ARTIFICIAL FLAVORS

NO SUGARS OR SYNTHETIC SWEETENERS

DIRECTIONS FOR USE

Turn the cap clockwise as far as it will go, so that the powder in the capsule drops into the bottle. Shake, unscrew the dispensing cap and screw on the dropper contained in the package. Shake before each use.

DOSE

5 drops daily between meals. Take directly by mouth or mix with water, cold drinks or milk at a temperature below 37°C. After opening the bottle, store in the refrigerator and consume within 1 month of opening. Do not freeze.

NUTRITIONAL INFORMATION

Lactocaseibacillus rhamnosus	DSM 25568	3 billion
Limosilactobacillus reuteri	DSM 25175	100 million

Carried in Organic Extra Virgin Olive Oil produced in Tuscany to ensure product stability

| Can be used from the first days of life

DECONPROCT SUPPOSITORIES

Useful for the treatment of the anal-rectal canal with soothing and emollient effect. Deconproct is indicated for improving the sensation of discomfort resulting from hemorrhoid plexus disorders: hemorrhoids, fissures and proctitis, providing valuable support for proctological therapies. It has a decongestant, soothing/lubricating and emollient action, relieving irritation, burning and anal itching and allowing the patient to excrete pain-free (a problem usually present in hemorrhoid plexus disorders).

- ◆ Rhagades
- ◆ Proctitis
- ◆ Hemorrhoids

ACTIVE SUBSTANCES

CALENDULA EXTRACT

Has important soothing properties that are useful for reducing pain and inflammation of the anorectal canal and promoting its healing.

MALLOW

Acts as an anti-inflammatory, soothing and healing agent on the perianal mucosa.

VITAMIN E

Powerful antioxidant, promotes tissue repair and strengthens the skin barrier.

ASIATIC CENTELLA

Contains triterpenes that stimulate the production of new collagen fibers inside the wall of the blood vessels, making them more elastic and tonic. Improves vascular permeability, alleviating the symptoms of venous insufficiency.

PROCTOLOGY

MD CLASS IIA

10 suppositories 2 g

RRP in Italy:

€ 16.50

CLINICAL STUDY

SMALL SIZE



HOW TO USE

The recommended dose is one suppository per day, preferably in the evening before going to bed.

INGREDIENTS

SEMISYNTHETIC GLYCERIDES, FAT-SOLUBLE CENTELLA EXTRACT, FAT-SOLUBLE CALENDULA EXTRACT, FAT-SOLUBLE MALLOW EXTRACT, STEARYL GLYCYRRHETINATE, TOCOPHERYL ACETATE (VITAMIN E), TERPINEN-4-OL.

| **Effective in the treatment of haemorrhoids in 10 days**

Efficacy of Deconproct suppositories in the treatment of haemorrhoids

MATERIALS AND METHODS



59 patients aged 30-81 years

The patients were assessed by means of the "Hemorrhoidal disease symptom score" (assessment of frequency of symptoms caused by haemorrhoids) and the "Short health scale-hemorrhoidal disease (SHS-HD)" (assessment of subjective health and quality of life, measured on a 7-point scale where 1 stands for "no symptoms" and 7 for "severe symptoms").

TREATMENT

1 suppository in the evening for 10 days

RESULTS



FITOPROCT RECTAL CREAM

Adjuvant cream in the treatment of hemorrhoidal conditions, helps to soothe symptoms of itching and burning.

- ◆ Hemorrhoids
- ◆ Fissures

ACTIVE SUBSTANCES

PROCTORESOLVE™

Exclusive plant-based complex of polysaccharides from Aloe Vera, polyphenols from Olive Oil, tannins from Chestnut.

HIGH MOLECULAR WEIGHT POLYSACCHARIDES from

Organic aloe vera: soothing, film-forming action

POLYPHENOLS from

Organic olive oil: reduces swelling

Tannin-titrated chestnut: relieves pain by reducing fiber sensitivity

COLD-PRESSED HYPERICUM OIL

Has an anti-inflammatory effect, inhibiting the release of key inflammation mediators. Soothes itching, pain and burning.

SWEET ALMOND OIL

Emollient action that helps soothe itching.

HIGH MOLECULAR WEIGHT HYALURONIC ACID (*plant origin*)

High molecular weight allows a protective barrier to be formed at the level of the anal mucosa, accelerating repair and healing processes.

PROCTOLOGY

MEDICAL DEVICE CLASS IIA

Tube 50 ml + 1 applicator

RRP in Italy:

€ 12.90



BIBLIOGRAPHIC EVIDENCE

PEG, PARABEN, PHENOXYETHANOL, EDTA AND PARAFFIN-FREE

INSTRUCTIONS FOR USE

Apply the cream as needed, whenever possible after each evacuation (after delicate but thorough washing). To prevent irritation from rubbing, the treatment can be applied before evacuation, remembering to reapply the product afterwards. The cream can be applied with or without the applicator. Application can be repeated several times a day, even for prolonged periods.

COMPOSITION

PROCTORESOLVE (PLANT-BASED COMPLEX OF POLYSACCHARIDES FROM ALOE VERA*, POLYPHENOLS FROM OLIVE OIL*, TANNINS FROM CHESTNUT), VEGETAIALO (PLANT-DERIVED HYALURONIC ACID), HYPERICUM OIL AND SWEET ALMOND OIL, TETRASODIUM GLUTAMATE DIACETATE, BENZYL ALCOHOL, GLYCERYL CAPRYLATE, GLYCERYL UNDECYLENATE, SODIUM HYDRATE, VITAMIN E ACETATE, GLYCERIN, CARBOMER POLYGLYCERYL-3 RICE BRANATE, WATER.

*FROM ORGANIC FARMING

| **Active ingredients of plant origin**



Bionativa S.p.A.

Via Raffaello 15
Loc. Sambuca Val di Pesa
50028, Barberino Tavarnelle (FI)
ITALY

bionativa.net

I.P.FARMA



ipfarma.it

fitopreparatoriitaliani.com