


Filling the gaps in medicine

Product Catalogue





Product / Company Info

www.assospharma.com

CONTENTS



ACNE

Akela® 2% Gel Erythromycin	4
Akela® Forte 4% Gel Erythromycin	4
ClindaTre® Gel Clindamycin phosphate + Tretinoin	4
Sulfafur® Cream Sodium sulfacetamide	4
Tre® Cream Tretinoin	5

HAIR LOSS

Androvium® 2%-5% Topical Solution Minoxidil	5
Androvium® 2%-5% Topical Foam Minoxidil	5

HIRSUTISM

Eflorin® Cream Eflornithine hydrochloride	5
---	---

HOMOCYSTEINURIA

Homosistinx® 1 g Oral Powder Betaine anhydrous Orphan Drug	6
---	---

ITCHING

Purdox® Cream Doxepin hydrochloride	6
-------------------------------------	---

LOCAL ANAESTHETIC

ntcain® Solution for IM Injection Procaine hydrochloride	6
--	---

UREA CYCLE DISORDER

Hiper-Amonemix® Granules Sodium phenylbutyrate Orphan Drug	6
---	---



OMEGA-3

Regula-3® Gold Capsules	13
-------------------------	----

SPIRULINA/CHLORELLA

BIO Chlorella® Tablets	13
BIO Spirulina® Tablets	14

VITAMINS, MINERALS, AMINO ACIDS and HERBAL EXTRACTS

ARETE®-Men Tablets	14
ARETE®-Women Tablets	14
Cuma® Tablets	14
Glutamin Assos® Sachets	15
K2 Mono® Tablets	15
K2 Duo® Tablets	15
K2 Trio® Tablets	15
KC F1 Tablets	16
KC F2 Capsules	16
KC Norm Tablets	16
Lacmix® Capsules	16
ntox® Capsules	17
PIKASSOS® Tablets	17
Premesis® Plus Tablets	17
Refemax® Capsules	17
Vitix® Tablets	18



COLLAGEN

Hyalix® Capsules	7
NC-II® Capsules	7
Retendo® Capsules	7

DIGESTIVE SYSTEM SUPPLEMENTS

Gutfeel® Capsules	7
Gutfeel® Powder	8
ntbiotic® Colostrum Capsules	8
ntbiotic® Glucan Capsules	8
ntbiotic® Capsules	8
ntflora® Intense Capsules	9
Zigobiotic M® Capsules	9
Zigobiotic® F Capsules	9

FOLIC ACID

Folic-1® Tablets	9
Folic-iod 12® Tablets	10
Folic Trio® Tablets	10

HAIR & NAILS & SKIN CARE

AGA®-E Tablets	10
AGA®-K Tablets	10
PanPlus® Gold Capsules	11
Telovium® Biotin Tablets	11

GLUCOSAMINE, CHONDROITIN AND PLANT EXTRACTS

Kondromin® Tablets	11
Kondromin®ART Tablets	11
Kondromin-S® Effervescent tablet	12
Kondromin® Plus Tablets	12
Kondromin®-S Calcium Effervescent tablets	12

LACTOFERRIN

Lactoferrin Assos Capsules	12
----------------------------	----

LACTASE ENZYME

Relactaz® Drops	13
Relactaz® Tablets	13



DRY AND VERY DRY SKIN

molien® Cream 75 ml - 300 ml	18
molien® Lotion 100 ml - 400 ml	18
molien® baby lotion 300 ml	18

HAIR CARE

PanPlus® Gold Shampoo	19
PanPlus® Gold Lotion	19
Sebiovium® Forte Shampoo	19

SILICON GEL

Silistar® Gel	19
---------------	----

PRESERVING THE NATURAL COLOR OF THE SKIN

Depigmenta® Cream	20
Tritone® Cream	20
Tritone® Forte Cream	20

SUN CARE

Tritone® SPF 50+ Lotion	20
-------------------------	----

Akela[®] 2% Gel

Erythromycin

PHARMACEUTICAL

Indication

Akela[®] Gel is indicated for the treatment of acne.

Posology and Administration

Akela[®] Gel is applied to the skin areas with moderate to severe acne lesions twice a day, morning and evening.

Pack Size

30 g



Akela[®] Forte 4% Gel

Erythromycin

PHARMACEUTICAL

Indication

Akela[®] Gel is indicated for the treatment of acne.

Posology and Administration

Akela[®] Gel is applied to the skin areas with moderate to severe acne lesions twice a day, morning and evening.

Pack Size

30 g



ClindaTre[®] Gel

12 mg/g Clindamycin phosphate + 0.25 mg/g Tretinoin

PHARMACEUTICAL

Indication

ClindaTre[®] Gel is indicated for the treatment of acne (acne vulgaris; acne, teenage acne) for those over 12 years of age. These two active ingredients in acne are more effective when used in the same gel than they are used separately.

Posology and Administration

Before going to bed, a chickpea-sized amount of ClindaTre[®] Gel is applied once a day.

Pack Size

30 g



Sulfafur[®] Cream

10 % Sodium sulfacetamide

PHARMACEUTICAL

Indication

Sulfafur[®] Cream is used in the local treatment of acne and rosacea.

Posology and Administration

Sulfafur[®] Cream is used twice daily, morning and evening. Applied on the skin as thin layer and rubbed.

Pack Size

30 g



Acne

Tre[®] Cream

0.05 % Tretinoin

PHARMACEUTICAL



Indication

Tre[®] Cream is used in the treatment of acne vulgaris (pimples) characterized by comedones, papules and pustules.

Posology and Administration

Tre[®] Cream is applied to the skin once a day at night.

Pack Size

30 g

Androvium[®] 2%-5% Topical Solution

Minoxidil

PHARMACEUTICAL



Indication

Androvium[®] is indicated for the long-term treatment of male pattern hair loss (Androgenetic Alopecia), preventing hair loss and stimulating hair growth.

Posology and Administration

Androvium[®] is applied to the area with hair loss 2 times daily, 5 sprays (1 ml) in the morning and evening.

Pack Size

60 ml

Androvium[®] 2%-5% Topical Foam

Minoxidil

PHARMACEUTICAL



Indication

Androvium[®] is indicated for the long-term treatment of male pattern hair loss (Androgenetic Alopecia), preventing hair loss and stimulating hair growth.

Posology and Administration

Androvium[®] is applied twice a day to completely dry hair and scalp as two sprays, not exceeding 1 g.

Pack Size

90 g

Eflorin[®] Cream

13,9% Eflornitine hydrochloride

PHARMACEUTICAL



Indication

Eflorin[®] Cream is indicated for the treatment of facial hirsutism (excessive hair growth or hair growth) in women.

Posology and Administration

Eflorin[®] Cream should be applied to the affected area twice daily, at least eight hours apart.

Apply a thin layer of cream to a clean and dry area, should be applied and thoroughly fed into the skin.

Pack Size

30 g



Acne



Hair Loss



Hirsutism
(Excessive Hair Growth)



Homocystinuria

Homosistinex 1 g Oral Powder

Betaine Anhydrous

PHARMACEUTICAL



Indication

Adjunctive treatment of homocystinuria, involving deficiencies or defects in:

- Cystathionine beta-synthase (CBS),
- 5,10-methylene-tetrahydrofolate reductase (MTHFR),
- Cobalamin cofactor metabolism (cbl).

Homosistinex® should be used as supplement to other therapies such as vitamin B6 (pyridoxine), vitamin B12 (cobalamin), folate and a specific diet.

Posology and Administration

Adults and pediatric patients 3 years of age and older recommended dosage is 6 grams per day, administered orally in divided doses of 3 grams twice daily. Pediatric patients less than 3 years of age recommended starting dosage is 100 mg/kg/day, administered orally in divided doses of 50 mg/kg twice daily, total maintenance dosage is 50 mg/kg/day given 2 doses as 25 mg/kg.

Pack Size

180 g



Itching

Purdox® Cream

5 % Doxepin hydrochloride

PHARMACEUTICAL



Indication

Purdox® Cream is indicated for the short-term (up to 8 days) treatment of moderate itching in adults with atopic dermatitis and Lichen simplex chronicus.

Posology and Administration

Purdox® Cream should be administered as a thin layer 4 times a day with at least 3-4 hours between applications. It is applied topically only.

Pack Size

30 g



Local Anaesthetic

ntcain® 100 mg/10 ml Solution for IM Injection

%1 Procaine hydrochloride

PHARMACEUTICAL



Indication

The procaine hydrochloride in Ntcain® belongs to the ester structured anesthetic group and is used for local infiltration anesthesia (wound, minor surgery, burn, damaged skin (abrasions) etc.).

Posology and Administration

Local infiltration anesthesia: Dose, in general depends on required anesthetic effect and the width of area to be anesthetized.

For infiltration in adults, maximum dose for anesthesia is 1000 mg in 24 hours. (10 ampoules). With infiltration anesthesia and in relevant application for dental treatment dose is usually 1 or 2 ml of Ntcaine®. It is administered intramuscularly.

Pack Size

50 Ampoules



Urea Cycle Disorder

Hiper-Amonemix® Granules

940 mg/g Sodium phenylbutyrate

PHARMACEUTICAL



Indication

Hiper-Amonemix®, is indicated as adjunctive therapy in the chronic treatment of urea cycle disorders including carbamylphosphate synthetase (CPS), ornithine transcarbamylase (OTC) or argininosuccinate synthetase (ASS) deficiencies.

Posology and Administration

Normal dose of total daily sodium phenylbutyrate in clinical studies:

- Newborns, infants and children weighing less than 20 kg: 450-600 mg/kg/day
- Children, adolescents and adults weighing more than 20 kg it was determined as 9.9-13.0 g/m²/day.

Pack Size

266 g

Hyalix® Capsules

FOOD SUPPLEMENT



Ingredients	2 Capsules Provide
Hyaline® (Hyaluronic Acid, Glycosaminoglycan Hydrolyzed Collagen Complex)	80 mg

Recommended Use

2 capsules should be taken daily, in the morning and evening, before or after meals, with some water.

Pack Size

30 capsules.

NC-II® Capsules

FOOD SUPPLEMENT



Ingredients	1 Capsule Provides
Collagen	40 mg
-Undenatured Collagen Type II	10 mg

Recommended Use

1 capsule should be swallowed whole with some liquid.

Pack Size

30 capsules.

Retendo® Capsules

FOOD SUPPLEMENT



Ingredients	2 Capsules Provide
Mucopolygen® Complex (Glycosaminoglycan, Hydrolyzed Collagen Type I, Vitamin C)	580 mg

Recommended Use

2 capsules should be swallowed whole with some liquid.

Pack Size

30 capsules.

Gutfeel® Capsules

FOOD SUPPLEMENT



Ingredients	2 Capsules Provide
Probiotic content: <i>Streptococcus thermophilus</i> , <i>Lactobacillus bulgaricus</i> , <i>Lactobacillus acidophilus</i> , <i>Bifidobacterium spp.</i>	500 mg
Prebiotic content: Inulin	300 mg

Recommended Use

2 capsules should be swallowed whole with some liquid.

Pack Size

20 capsules.



Collagen



Digestive System
Supplements



Ingredients	2 Sachets Provide
Probiotic content: <i>Streptococcus thermophilus</i> , <i>Bifidobacterim sp.</i>	800 mg
<i>Lactobacillus helveticus</i> , <i>Lactobacillus acidophilus</i> , <i>Lactobacillus bulgaricus</i>	
Prebiotic content: Inulin	1200 mg

Recommended Use

It is recommended that 1 sachet be taken twice a day, mixed with a suitable liquid (such as juice, water or milk) during the meal.

Pack Size

20 sachets



ntbiotic® Colostrum Capsules



Ingredients	2 Capsules Provide (CFU/Day)	2 Capsules Provide (mg/Day)
Probiotic Microorganism: <i>Streptococcus thermophilus</i>	1x10 ¹⁰	500
<i>Lactobacillus bulgaricus</i>		
<i>Lactobacillus acidophilus</i>		
<i>Bifidobacterium bifidum</i>		
<i>Bifidobacterium longum</i>		
<i>Bifidobacterium infantis</i>		
Prebiotic content: Inulin		300
Colostrum		200

Recommended Use

The dosage is 2 capsules per day, taken with sufficient water. These should be taken one at a time, or 1 capsule in the morning and 1 capsule in the evening.

Pack Size

60 capsules

ntbiotic® Glucan Capsules



Ingredients	2 Capsules Provide (CFU/Day)	2 Capsules Provide (mg/Day)
Probiotic Microorganism: <i>Streptococcus thermophilus</i>	1x10 ¹⁰	500
<i>Lactobacillus bulgaricus</i>		
<i>Lactobacillus acidophilus</i>		
<i>Bifidobacterium bifidum</i>		
<i>Bifidobacterium longum</i>		
<i>Bifidobacterium infantis</i>		
Prebiotic content: Inulin		300
Beta-glucan(1->3), (1->6) β-D-Glucan		188
Vitamin C		100
Zinc		4
Vitamin B6		3

Recommended Use

The dosage is 2 capsules per day, taken with sufficient water. These should be taken one at a time, or 1 capsule in the morning and 1 capsule in the evening.

Pack Size

60 capsules

ntbiotic® Capsules



Ingredients	6 Capsules Provide
Probiotic Microorganism: <i>Streptococcus thermophilus</i>	1500 mg
<i>Lactobacillus bulgaricus</i>	
<i>Lactobacillus acidophilus</i>	
<i>Bifidobacterium spp.</i>	
Prebiotic content: Inulin	900 mg

Recommended Use

The recommended dosage is 2 capsules, taken 3 times a day with water.

Pack Size

90 capsules

ntflora® Intense Capsules

FOOD SUPPLEMENT



Ingredients	1 Capsule Provides
Probiotic Microorganism: Lactobacillus -Lactobacillus acidophilus -Lactobacillus brevis -Lactobacillus casei -Lactobacillus paracasei -Lactobacillus plantarum -Lactobacillus rhamnosus -Lactobacillus bulgaricus -Lactobacillus gasseri -Lactobacillus salivarius -Lactobacillus reuteri -Lactobacillus fermentum -Lactobacillus helveticus	Bifidobacterium -Bifidobacterium lactis -Bifidobacterium bifidum -Bifidobacterium breve -Bifidobacterium infantis -Bifidobacterium longum
Prebiotic content: -Inulin	140 mg (1x10 ¹⁰ cfu/day) 30 mg

Recommended Use

1 capsule taken daily with adequate water.

Pack Size

60 capsules

Zigobiotic M® Capsules

FOOD SUPPLEMENT



Ingredients	1 Capsule Provides
Probiotic content: <i>Bifidobacterium longum</i> CECT 7347 <i>Lactobacillus rhamnosus</i> CECT 8361	100 mg (1x10 ⁹ cfu/day)
Resistant maltodextrin	70 mg
Minerals: Zinc Selenium	1,5 mg 10 µg

Recommended Use

1 capsule taken daily with adequate water.

Pack Size

30 capsules

Zigobiotic F® Capsules

FOOD SUPPLEMENT



Ingredients	1 Capsule Provides
Probiotic content: Lactobacillus <i>Lactobacillus rhamnosus</i> <i>Lactobacillus acidophilus</i> <i>Lactobacillus casei</i> <i>Lactobacillus bulgaricus</i>	
Bifidobacterium <i>Bifidobacterium breve</i> <i>Bifidobacterium longum</i>	176 mg (1x10 ¹⁰ cfu/day)
Streptococcus <i>Streptococcus thermophilus</i>	
Inulin	30 mg

Recommended Use

1 capsule taken daily with adequate water.

Pack Size

30 capsules

Folic-1® Tablets

FOOD SUPPLEMENT



Ingredients	1 Tablet Provides
Folic Acid (L-methylfolate)	400 µg

Recommended Use

1 tablet taken daily with adequate water.

Pack Size

30 tablets

Folic-iod 12[®] Tablets

FOOD SUPPLEMENT



Ingredients	1 Tablet Provides
Folic Acid (L-methylfolate)	400 µg
Iodine	150 µg
Vitamin B12 (Methylcobalamin)	12 µg

Recommended Use
1 tablet taken daily with adequate water.

Pack Size
30 tablets

Folic-trio[®] Tablets

FOOD SUPPLEMENT



Ingredients	3 Tablets Provide
Folic Acid (L-methylfolate)	400 µg
Calcium	800 mg
Vitamin D3	(300 IU) 7,5 µg

Recommended Use
1 tablet taken 3 times daily with adequate water.

Pack Size
90 tablets

AGA[®]-E Tablets

FOOD SUPPLEMENT



Ingredients	2 Tablets Provide	Ingredients	2 Tablets Provide
Keratin	60 mg	Vitamin B1	100 mg
L-methionine	60 mg	Vitamin B5	200 mg
L-cysteine	60 mg	Vitamin B6	10 mg
Millet extract (<i>Panicum miliaceum</i>)	150 mg	Resveratrol	20 mg
Saw palmetto extract (<i>Serenoa repens</i>)	340 mg	Zinc (Zinc picolinate)	15 mg
Pumpkin Seed Extract (<i>Cucurbita sp.</i>)	80 mg	PABA (Paraaminobenzoic acid)	50 mg
Brewer's yeast (<i>Saccharomyces cerevisiae</i>)	300 mg	Folic acid (Calcium L-methylfolate)	600 µg
Biotin	5000 µg		

Recommended Use
The dosage is 2 capsules per day, taken with sufficient water. These should be taken one at a time, or 1 capsule in the morning and 1 capsule in the evening.

Pack Size
60 tablets

AGA[®]-K Tablets

FOOD SUPPLEMENT



Ingredients	2 Tablets Provide	Ingredients	2 Tablets Provide
Keratin	60 mg	Vitamin B1	100 mg
L-methionine	60 mg	Vitamin B5	200 mg
L-cysteine	60 mg	Vitamin B6	10 mg
Millet extract (<i>Panicum miliaceum</i>)	150 mg	Resveratrol	20 mg
Saw palmetto extract (<i>Serenoa repens</i>)	170 mg	Zinc (Zinc picolinate)	15 mg
Horsetail extract (<i>Equisetum arvense.</i>)	400 mg	PABA (Paraaminobenzoic acid)	50 mg
Brewer's yeast (<i>Saccharomyces cerevisiae</i>)	300 mg	Folic acid (Calcium L-methylfolate)	600 µg
Biotin	5000 µg		

Recommended Use
The dosage is 2 capsules per day, taken with sufficient water. These should be taken one at a time, or 1 capsule in the morning and 1 capsule in the evening.

Pack Size 60 tablets



Folic Acid



Hair & Nails & Skin Care

PanPlus® Gold Capsules

FOOD SUPPLEMENT



Ingredients	2 Capsules Provide	Ingredients	2 Capsules Provide
Keratin	60 mg	Vitamin D	5 µg
L-methionine	200 mg	Vitamin E	40 mg
L-cysteine	200 mg	Beta-carotene	2 mg
Millet extract (<i>Panicum miliaceum</i>)	420 mg	Taurine	40 mg
Brewer's yeast (<i>Saccharomyces cerevisiae</i>)	300 mg	Resveratrol	20 mg
Biotin	5000 µg	Copper	1000 µg
Vitamin B1	10 mg	Zinc	15 mg
Vitamin B2	5 mg	Iron	17 mg
Vitamin B3	16 mg	Iodine	150 µg
Vitamin B5	50 mg	Selenium	100 µg
Vitamin B6	10 mg	PABA (Paraaminobenzoic acid)	50 mg
Vitamin B12	10 µg	Folic acid	400 µg
Vitamin C	90 mg		

Recommended Use

The recommended dosage is 2 capsules per day, taken with water.

Pack Size

60 capsules

Telovium® Biotin Tablets

FOOD SUPPLEMENT



Ingredients	1 Tablet Provides
L-Cystine	200 mg
L-Methionine	200 mg
Vitamin B5	180 mg
Vitamin C	60 mg
Iron	17 mg
Zinc	15 mg
Vitamin B6	10 mg
Biotin	2500 µg

Recommended Use

The recommended dosage is 1 tablet per day, taken with water.

Pack Size

30 tablets

Kondromin® Tablets

FOOD SUPPLEMENT



Ingredients	2 Tablets Provide
Glucosamine hydrochloride	1500 mg
Chondroitin sulfate	1200 mg
Manganese	2 mg

Recommended Use

The dosage is 2 capsules per day, taken with sufficient water. These should be taken one at a time, or 1 capsule in the morning and 1 capsule in the evening.

Pack Size

60 tablets

Kondromin® Art Tablets

FOOD SUPPLEMENT



Ingredients	3 Tablets Provide	Ingredients	3 Tablets Provide
Glucosamine sulfate	1500 mg	Type I collagen (Collagen peptid)	20 mg
Chondroitin sulfate	1200 mg	Ginger root extract (<i>Zingiber officinale</i>)	10 mg
Methylsulfonylmethane (MSM)	500 mg	Type II collagen (Undenatured collagen)	10 mg
Curcumin (Cyclodextrin Cavacumin®)	150 mg	French maritime pine bark extract	10 mg
Frankincense resin extract (<i>Boswellia serrata</i>)	100 mg	Bromelain	10 mg
Egg membrane (Ovomex®)	100 mg	Manganese	2 mg
Hyaluronic acid	40 mg		

Recommended Use

The dosage is 3 capsules per day, taken with sufficient water. These should be taken one at a time, or separate times.

Pack Size

90 tablets

Hair & Nails & Skin Care

Glucosamine, Chondroitin And Plant Extracts

Kondromin® S Effervescent Tablets

FOOD SUPPLEMENT



Ingredients	2 Effervescent Tablets Provide	
Glucosamine sulfate	1500 mg	
Chondroitin sulfate	1200 mg	
Methylsulfonylmethane (MSM)	600 mg	
Manganese	2 mg	

Recommended Use

The recommended dosage is 2 effervescent tablets per day. Each effervescent tablet should be dissolved in a glass of water (200ml).

Pack Size

60 effervescent tablets

Kondromin® Plus Tablets

FOOD SUPPLEMENT



Ingredients	3 Tablets Provide	
Glucosamine sulfate	1500 mg	
Chondroitin sulfate	1200 mg	
Methylsulfonylmethane (MSM)	600 mg	
Manganese	1,98 mg	

Recommended Use

The dosage is 3 tablets per day, taken with sufficient water. These should be taken one at a time, or separate times.

Pack Size

90 tablets

Kondromin®-S Calcium Effervescent Tablets

FOOD SUPPLEMENT



Ingredients	2 Effervescent Tablets Provide	
Glucosamine sulfate	1500 mg	
Chondroitin sulfate	1200 mg	
Methylsulfonylmethane (MSM)	600 mg	
Manganese	2 mg	
Calcium	1000 mg	
Vitamin D	800 IU (20 µg)	

Recommended Use

The recommended dosage is 2 effervescent tablets per day. Each effervescent tablet should be dissolved in a glass of water (200ml).

Pack Size

60 effervescent tablets

Relactaz® Drops

FOOD SUPPLEMENT



Ingredients	8 Drops	64 Drops
Lactase	0,23 ml (1560 IU)	1,82 ml (12'480 IU)

Recommended Use

The recommended dosage for Relactaz® is 8 drops per drink. It is advised that this product should be taken for the duration of milk consumption. The maximum daily dosage is 64 drops.

Pack Size

15 ml



Relactaz[®] Tablets

FOOD SUPPLEMENT

Lactase Enzyme



Ingredients	1 Tablet Provides
Lactase (from <i>Aspergillus oryzae</i>)	8000 IU (80 mg)

Recommended Use

Prior to the consumption of lactose-containing foods, the recommended dosage is 1 to 6 tablets in water per day, depending on the individual requirements.

Pack Size

30 tablets

Lactoferrin Assos Capsules

FOOD SUPPLEMENT



Lactoferrin



Ingredients	1 Capsule Provides
Lactoferrin	200 mg

Recommended Use

The recommended dosage is 1 capsule per day, taken with water.

Pack Size

30 capsules

Regula3[®] Gold Capsules

FOOD SUPPLEMENT



Omega-3 Supplement



Ingredients	1 Capsule Provides
Fish oil;	1430 mg
Omega-3	1000 mg
Total Fatty Acids	
-EPA	572 mg
-DHA	428 mg

Recommended Use

The recommended dosage is 1 capsule per day, taken with water.

Pack Size

30 capsules

BIO Chlorella[®] Tablets

FOOD SUPPLEMENT



Spirulina/Chlorella



Ingredients	6 Tablets Provide
Organic Chlorella Powder	3 g

Recommended Use

The dosage is 2 tablets 3 times a day, taken with sufficient water. These should be taken one at a time, or separate times.

Pack Size

240 tablets



BIO Spirulina® Tablets

FOOD SUPPLEMENT



Ingredients	12 Tablets Provide
Organic Spirulina Powder	6 g

Recommended Use

The dosage is 4 tablets 3 times a day, taken with sufficient water. These should be taken one at a time, or separates times.

Pack Size

240 tablets

ARETE® Men Tablets

FOOD SUPPLEMENT



Ingredients	3 Tablets Provide	Ingredients	3 Tablets Provide
Myo-inositol	1000 mg	Vitamin A (Beta-carotene)	1000 ug
Maca extract (<i>Lepidium meyenii</i>)	100 mg	Vitamin B6 (Pyridoxal-5-phosphate)	10 mg
French maritime pine (<i>Pinus pinaster Aiton</i>) extract	60 mg	Vitamin B12 (Methylcobalamin)	1000 ug
Korean ginseng (<i>Panax ginseng</i>)	500 mg	Vitamin C	100 mg
L-carnitine	1000 mg	Vitamin D	24 ug
L-arginine	500 mg	Vitamin E (D-alpha-tocopheryl acetate)	50 mg
L-cysteine	30 mg	Zinc (Zinc picolinate)	15 mg
Coenzyme Q10 (Ubiquinone)	200 mg	Folic acid ((6S)-5-methyltetrahydrofolic acid)	600 ug
Selenium (L-selenomethionine)	100 ug		

Recommended Use

The recommended dosage is 3 tablets per day, taken with water.

Pack Size

90 tablets

ARETE® Women Tablets

FOOD SUPPLEMENT



Ingredients	3 Tablets Provide	Ingredients	3 Tablets Provide
Inositol	2000 mg	Vitamin B12 (Methylcobalamin)	1000 ug
Maca extract (<i>Lepidium meyenii</i>)	100 mg	Vitamin C	100 mg
French maritime pine (<i>Pinus pinaster Aiton</i>) extract	60 mg	Vitamin D	24 ug
L-arginine	500 mg	Vitamin E (D-alpha-tocopheryl acetate)	50 mg
L-cysteine	30 mg	Zinc (Zinc picolinate)	15 mg
Coenzyme Q10 (Ubiquinone)	200 mg	Iron	17 mg
Selenium (L-selenomethionine)	100 ug	Iodine	150 ug
Vitamin A (Beta-carotene)	1000 ug	Folic acid ((6S)-5-methyltetrahydrofolic acid)	600 ug
Vitamin B6 (Pyridoxal-5-phosphate)	10 mg		

Recommended Use

The recommended dosage is 3 tablets per day, taken with water.

Pack Size

90 tablets

Cuma® Tablets

FOOD SUPPLEMENT



Ingredients	1 Tablet Provides
Curcumin (from the Gamma cyclodextrin-Curcumin complex)	200 mg

Recommended Use

The recommended dosage is 1 tablet per day, taken with water.

Pack Size

30 tablets



Glutamin Assos® Sachets

FOOD SUPPLEMENT

Ingredients	1 Sachet Provides	2 Sachets Provide
L-Glutamine	5 g (5'000 mg)	10 g (10'000 mg)

Recommended Use

1 sachet should be dissolved in 1 glass of liquid or mixed with food, and then taken once a day.

Pack Size

60 sachets



K2 Duo® Tablets

FOOD SUPPLEMENT

Ingredients	1 Tablet Provides
Vitamin K2 (MK7)	150 µg
Vitamin D3	(880 IU) 22 µg

Recommended Use

The recommended dosage is 1 tablet per day, taken with water.

Pack Size

30 tablets



K2 Mono® Tablets

FOOD SUPPLEMENT

Ingredients	1 Tablet Provides
Vitamin K2 (MK7)	150 µg

Recommended Use

The recommended dosage is 1 tablet per day, taken with water.

Pack Size

30 tablets



K2 Trio® Tablets

FOOD SUPPLEMENT

Ingredients	1 Tablet Provides
Vitamin K2 (MK7)	150 µg
Calcium	1000 mg
Vitamin D3	(880 IU) 22 µg

Recommended Use

The recommended dosage is 1 tablet per day, taken with water.

Pack Size

60 tablets



KC F1 Tablets

FOOD SUPPLEMENT



Ingredients	2 Tablets Provide	Ingredients	2 Tablets Provide
L-leucine (BCAA)	200 mg	Citrus bioflavonoid	100 mg
L-isoleucine (BCAA)	200 mg	Vitamin B2	1 mg
L-valine (BCAA)	200 mg	Vitamin B3	10 mg
Phosphatidylcholine	200 mg	Vitamin B6 (Pyridoxal-5-Phosphate)	10 mg
Glutathione	100 mg	Vitamin B12 (Methylcobalamin)	2000 µg
Milk thistle (<i>Silybum marianum</i>)	400 mg	Zinc	10 mg
Artichoke (<i>Cynara scolymus</i>) extract	200 mg	Folic acid (L-methylfolate)	400 µg
Dandelion (<i>Taraxacum officinale</i>) extract	50 mg		

Recommended Use

The recommended dosage is 2 tablet per day, taken with water.

Pack Size

60 tablets

KC F2 Capsules

FOOD SUPPLEMENT



Ingredients	3 Capsules Provide
Choline	500 mg
Glutathione	100 mg
L-carnitine	500 mg
L-lysine	100 mg
L-methionine	100 mg
L-cysteine	100 mg
Glutamine	50 mg
Taurine	200 mg
Glycine	100 mg
Calcium D-glucarate	500 mg

Recommended Use

The recommended dosage is 3 capsules per day, taken with water.

Pack Size

90 capsules

KC Norm Tablets

FOOD SUPPLEMENT



Ingredients	2 Tablets Provide	2 Tablets Provide	
Choline	250 mg	Betain	100 mg
Milk thistle (<i>Silybum marianum</i>)	200 mg	Vitamin B2	1 mg
Artichoke (<i>Cynara scolymus</i>) extract	200 mg	Vitamin B6 (Pyridoxal-5-phosphate)	10 mg
Green tea (<i>Camellia sinensis</i>) extract	100 mg	Vitamin B12 (Methylcobalamin)	2000 µg
Dandelion (<i>Taraxacum officinale</i>)	50 mg	Vitamin C	100 mg
Adenosyl Methionine (SAM-e)	100 mg	Folic acid (L-methylfolate)	400 µg

Recommended Use

The recommended dosage is 2 tablets per day, taken with water.

Pack Size

60 tablets

Lacmix® Capsules

FOOD SUPPLEMENT



Ingredients	2 Capsules Provide	Ingredients	2 Capsules Provide
Fenugreek extract (<i>Trigonella foenum-graceum</i>)	200 mg	Vitamin E (α-Tocopheryl acetate)	30 mg
Fish oil (Omega-3)	620 mg	Vitamin K2 (Menaquinone-7)	100 µg
EPA+DHA	400 mg	Folic acid (L-Methylfolate)	600 µg
Vitamin A	720 µg	Biotin	1000 µg
Vitamin B1	10 mg	Iron	17 mg
Vitamin B2 (Riboflavin-5-phosphate)	10 mg	Zinc	15 mg
Vitamin B3	22 mg	Manganese	2 mg
Vitamin B5 (D-Pantothenate)	20 mg	Copper	1000 µg
Vitamin B6 (Pyridoxal 5'-phosphate)	10 mg	Iodine	150 µg
Vitamin B12 (Methylcobalamin)	12 µg	Selenium	100 µg
Vitamin C	100 mg	Molibden	50 µg
Vitamin D3 (1000 IU)	25 µg	Chrome	45 µg

Recommended Use

The recommended dosage is 2 capsules per day, taken with water.

Pack Size 60 capsules





Ingredients	1 Capsule Provides
Extramel® (Melon extract) (<i>Cucumis melo</i>)	10 mg
Glutathion	150 mg

Recommended Use

The recommended dosage is 1 capsule per day, taken with water.

Pack Size

30 capsules

PIKASSOS® Tablets



Ingredients	3 Tablets Provide
Inositol	2000 mg
Resveratrol (Trans-resveratrol)	1500 mg
Zinc (Zinc picolinate)	14,8 mg
Selenium (L-selenomethionine)	200 µg
Chromium (Chromium picolinate)	200 µg
Vitamin D	25 µg
Folic acid ((6S)-5-methyltetrahydrofolic acid)	400 µg

Recommended Use

The recommended dosage is 3 tablets per day, taken with water.

Pack Size

45 tablets

Premesis® Plus Tablets



Ingredients	2 Tablets Provide
Ginger extract (<i>Zingiber officinale</i>)	1000 mg
Folic acid ((6S)-5-methyltetrahydrofolic acid)	400 µg
Vitamin B1 (Thiamine pyrophosphate)	100 mg
Vitamin B6 (Pyridoxal 5'-phosphate)	10 mg
Vitamin B12 (Methylcobalamin)	12 µg

Recommended Use

The recommended dosage is 2 tablets per day, taken with water.

Pack Size

60 tablets

Refemax® Capsules



Ingredients	1 Capsule Provides
Simicifuga extract (<i>Cimicifuga racemosa</i> (L.) Nutt.)	40 mg
Soybean extract (isoflavone 40%) (<i>Glycine max</i> (L.) Merr.)	150 mg
St. John's Wort extract (<i>Hypericum perforatum</i>)	43 mg
Primrose oil (Evening primrose oil) (<i>Oenothera biensis</i>)	30 mg
Passiflora extract (<i>Passiflora incarnata</i>)	10 mg
Sage extract (<i>Salvia officinalis</i>)	10 mg
Horsetail extract (<i>Equisetum arevense</i>)	10 mg
Vitamin E	18,233 mg

Recommended Use

The recommended dosage is 1 capsule per day, taken with water.

Pack Size

30 capsules





Ingredients	1 Tablet Provides
Vitamin C	40 mg
Vitamin E	10 mg α-TE
Melon extract (Cucumis Melo)	10 mg
Zinc	5 mg
Copper	1000 µg
Folic acid	100 µg
Selenium	40 µg
Vitamin B12	1 µg

Recommended Use

The recommended dosage is 1 tablet per day, taken with water.

Pack Size

30 tablets

molien® Cream

EMOLLIENT PLUS



75 ml

300 ml

Ingredients

Ceramide 1	Niacinamide
Ceramide 3	Shea Butter
Ceramide 6-II	Hyaluronic Acid
Cholesterol (vegetal-derived)	Linoleic Acid
Free Fatty Acid	Phytosphingosine
Phytosqualane	

Recommended Use

For best results, apply to cleansed skin and gently massage into the skin. Regular use is recommended to observe the cream's effects and to protect your skin optimally. Depending on your skin type and your requirements, you can use it in the morning and/or evening.

Pack Size

75 ml - 300 ml

molien® Lotion

EMOLLIENT PLUS



400 ml

100 ml

Ingredients

Ceramide 1	Niacinamide
Ceramide 3	Shea Butter
Ceramide 6-II	Hyaluronic Acid
Cholesterol (vegetal-derived)	Linoleic Acid
Free Fatty Acid	Phytosphingosine
Phytosqualane	

Recommended Use

For best results, apply to cleansed skin and gently massage into the skin. Regular use is recommended to observe the lotion's effects and to protect your skin optimally. Depending on your skin type and your requirements, you can use it in the morning and/or evening.

Pack Size

100 ml - 400 ml

molien® baby LOTION

EMOLLIENT PLUS



300 ml



Ingredients

Ceramide 1	Phytosqualane
Ceramide 3	Phytosphingosine
Ceramide 6-II	Shea Butter
Cholesterol (vegetal-derived)	Hyaluronic Acid
Free Fatty Acid	Linoleic Acid

Recommended Use

For best results, apply to cleansed skin and gently massage into the skin. Regular use is recommended to observe the lotion's effects and to protect your babies' skin optimally. Depending on your skin type and your requirements, you can use it in the morning and/or evening.

Pack Size

300 ml



PanPlus® Gold Shampoo

COSMETIC



Ingredients

Caffeine
Vitamin B3
Biotin Source Pisum sativum Extract

Recommended Use

Apply PanPlus® Gold Shampoo onto wet hair. Gently massage onto the scalp. Leave for a few minutes then rinse.

Pack Size

200 ml

PanPlus® Gold Lotion

COSMETIC



Ingredients

Melatonin
Pisum Sativum Extract
Caffeine
Serenoa Serrulata (Saw Palmetto) Fruit Extract
Cucurbita Pepo (Pumpkin) Fruit Extract
Mentha Piperita Leaf Water
Lavandula Angustifolia (Lavender) Flower Water

Recommended Use

Shake well before use. Apply Panplus® Gold Lotion onto the scalp one daily. Gently massage the solution onto the scalp for 10-20 seconds. Do not wash and rinse hair for at least three hours. For the best result, it is recommended to be used with Panplus® Gold Shampoo.

Pack Size

125 ml

Sebovium® Forte Shampoo

COSMETIC



Ingredients

Epilobium Angustifolium extract (Defenscalp®)	Salicylic acid
Panthenol	Propylene
Coconut Oil (<i>Cocos nucifera</i> Oil)	Glycol
Juniper Tar (<i>Juniperus communis</i>)	Sulfur
Selenium Sulfite	Piroctone olamine

Recommended Use

Apply Sebovium® Forte Shampoo onto wet hair. Lather by gently massaging the scalp. Leave for a few minutes or as advised by your doctor then rinse.

Pack Size

250 ml

Silistar® Gel

Silicone Gel

COSMETIC



Ingredients

Cyclopentasiloxane
Dimethicone Crosspolymer
Isosorbide Dicaprylate

Recommended Use

Prior to application, the area to be treated should be cleaned and dried gently. A small quantity of Silistar® Gel should then be applied to the skin by gently kneading with the fingertips. This process should be repeated two times a day.

Pack Size

50 g



Hair Care



Silicon Gel

Depigmenta® Cream

Depigmentation Cream

COSMETIC



Ingredients

Alpha Arbutin	Mentha Piperita Oil / [Mentha Piperita (Peppermint) Oil]
Niacinamide	Lactobacillus / Papaya Fruit Ferment Extract
Tranexamic Acid	Glycyrrhiza Glabra Root Extract
Ascorbyl Tetraisopalmitate	Morinda Citrifolia Fruit Extract
Lavandula Angustifolia Oil	Allantoin
Hexylresorcinol	

Recommended Use

Use twice a day on the targeted areas with gentle massage. It is recommended to use sunscreen with SPF50+ during the day.

Pack Size

40 ml

Tritone® Cream

Hyperpigmentation Cream

COSMETIC



Ingredients

Alpha Arbutin
Kojic Acid
Glabridin
Glycolic Acid
Ascorbic Acid

Recommended Use

Use twice a day on the targeted areas with gentle massage. During sunny days use a sunscreen with SPF 50+.

Pack Size

30 g

Tritone® Forte Cream

Hyperpigmentation Cream

COSMETIC



Ingredients

Alpha Arbutin
Kojic Acid
Glabridin
Glycolic Acid
Ascorbic Acid

Recommended Use

Use twice a day on the targeted areas with gentle massage. It is recommended to use with a sunscreen (SPF 50+).

Pack Size

30 g

Tritone® SPF 50+ Lotion

Sunscreen Lotion

COSMETIC



Ingredients

Uvinul MC 80	Antileukin 6
Uvinul T 150	Melon extract
Titanium dioxide	Laminaria ochroleuca
Tinosorb S	Vitamin E
Tinosorb M	Ascorbyl tetraisopalmitate panthenol
Uvinul MS 40	Nicotinamide
Uvinul A Plus	Glabridin
Okstil salicylate	Ascorbyl tetraisopalmitate

Recommended Use

Apply sunscreen products liberally 15 minutes before going outside or sun exposure. Liposomal formula of Tritone® provides long-acting sun protection.

Pack Size

150 ml



Preserving The Natural Color Of The Skin



Sun Care



Sun Care Lotion
with Indication
Specific Benefits

Very High **UVA/UVB** Protection

solante.com  [/solanteofficial](https://www.instagram.com/solanteofficial)



SOLANTE®

Sun Care Lotion

★★★★
HIGHEST




SPF 50+

PA++++

PASS


Sun Care Lotion with Indication - Specific Benefits

Product	Skin Type	Filters	Form	Anti-Oxidant Ingredients	Skin Type-Specific Ingredients	Benefits
 gold SPF 50+ Lotion 150ml	All Skin Types	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion + Cream	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Antidesma Fruit , Lactobacillus / Papaya Fruit Ferment , Probiotic Ferment Lysate, Leuconostoc / Radish Root Ferment Filtrate, Noni Fruit	<ul style="list-style-type: none"> • Very High UVA/UVB Protection* • Long Lasting Sun Protection* • Special Antioxidant Ingredients* • Specific DNA Protection* • Ultra Moisturizing*
 acnes SPF 50+ Lotion 150ml	Oily and Acne-Prone Skin	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion + Tinted Form with Iron Oxide	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Piroctone Olamine, Zinc Gluconate, Salicylic Acid, Willowherb, Noni Fruit, Moringa Seed, Probiotic Ferment Lysate, Lactobacillus / Papaya Fruit Ferment, Allantoin, Brown Algae, Leuconostoc / Radish Root Ferment Filtrate	<ul style="list-style-type: none"> • Helps to Balance the Sebum Production in the Skin and Unclog the Pores • All Solante Gold Benefits* • Anti - [Microbial, Inflammatory, Comedogenic, Seborrheic, Oxidant, Aging, Acne,
 pigmenta SPF 50+ Lotion 150ml	Skin Prone to Blemishing	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion + Tinted Form with Iron Oxide	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Niacinamide, Alpha-Arbutin, Azelaic Acid, Glabridin, Probiotic Ferment Lysate, Lactobacillus / Papaya Fruit Ferment, Leuconostoc / Radish Root Ferment Filtrate, Noni Fruit, Melon Seed, Brown Algae	<ul style="list-style-type: none"> • Helps to Prevent Formation of Irregular Pigmentation on the Skin • All Solante Gold Benefits* • Anti-Oxidant • Anti-Aging • Anti-Inflammatory
 tele-rubor SPF 50+ Lotion 150ml	Sensitive and Redness-Prone Skin	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion + Tinted Form with Iron Oxide	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Enoxolone, Bisabolol, Glabridin, Melon Seed, Arnica Flower, Oat Kernel, Lactobacillus/Papaya Fruit Ferment, Antidesma Fruit, Leuconostoc/Radish Root Ferment Filtrate, Noni Fruit	<ul style="list-style-type: none"> • Helps to Prevent the Redness and Protect the Skin • All Solante Gold Benefits* • Anti-Irritant • Anti-Aging • Anti-Inflammatory
 actinica SPF 50+ Lotion 150ml	Sun-Damaged, Blemish-Prone Skin	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Salicylic Acid, Glabridin, Niacinamide, Vitamin B12, Azelaic Acid, Alpha-Arbutin, Melon Seed, Brown Algae	<ul style="list-style-type: none"> • Helps to Prevent Permanent Damages Caused by the Sun Rays and Irregular Pigmentation • All Solante Gold Benefits* • Anti-Blemish • Prevent Cell Damage
 antiox SPF 50+ Lotion 150ml	Skin Needs Advanced Care	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Antidesma Fruit, Lactobacillus/Papaya Fruit Ferment , Probiotic Ferment Lysate, Leuconostoc/Radish Root Ferment Filtrate, Noni Fruit	<ul style="list-style-type: none"> • Helps to Prevent Early Anti-Aging Signs of the Skin • All Solante Gold Benefits* • Anti-Oxidant • Anti-Aging • Anti-Inflammatory
 atopica SPF 50+ Lotion 150ml	Sensitive and Dry Skin	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Macadamia Seed, Glabridin, St. John's Wort, Glycerin, Panthenol, Dimethicone, Zinc Gluconate, Betaine, Bisabolol, Melon Seed, Brown Algae	<ul style="list-style-type: none"> • Helps to Moisturize, Relieve, Soothe, Protect and Strengthen the Barrier Function of Dry and Sensitive Skin • All Solante Gold Benefits* • Anti-Oxidant • Anti-Aging • Anti-Inflammatory
 immuna SPF 50+ Lotion 150ml	Skin Prone to Skin Damage	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	ANTILEUKINE® 6 (Brown Algae) Melon Seed	<ul style="list-style-type: none"> • Helps to Moisturize, Relieve, Soothe, Protect and Strengthen the Barrier Function of Dry and Sensitive Skin • All Solante Gold Benefits* • Anti-Inflammatory
 irrita SPF 50+ Lotion 150ml	Highly Sensitive Skin	Organic Tinosorb® S Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Aloe Vera, Bisabolol, Allantoin, Panthenol, Brown Algae, Melon Seed, Green Tea	<ul style="list-style-type: none"> • Helps to Relieve, Soothe, Protect and Strengthen the Barrier Function of the Skin • All Solante Gold Benefits* • Anti-Irritant • Anti-Itching • Anti-Inflammatory
 pregna SPF 50+ Lotion 150ml	Sensitive Skin for Pregnant Women	Organic Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Niacinamide, Glabridin, Aloe Vera, Horse Chestnut Seed, Shea Butter, Melon Fruit, Brown Algae	<ul style="list-style-type: none"> • Helps to Prevent Possible Skin Blemishes During Pregnancy • All Solante Gold Benefits* • Anti-Microbial • Anti-Oxidant • Anti-Aging • Anti-Inflammatory
 babies SPF 50+ Lotion 150ml	Babys' Skin	Organic Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide	Lotion	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Shea Butter, Rose Hydrosol, Panthenol, St. John's Wort Extract, Brown Algae, Safflower Oleosomes	<ul style="list-style-type: none"> • Special Formula for Babys' Skin • Very High UVA/UVB Protection • Long Lasting Sun Protection • Special Antioxidant Ingredients • Specific DNA Protection • Ultra Moisturizing
 kids SPF 50+ Lotion 150ml	Kids' Skin	Organic Uvinul® T 150 Uvinul® A+ Mineral Zinc Oxide Titanium Dioxide	Lotion	SOD , CATALASE (Melon extract), Chamomile, Grape Seed, Green Tea, Peppermint, Candle Bush, Vitamin C , Vitamin E, Bisabolol	Bitter Orange Flower Water, Shea Butter, St. John's Wort Extract, Brown Algae	<ul style="list-style-type: none"> • Special Formula for Kids' Skin • Very High UVA/UVB Protection • Long Lasting Sun Protection • Special Antioxidant Ingredients • Specific DNA Protection • Ultra Moisturizing



Broad Spectrum Protection


With New Generation Photostable Filter Combination



Antileukin[®]6, protects against DNA damage caused by free radicals. It inhibits IL-1, IL-6, and PGE-2 factors.

Specific DNA Protection


Strong Anti-Aging Effect



Long Lasting Effect with Liposome Technology

All Day Protection

Ultra Moisturizing



Digital Catalog

The information contained herein is business-to-business information and is not intended for the final consumer. It is based on our research and development work and is, to the best of our knowledge, reliable. Asoo Pharmceuticals does not assume any liability resulting from the use of its products, as conditions of use are beyond our control. The business-to-business information provided should not be used as a substitute for any form of advice. In all instances, producers and marketers should check local regulatory requirements before use as different claims may be made depending on the regulations applicable in each country.

 Phone : +90 216 612 91 91

 Fax : +90 216 612 91 92

 Address : Huzur Mh. Tosya Caddesi No: 5, 34773 Ümraniye / İSTANBUL TÜRKİYE

 E-Mail : international@assospharma.com

 Web : www.assospharma.com

ASSOS
PHARMACEUTICALS

Digital Catalog



The information contained herein is business-to-business information and is not intended for the final consumer. It is based on our research and development work and is, to the best of our knowledge, reliable. Assos Pharmaceuticals does not assume any liability resulting from the use of its products, as conditions of use are beyond our control. The business-to-business information provided should not be used as a substitute for any form of advice. In all instances, producers and marketers should check local regulatory requirements before use as different claims may be made depending on the regulations applicable in each country.