

# High Performance Packaging

Clean. Safe. Certified.

Bulk Packaging Solutions  
For Biopharma, Small Molecule Pharma  
And Fine Chemicals



2026/03



### Wide Neck Drums

*With screw lid*

0.8|1|1.3|1.6|2.6|4|5.3|6.9|11.1|14.5|18 gal  
2.9|3.6|5|6|10|15|20|26|42|55|68 liters

Water vapor and leak tight  
UN certified (1H2) for solids  
HDPE



### Recycled Wide Neck Drums

*With screw lid*

0.8|1|1.3|1.6|2.6|4|5.3|6.9|11.1|14.5 gal  
2.9|3.6|5|6|10|15|20|26|42|55 liters

Water vapor and leak tight  
UN certified (1H2) for solids  
Recycled HDPE (not food safe)



### Biobased Wide Neck Drums

*With screw lid*

0.8|1|1.3|1.6|2.6|4|5.3|6.9 gal  
2.9|3.6|5|6|10|15|20|26 liters

Water vapor and leak tight  
UN certified (1H2) for solids  
Bio HDPE



### Total Opening Drums

*With screw lid*

4.5|6.9|9|10.3|14.5|16.9|19.8|23.8|29.1 gal  
17|26|34|39|55|64|75|90|110 liters

Water vapor and leak tight  
UN certified (1H2) for solids  
HDPE



### ECO LITE Drums

*With screw lid*

7.9|10.6|13.2|15.8 gal  
30|40|50|60 litres

Water vapor tight  
UN certified (1H2) for solids  
HDPE (30% bio / 70% fossil)



### Nestable Drums

*With screw lid*

7.9|10.6|13.2|15.8|19.8|30.4|31.7|39.6 gal  
30|40|50|60|75|115|120|150 liters

Water vapor and leak tight  
UN certified (1H2) for solids  
HDPE



### Square Drums

*With screw lid*

10.6|13.2|17.4|21.1 gal  
40|50|66|80 liters

Water vapor and leak tight  
UN certified (1H2W) for solids  
HDPE



### Conductive Drums

*With screw lid*

1|1.6|2.6|4|5.3|6.9|19.8 gal  
3.6|6|10|15|20|26|75 liters

Surface resistivity  $\leq 10,000$  ohms  
Water vapor and leak tight  
UN certified (1H2) for solids  
Conductive HDPE (not food safe)



### UV Safe Drums

*With screw lid*

1.6|4|6.9|14.5 gal  
6|15|26|55 liters

UV protection within the 200 – 400 nm range  
Water vapor and leak tight  
UN certified (1H2) for solids  
HDPE



### Fold Pack Pails

*With press-on lid*

8.5|12.2 gal  
32|46 liters

Water vapor tight  
UN certified (3H2) for solids  
HDPE



### Click Pack Pails

*With screw lid*

1.6|2.5|4|5.3|6.6 gal  
6|10|15|20|25 liters

Open and close with just a quarter-turn  
Water vapor tight  
UN certified (1H2) for solids  
HDPE



### Recycled Click Pack Pails

*With screw lid*

1.6|2.5|4|5.3|6.6 gal  
6|10|15|20|25 liters

Open and close with just a quarter-turn  
Water vapor tight  
UN certified (1H2) for solids  
Recycled HDPE (not food safe)



### Packo Jars

*With screw lid and innerseal or screw lid with integrated gasket*

10.1|16.9|22|33.8|44|50.7|67.6|84.5 fl oz  
300|500|650|1000|1300|1500|2000|2500 ml

Open and close with just a quarter-turn  
Water vapor tight  
UN certified (1H2) for solids  
HDPE  
Lids available in 8 standard colors



### Biobased Packo Jars

*With screw lid and innerseal or screw lid with integrated gasket*

10.1|16.9|22|33.8|44|50.7|67.6|84.5 fl oz  
300|500|650|1000|1300|1500|2000|2500 ml

Open and close with just a quarter-turn  
Water vapor tight  
UN certified (1H2) for solids  
Bio HDPE



### UV Safe Packo Jars

*With screw lid and innerseal or screw lid with integrated gasket*

10.1|16.9|22|33.8|44 fl oz  
300|500|650|1000|1300 ml

UV protection within the 200 – 400 nm range  
Open and close with just a quarter-turn  
Water vapor tight  
UN certified (1H2) for solids  
HDPE



### Pharma Grade Packo Jars

*With screw lid and innerseal*

10.1|16.9|22|33.8|44 fl oz  
300|500|650|1000|1300 ml

Certified according to EU and US Pharmacopeia  
Open and close with just a quarter-turn  
Water vapor tight  
UN certified (1H2) for solids  
HDPE

## About High Performance Packaging

CurTec drums, pails and jars with their signature screw lid closure are designed to meet the highest industry demands with regard to safety, security and certification. Our distinctive packaging products are made from HDPE and manufactured to GMP standards of quality and cleanliness. They are moisture (vapour) and leak tight, tamper evident and UN certified for hazardous solids.

## Benefits & Features

The properties of CurTec packaging offer advantages that **reduce supply chain costs and increase customer satisfaction:**

- Shortening process time: screw, sliding and press-on lids can be operated safely and quickly
- Avoiding contamination: CurTec manufactures optically clean packaging
- Avoiding solid solution softening/ powder caking: mounted or integrated gaskets prevent moisture ingress
- Securing valuable content: sealing features reveal and prevent tampering
- Shipping hazmat safely: CurTec packaging is UN certified
- Guaranteeing food safety: CurTec packaging complies with FDA and FSSC standards
- Optimizing storage and shipment of empty packaging: nestable solutions take up less storage space
- Improving brand identity: CurTec packaging products have a distinctive design
- Lowering carbon footprint: plastic packaging can be re-used and easily recycled

## CurTec USA Is A GMP Certified Packaging Company



**CurTec USA**  
365 Oconee Business Parkway, Westminster, SC 29693

+1 864 302 6938  
usa@curtec.com

**curtec.com**