



---

FARMA · DERMA

# INTERNATIONAL PORTFOLIO

2026





**Farma-Derma s.r.l.** is an Italian company founded in 1989 in Bologna, Italy. Today has a worldwide presence in more than 30 states and in 2022 has become part of Named Group, the biggest Italian group with a natural approach to people's well-being. Farma-Derma has been operating for years in the sector of healthcare and well-being products, from gynecology to respiratory tract diseases focusing mainly on Medical Devices.



**Innovation** is the basis for developing unique and quality products also through collaborations with Italian university centres. Raw materials are carefully selected, focusing on compounds obtained with the most advanced technologies.



Our **mission** is to identify new opportunities and to develop innovative formulations, without compromising on quality, offering safe and effective products to doctors and patients.



Our products are supported by an extensive network of medical representatives that regularly visit **doctors** and **pharmacies**. Highly qualified personnel are daily committed to R&D, regulatory affair, quality assurance and marketing activities.

## International best sellers

The European Medical Device Regulation (MDR) has raised the standards in our sector: Farma-Derma complies with this change thanks to its high standards of safety as well as clinical efficacy for therapeutic claims and PMS.



### Our certifications and clearances:



2017/745



EN ISO  
13485:2016



FDA U.S. FOOD&DRUG  
ADMINISTRATION



HEALTH CANADA

\*certification in progress for the latest portfolio products

#### Vertical production chain ISO13485 certified

Farma-Derma directly manages the production of medical devices, in its 2.500 sq. mt. of production facility certified **ISO13485**.

#### In-house Regulatory dept and Technical Documentation

Farma-Derma boasts an **internal Regulations Department** to support its client with Technical Documentation for regulatory registration and renewal.

#### Clinical studies

Farma-Derma guarantees the **safety and efficacy** of its medical devices thanks to the long-term commitment to more than **27 studies** supporting the products in **clinical practice**.

# INDEX



**GINEXID®**  
cleansing foam -  
gynaecological

**GINEXID®**  
cleansing foam 45 +  
menopause

**GINEXID®**  
emulgel

**CICATRIDINA®**  
vaginal ovules - **MD**

**FLUVADIN® PLUS**  
vaginal ovules - **MD**


**FLUVADIN®**  
moisturizing fluid

**VITAGYN-C®**  
vaginal cream - **MD**

**MICOSTOP®**  
vaginal ovules - **MD**

**MICOSTOP® PLUS**  
vaginal cream - **MD**

**GYNAECOLOGY**



**IALOCLEAN®**  
nasal spray - **MD**


**IALOCLEAN®**  
nebulizer sterile  
solution - **MD**

**IALOCLEAN®**  
orodispersible  
tablets - **MD**

**IALOCLEAN®**  
spray for  
oropharyngeal  
mucosa - **MD**

**IALOCLEAN®**  
oral suspension

**RESPIRATORY SYSTEM**



**REFALGIN®**  
gel - **MD**

**REFALGIN®**  
tablets - **MD**

**REFALGIN®**  
pediatric syrup - **MD**


**PROKTIS-M® PLUS**  
rectal ointment - **MD**

**PROKTIS-M®**  
suppositories - **MD**

**PROKTIS-M®**  
cleansing foam


**NOSTIP® complex**  
powder - **MD**

**DIGESTIVE SYSTEM**



**PROXELAN®**  
suppositories - **MD**

**UROLOGY**



**CICATRIDINA®**  
ointment - **MD**


**CICATRIDINA®**  
spray - **MD**


**CICATRIDINA®**  
dermo-cleanser

**CICATRIDINA®**  
body emulsion

**CICATRIDINA®**  
liquid powder

**DERMATOLOGY**





SPECIFIC CLEANSING



**GINEXID® CLEANSING FOAM - GYNAECOLOGICAL**

**Indications:** cleansing foam with 4.5 pH, indicated for the daily intimate hygiene also in the presence of pathologies (bacterial and fungal vulvitis) and/or in association with specific treatments.

**Method of use:** shake well the bottle before use and hold it upright while spraying. Cleanse the external genital mucosae and rinse with water.

**Package:** spray bottle of 150 ml.

**Foam containing:** Chamomille, Hamamelis, Melaleuca alternifolia (tea tree), chlorhexidine, lactic acid.



**GINEXID® CLEANSING FOAM 45 +**

**Indications:** Ginexid cleansing foam at 6 pH is indicated for the daily intimate hygiene of woman in menopause.

**Method of use:** shake well the bottle before use and hold it upright while spraying. Cleanse the external genital mucosae and rinse with water.

**Package:** spray bottle of 150 ml.

**Formula containing:** Chamomilla, Hamamelis, panthenol, lactic acid, Avena sativa and chlorhexidine.

VAGINAL MYCOSIS

**MICOSTOP® VAGINAL OVULES**

MEDICAL DEVICE CE 0373



**Indications:** it is indicated as adjuvant treatment of vaginal mycosis. It has a rebalancing and normalizing action of the vaginal pH which is useful against the colonization of pathogens. Moreover, thanks to its soothing action, it attenuates the annoying itching and burning sensations.

**Instructions for use:** use one ovule per day, preferably in the evening before bedtime, or according to medical prescription.

**Package:** 10 vaginal ovules of 2 g.

**Composition:** semi-synthetic glycerides, boric acid, silica dimethyl silylate, bisabolol, vitamin E acetate, lactic acid.

**MICOSTOP® PLUS VAGINAL CREAM**

MEDICAL DEVICE CE 0373




**Indications:** MICOSTOP PLUS vaginal cream is indicated as an adjuvant treatment of vaginal mycoses. It has a rebalancing and normalizing action of the vaginal pH which is useful against the colonization of pathogens. Moreover, thanks to its emollient and soothing action, it attenuates the annoying sensations of itching and burning.

**Instructions for use:** Apply MICOSTOP PLUS vaginal cream once a day, preferably in the evening before bedtime, for 3 consecutive days. Carry out a second treatment of 3 days if necessary.

**Package:** tube of 30 g with 6 single-use applicators.

**Composition:** water, glyceryl stearate, PEG 100 stearate, boric acid, cetylstearyl alcohol, fatty acid esters, cyclopentasiloxane, vegetable stearin, chlorhexidine digluconate, clotrimazole, silicone oil, triethanolamine, EDTA disodium salt, carbomer, glycyrrhetic acid phyto-some, lactic acid.



VAGINAL DRYNESS AND HEALING

**CICATRIDINA® VAGINAL OVULES**

MEDICAL DEVICE  0477



**Indications:** adjuvant treatment of the reparative processes in atrophic and dystrophic states of the vaginal mucosa. It helps wound healing after childbirth, in gynaecological surgery, in the dystrophies resulting from chemotherapy and ionising radiation. Treatment of the vaginal dryness of various nature.

**Instructions for use:** Adults: use one ovule per day or according to medical prescription, preferably in the evening before bedtime in order to avoid the leakage of the product. Avoid holding the vaginal ovule between fingers for too long since it could melt. The duration of use depends on the evolution of symptoms; if necessary CICATRIDINA vaginal ovules can be used for prolonged periods, in any case after 30 days of continuous use suspend treatment for one week.

**Package:** 10 vaginal ovules of 2 g.

**Composition:** hyaluronic acid sodium salt (5 mg), centella asiatica oil extract, calendula oil extract, aloe vera oil extract, tea tree essential oil, semi-synthetic glycerides, BHT.

**FLUVADIN® PLUS VAGINAL OVULES**

MEDICAL DEVICE  0477



**Indications:** adjuvant treatment of the reparative processes in atrophic and dystrophic states of the vaginal mucosa. It helps wound healing after childbirth, in gynaecological surgery, in the dystrophies resulting from chemotherapy and ionising radiation. Treatment of the vaginal dryness of various nature.

**Instructions for use:** Adults: use one ovule per day or according to medical prescription, preferably in the evening before bedtime in order to avoid the leakage of the product. Avoid holding the vaginal ovule between fingers for too long since it could melt.

The duration of use depends on the evolution of symptoms; if necessary FLUVADIN PLUS vaginal ovules can be used for prolonged periods, in any case after 30 days of continuous use suspend treatment for one week.

**Package:** 10 vaginal ovules of 2 g.

**Composition:** Hyaluronic acid sodium salt 10 mg, sweet almond oil, semi-synthetic glycerides.

**FLUVADIN® MOISTURIZING FLUID**

COMPATIBLE WITH LATEX CONDOMS




**Indications:** FLUVADIN moisturizing fluid, based on ingredients with emollient, moisturizing and soothing action, maintains the intimate parts soft and hydrated. Thanks to its specific formulation and consistency similar to vaginal fluid, it is useful to counteract and prevent the problems caused by dryness of the external genitalia such as redness, itching, irritation and painful sexual intercourses.

**Method of use:** Apply once a day, or as needed, directly on the area to be treated. Do not rinse.

**Package:** 1 bottle of 60 ml.

**Moisturizing fluid containing:** panthenol, betaine, bisabolol, and lactic acid.



## BACTERIAL VAGINOSIS AND RECURRENT URINARY INFECTIONS

### VITAGYN C® VAGINAL CREAM WITH ACID pH

MEDICAL DEVICE  $\text{CE}$  0373



**Indications:** VITAGYN C vaginal cream is indicated as adjuvant treatment and in the prevention of bacterial vaginosis and recurrent urinary infections. Its use is particularly useful in relapsing subjects and after pharmacological therapies using antibiotics. VITAGYN C vaginal cream restores and maintains the physiological pH of the vagina and it helps the natural lactobacillary flora to grow. In this way it prevents the onset of conditions that facilitate the development of bacterial vaginosis, also during pregnancy.

**Instructions for use:** apply VITAGYN C vaginal cream once a day, preferably in the evening before bedtime, for 6 consecutive days. For maintenance 1-2 applications a week for 12 weeks or more.

**Package:** tube of 30 g with 6 single-use applicators.

**Composition:** water, cetyl-stearyl alcohol, glycerine, sweet almonds oil, cetyl-stearyl alcohol ethoxylate, shea butter, silver citrate and citric acid, sodium ascorbyl phosphate, vitamin E acetate, imidazolidinyurea, silicone oil, lactic acid, sodium polyacrylate, maltodextrins, sodium hydrosulfite, EDTA bisodium salt.

## IRRITATION, ITCHING AND BURNING

### GINEXID® EMULGEL WITH NEUTRAL pH




**Indications:** GINEXID EMULGEL thanks to its specific formulation helps to:

- Soothe the vulvar intimate area in cases of irritation, itching and burning
- Prevent irritation due to rubbing
- Maintain hydration.

**Method of use:** after cleansing, apply a thin layer of product. If necessary, the application can be repeated up to 2 times a day.

**Package:** tube of 30 g.

**Emulgel containing:** Ganoderma lucidum extract, alpha-lipoic acid, bisabolol, glycyrrhethinic acid, Avena sativa, natural oils and waxes, and hyaluronic acid.



## UPPER RESPIRATORY TRACT DISEASES

### IALOCLEAN® NASAL SPRAY

MEDICAL DEVICE CE 0477



**Indications:** IALOCLEAN nasal spray is indicated as adjuvant treatment of the irritative and inflammatory states of the nasal mucosa due to rhinitis, sinusitis, colds or environmental pollution.

**Instructions for use:** Adults: two sprays in each nostril 3-4 times a day. Children from 2 years of age: one spray in each nostril 3-4 times a day. It is necessary to not blow the nose immediately after the use of the product. The duration of the use depends on evolution of symptoms; IALOCLEAN nasal spray can be used until their complete resolution.

**Package:** glass bottle of 30 ml with nozzle.

**Composition:** Hyaluronic acid sodium salt (0.5 mg/ml), chamomilla dry extract, N-acetylcysteine, sodium benzoate, potassium sorbate, glycerin, sodium saccharin, arginine, mint flavor, water.

### IALOCLEAN® STERILE SOLUTION FOR NEBULIZATION

MEDICAL DEVICE CE 0373




**Indications:** IALOCLEAN solution for nebulisation is indicated in the adjuvant treatment of respiratory tract diseases such as: tonsillitis, laryngitis, pharyngitis, rhinitis, tracheo-bronchitis and bronchitis, both in the acute and chronic phases; hoarseness; inflammation of vocal cords with or without dysphonia; cough of irritative, postviral nature or due to environmental pollutants; flu or cold syndromes; after-effects of ENT surgeries; consequences of extra-oesophageal manifestations due to gastric reflux in the upper respiratory tract (dysphagia, chronic laryngitis and pharyngitis, aphonia, persistent cough).

**Instructions for use:** Adults and children over 6 years of age: one single-dose container for each session twice a day. Children between 2 and 6 years of age: half contents of 1 single-dose container for each session twice a day. The container has a graduation which corresponds to half dose. Add a saline solution in the proportion of 1:1. Do not exceed the recommended doses. The solution has to be administered through devices for nebulizing therapy (exclusively with piston and not with ultrasound).

**Package:** 15 single-dose containers of 2 ml.

**Composition:** hyaluronic acid sodium salt, chamomile extract, EDTA, N-acetylcysteine, sodium chloride, sodium hydroxide, sodium phosphate monobasic dihydrate, sodium phosphate dibasic heptahydrate, water.



ORO-PHARYNGEAL TRACT DISEASES

**IALOCLEAN® ORODISPERSIBLE TABLETS**

MEDICAL DEVICE 1282



**Indications:** IALOCLEAN orodispersible tablets is indicated in the adjuvant treatment of:

- respiratory tract diseases due to oropharyngitis both in the acute and chronic phases, flu or cold syndromes, gastric reflux;
- stomatitis and ulcers of the oral cavity of different origin.

**Instructions for use:** Adults and children from 6 years of age: dissolve slowly one tablet in the mouth every 2-3 hours up to a maximum of 6 tablets per day.

It is necessary to not ingest food, drink or anything else immediately after the use of the product. The tablets must not be swallowed, chewed or dissolved in water.

The duration of the use depends on the evolution of symptoms; if necessary, in order to improve, IALOCLEAN orodispersible tablets can be taken for prolonged periods.

**Package:** 30 orodispersible tablets of 1.2 g.

**Composition:** hyaluronic acid sodium salt, chamomile dry extract, aloe vera gel, sorbitol, xylitol, mono- and diglycerides of fatty acids, talc, sodium benzoate, vegetable magnesium stearate, N-acetylcysteine, silicon dioxide, blood orange flavor, strawberry flavor.

**GLUTEN FREE**

**IALOCLEAN® SPRAY FOR OROPHARYNGEAL MUCOSA**

MEDICAL DEVICE 0477



**Indications:** IALOCLEAN spray for oropharyngeal mucosa is indicated as adjuvant treatment of respiratory tract diseases due to oropharyngitis both in the acute and chronic phase, flu or cold syndromes, gastric reflux.

**Instructions for use:** Adults: three or four sprays up to 5 times a day.

Children from 2 years of age: two or three sprays up to 4 times a day.

It is necessary to not ingest food, drinks or anything else immediately after the use of the product.

The duration of use depends on the evolution of symptoms; IALOCLEAN spray for oropharyngeal mucosa can be used until their complete resolution.

**Package:** glass bottle of 30 ml with nozzle.

**Composition:** Hyaluronic acid sodium salt (0.5 mg/ml), chamomilla dry extract, N-acetylcysteine, sodium benzoate, potassium sorbate, glycerin, sodium saccharin, citric acid, arginine, mint flavor, water.

**IALOCLEAN® ORAL SUSPENSION**



**Indications:** IALOCLEAN oral suspension is a food supplement with Eucalyptus Honey, Chamomile, Drosera, Grindelia and Hyaluronic Acid. Chamomile supports the functionality of the respiratory tract mucosa, Drosera promotes the fluidity of bronchial secretions and Grindelia supports the functionality of the upper respiratory tract. Drosera and Grindelia also have an emollient and soothing action on the oropharyngeal mucosa.

**Daily dose and method of use:** Adults: 10 ml twice a day.

Children aged over 3 years: 5 ml twice a day.

Shake before use. Once opened, use the product within three months.

**Package:** 200 ml bottle with measuring spoon.

**Composition:** Water, cane sugar, Eucalyptus honey, acidity regulators: sodium lactate, citric acid; Chamomile (*Matricaria recutita* L., capitula) fluid extract, Drosera (*Drosera ramentacea* Burch ex DC, herba) fluid extract, flavor: black cherry; preservative: potassium sorbate, acidifier: lactic acid; Grindelia (*Grindelia robusta* Nutt., herba floribus) fluid extract, sodium hyaluronate.

**GLUTEN-FREE**

**LACTOSE-FREE**



GASTRO-OESOPHAGEAL REFLUX

**REFALGIN® GEL FOR ORAL USE**

MEDICAL DEVICE 0373



**Indications:** It is indicated in the treatment of gastric reflux in order to reduce the related symptoms including: oesophagitis due to reflux, acid regurgitation, heartburn, gastric pyrosis during pregnancy, poor digestion associated with a reflux of gastric contents, cough and nasopharyngeal inflammations. It can be used during a continuing treatment with non-steroidal anti-inflammatory drugs as primary prophylaxis for gastropathy due to NSAID.

**Instructions for use:** Take the product at least 2 hours before or 2 hours after taking drugs or other products for oral use in order to not interfere with their absorption. Adults and adolescents from 12 years of age: take the content of one sachet after the main meals and at bedtime, or according to medical prescription. The duration of use depends on the evolution of the symptoms; if necessary it can be used for prolonged periods.

**Package:** 14 single-dose sachets of 15 ml.

**Composition:** magnesium alginate, sodium hyaluronate, simethicone, xanthan gum, banana flavor, methyl 4-hydroxybenzoate sodium salt, propyl-4-hydroxybenzoate, citric acid, fructose, water.

**GLUTEN FREE**

**REFALGIN® FILM-COATED SWALLOWING AND FAST DISSOLVING TABLETS**

MEDICAL DEVICE 0373



**Indications:** REFALGIN tablets is a medical device with mechanical action indicated in the treatment of gastroesophageal reflux in order to reduce the related symptoms including: acid regurgitation, heartburn, gastric pyrosis during pregnancy, poor digestion associated with a reflux of gastric contents, cough, hoarseness and nasopharyngeal inflammations. REFALGIN tablets can be used during a continuing treatment with non-steroidal anti-inflammatory drugs as primary prophylaxis of gastropathy due to NSAID.

**Instructions for use:** Take the product at least 2 hours before or 2 hours after taking drugs or other products for oral use in order to not interfere with their absorption. Swallow 1-2 tablets after meals with some water. The duration of use depends on the evolution of the symptoms; if necessary it can be used for prolonged periods.

**Package:** 20 tablets of 1,3 g.

**Composition:** alginic acid 365 mg, sodium alginate 300 mg, sodium bicarbonate, calcium carbonate, maltodextrin, sodium chloride, microcrystalline cellulose, silicon dioxide, simethicone, hydrogenated vegetable fat, magnesium stearate, water. Film-coating: hydroxypropyl cellulose.

**GLUTEN FREE**

**REFALGIN® PEDIATRIC SYRUP**

MEDICAL DEVICE 0373



**Indications:** REFALGIN syrup is a medical device with mechanical action indicated in the treatment of gastroesophageal reflux in order to reduce the related symptoms including: esophagitis due to reflux, acid regurgitation, heartburn, nausea, vomiting, gastric pyrosis during pregnancy, poor digestion associated with a reflux of gastric contents, cough, hoarseness and nasopharyngeal inflammations.

**Instructions for use:** Take the product at least 2 hours before or 2 hours after taking drugs or other products for oral use in order to not interfere with their absorption. It must be taken after meals, even before the night rest if needed.

- Infants up to 5 kg of weight: 2.5 ml 5-10 minutes after feeding up to 3 times a day and under strict medical supervision.
- Up to 3 years of age: 5 ml after meals and at bedtime or according to different medical advice.
- From 4 to 12 years of age: 5-10 ml after meals and at bedtime or according to different medical advice.
- From 12 years of age: 10-15 ml after meals and at bedtime or according to different medical advice.

The duration of use depends on the evolution of symptoms; if there is no improvement after 2 weeks of treatment, consult your doctor and in any case do not use the product for prolonged treatments.

**Package:** bottle of 150 ml with measuring spoon.

**Composition:** magnesium alginate, simethicone, xanthan gum, banana flavor, methyl 4-hydroxybenzoate sodium salt, propyl 4-hydroxybenzoate sodium salt, citric acid, fructose, water.

**GLUTEN FREE**



PROCTOLOGICAL DISEASES

**PROKTIS-M® PLUS RECTAL OINTMENT**

MEDICAL DEVICE 0477



**Indications:** Adjuvant treatment of reparative processes of the ano-rectal canal following proctological surgery; internal and external haemorrhoids; proctitis; cryptitis; anal rhagades; fissures; perianal fistulae.

**Instructions for use:** Adults and children: two applications per day, one in the morning and one in the evening, if possible after the evacuation of the faeces. Apply with a light massage an adequate quantity of product depending on the area to be treated. The possible intrarectal application is facilitated by the special cannula included in the package. If necessary PROKTIS-M PLUS rectal ointment can be used for prolonged periods, in any case after 30 days of continuous use suspend treatment and consult the doctor.

**Package:** tube of 30 g with rectal cannula.

**Composition:** white vaseline and vaseline oil (953 mg/g), hyaluronic acid sodic salt (0.1 mg/g), propylene glycol, LAURETH-9, escin beta-sitosterol phytosome, glycyrrhetic acid phytosome, BHT.

**PROKTIS-M® SUPPOSITORIES**

MEDICAL DEVICE 0477



**Indications:** Adjuvant treatment of reparative processes of the ano-rectal canal following proctological surgery; internal and external haemorrhoids; proctitis; cryptitis; anal rhagades; fissures; perianal fistulae.

**Instructions for use:** Adults: use one suppository per day or according to medical prescription, preferably in the evening before bedtime. Avoid holding the suppository between fingers for too long since it could melt. The duration of use depends on the evolution of symptoms; if necessary, PROKTIS-M suppositories can be used for prolonged periods, in any case after 30 days of continuous use suspend treatment for one week.

**Package:** 10 suppositories of 2 g.

**Composition:** hyaluronic acid sodium salt (5 mg), centella asiatica oil extract, calendula oil extract, aloe vera oil extract, tea tree essential oil, semi-synthetic glycerides, BHT.

**PROKTIS-M® CLEANSING FOAM**



**Indications:** Specific cleanser with soothing, emollient and cooling action for the daily hygiene of the perianal mucosa. The application without rubbing makes the use of PROKTIS-M foam particularly suitable after surgical interventions and in the presence of proctological problems.

**Method of use:** Shake well before use. Holding the spray bottle upside down, spray the product directly on the perianal mucosa at a distance of about 10 cm, by gently pressing the spray nozzle. Wait 20-30 seconds before rinsing with water. Pat dry with a soft cloth.

**Package:** spray bottle of 150 ml.

**Foam containing:** escin, bisabolol, menthol, chlorhexidine, sweet almond oil, calendula extract, and Centella asiatica extract.

INTESTINAL TRANSIT

**NOSTIP® complex POWDER FOR ORAL SOLUTION**

MEDICAL DEVICE 0373



**Indications:** Laxative indicated in the treatment of occasional and chronic constipation in adults, adolescent and children.


**Instructions for use:** Open a sachet and pour the contents into a soft drink glass (200 ml). Fill it with water (not sparkling). Stir well for about 10-15 seconds and drink the solution as soon as the powder has been diluted. As an alternative to water, it is possible to use tea, infusions, milk, yoghurt, fruit juices or fresh juices. In order to obtain an optimal result, it is advisable to drink 1 to 2 glasses of water afterwards. Nostip complex powder for oral solution can be taken at any time of the day, at least half an hour before bedtime.

Adults: 2 sachets per day, preferably in the morning and in the evening.

Children and adolescent from 3 to 14 years of age: 1 sachet per day.

**Package:** 14 single-dose sachets of 6 g.

**Composition:** polyethylene glycol, Psyllium seeds (Plantago psyllium) cuticle, guar gum, citric acid, orange flavor, silicon dioxide, sweeteners: sorbitol, acesulfame K, sucralose.



PROSTATE AND URINARY HEALTH SUPPORT



**PROXELAN® SUPPOSTORIES**


MEDICAL DEVICE **CE** 0477

**Indications:** it is indicated in the soothing and emollient local treatment of the anorectal canal in the presence of congestive conditions associated with acute and chronic prostatitis and benign prostatic hypertrophy.

**Instructions for use:** Adults: use one suppository per day or according to medical prescription, preferably in the evening before bedtime. The duration of use depends on the evolution of symptoms; PROXELAN suppositories can be used for prolonged periods, in any case after 30 days of continuous use suspend treatment for one week.


**Package:** 10 suppositories of 2 g.

**Composition:** hyaluronic acid sodium salt (2 mg), pumpkin seeds oil extract, centella asiatica oil extract, boswellia oil extract, helichrysum oil extract, tea tree essential oil, vitamin E acetate, semisynthetic glycerides.



WOUNDS HEALING

**CICATRIDINA® OINTMENT**

MEDICAL DEVICE  0477



**Indications:** Adjuvant treatment of the reparative processes in the case of:

- Irritations and redness, also following peeling interventions, epilation and laser
- Superficial lesions: cracks, scratches, abrasions, erythema, superficial cuts
- Deep lesions: surgical wounds, first and second-degree burns, bedsores, ulcers

**Instructions for use:** Adults and children: 2/3 applications per day or according to medical prescription. If necessary CICATRIDINA ointment can be used for prolonged periods, in any case after 30 days of continuous use suspend treatment and consult the doctor.

**Package:** tube of 30 and 60 g.

**Composition:** hyaluronic acid sodium salt 0.2%, water, vaseline oil, cetylstearyl alcohol, sweet almond oil, STEARETH-2, STEARETH-21, glycerin, sorbitol, silicone oil, chlorhexidine digluconate, imidazolidiny urea, EDTA disodium salt, BHT.

**CICATRIDINA® SPRAY**

MEDICAL DEVICE  0477




**Indications:** CICATRIDINA spray, by helping to restore the physiological conditions of the skin, is indicated as adjuvant treatment of reparative processes of superficial and deep wounds (abrasions, lacerations, first and second-degree burns, surgical wounds, bedsores and ulcers).

**Instructions for use:** Adults and children: spray with the container in vertical position at a distance of 10-15 cm by making sure that the spray is directed on the part to be treated. Repeat the operation 2 or 3 times per day or according to medical prescription. If necessary CICATRIDINA spray can be used for prolonged periods, in any case after 30 days of continuous use suspend treatment and consult the doctor.

**Package:** spray bottle of 125 ml.

**Composition:** hyaluronic acid sodium salt 0.2 mg/g, aluminum starch octenylsuccinate, hexamethylsiloxane, sweet almond oil, vitamin E acetate, ximeninic acid, lemon essential oil, tea tree essential oil, butane, isobutane, propane.



DRY AND XEROTIC TENDENCY SKIN



**CICATRIDINA® DERMO-CLEANSER**

**Indications:** body cleanser particularly suitable for the daily hygiene of dry, very dry skin, with a xerotic tendency and subject to irritation, dermatitis and eczema. Cleanses without being harsh.

**Method of use:** apply to wet skin and massage the area to be cleansed until a soft foam is produced. Rinse and dry the skin without rubbing.

**Package:** bottle of 250 ml.

**Dermocleanser containing:** urea, organic olive oil, and hyaluronic acid.



**CICATRIDINA® BODY EMULSION**

**Indications:** Ideal for giving relief to dry, very dry skin, with a xerotic tendency and subject to irritation, dermatitis and eczema.

**Method of use:** apply the product to dry skin, even several times a day. Massage until completely absorbed.

**Package:** tube of 180 ml.

**Emulsion containing:** ceramides, natural oils and waxes, urea, and hyaluronic acid.

IRRITATED SKIN BY SWEATING AND RUBBING



**CICATRIDINA® LIQUID POWDER**

**Indications:** Indicated in cases of hypersensitivity, irritation and redness of the skin due to rubbing and sweating.

**Method of use:** apply the product to the affected areas, carefully cleansed and dry, even several times a day. Massage gently until completely absorbed.

**Package:** bottle of 120 ml.

**Liquid powder containing:** rice starch, natural oils and waxes, calendula extract, and hyaluronic acid.

# Part of Named Group


**Named Group** is a leading Italian healthcare group, founded in 2022 through a series of acquisitions of 10 established companies, which develops and sells medical devices, nutraceuticals, cosmetics and sports nutrition products, showcasing a profitable business model driven by scientific innovation.

The extensive wealth of scientific and managerial expertise and know-how in the market, thanks to continuous investment in research and innovation, translates into a competitive advantage that allows **Named Group** to anticipate health trends.

## Our Numbers



## International presence





Document for internal use only. This document is the exclusive property of Named Group's companies. It is forbidden to copy, modify, alter, publish, spread, sell or transfer, in whole or in part, this document. The document is intended exclusively for Farma-Derma authorized personnel, identified by name. Any unauthorized use of this document and/or its contents shall be deemed illegitimate and a clear violation of Farma-Derma rights, exempting the latter from any liability for any reason whatsoever.