



PharmExtracta®



Product
Portfolio
2 0 2 5





PharmExtracta's **PILLARS**

OUR **FIGURES**

3 UNIVERSITY TEXTBOOKS

3 INTERNATIONAL AWARDS

41 PATENTS

>250 PUBLICATIONS



2024 Best Product of the Year: Microbiome Modulation
2024 Best Product of the Year: Botanical
2025 Best Product of the Year: Botanical

OUR **FORMULATIONS**

Botanicals



Multi-Ingredient
Botanical Products



Single-Ingredient
Botanical Products

- ▶ Standardized and titrated plant derivatives
- ▶ Standardized or pluricomponent fungal derivatives

Microorganisms



Precision Bacterial Care

Characterization of each bacterial strain allows the choice among different Precision Probiotics, with organ-specific activity and targeted function.

Prebiotic fibers



Precision Prebiotics

Selected prebiotic fibers that promote the proliferation of specific bacteria.

Nutrients



Biomolecular
supplements

- ▶ Vitamins
- ▶ Amino acids
- ▶ Minerals
- ▶ Enzymes

OUR **QUALITY STANDARDS**

Formulative galenics

- ▶ Fast, Normal, and Slow Release
- ▶ Enteric-coating

Phytosomes® & Herbal Enhancers

OUR **EVIDENCE**

Proven clinical efficacy • Safety • Stability

Multi-Ingredient Botanical Products



Product	Potential benefits / Targeted issue	Biopharmaceutical composition	Directions for use
Algocur®	OPTIMIZATION of JOINT FUNCTION	1000 mg <i>Curcuma longa</i> rhizome Phytosome®; 10 mg <i>Piper nigrum</i> L. fruit dry extract. FILM-COATED TABLET The Phytosome® form and the combination with piperine enhance the oral bioavailability of curcumin.	2 tablets Away from meals Pack of 20 tablets
Bactorinol® NASAL DROPS CE	AIDS NASAL SECRETION FLUIDIFICATION and BREATHING	Lentisk Oil (<i>Pistacia lentiscus</i> L., berries); Shea Butter. MEDICAL DEVICE · PATENTED · NASAL DROPS Soothes the nasal mucosa and supports breathing thanks to its decongestant action.	CHILDREN 3 drops per nostril 3 times daily ADULTS 5 drops per nostril 2 times daily 15 ml bottle with dropper
Bactorinol® NASAL SPRAY CE	AIDS NASAL SECRETION FLUIDIFICATION and BREATHING	Lentisk Oil (<i>Pistacia lentiscus</i> L., berries); Shea Butter. MEDICAL DEVICE · PATENTED · NASAL SPRAY Soothes the nasal mucosa and supports breathing thanks to its decongestant action.	CHILDREN 2 sprays per nostril 3 times daily ADULTS 3 sprays per nostril 3 times daily 15 ml bottle with nasal spray dispenser
Bactorinol® ORAL SPRAY	ANTI-BIOFILM EFFECT	Lentisk Oil (<i>Pistacia lentiscus</i> L., berries); Orange flavor. PATENTED · ORAL SPRAY The extract of <i>Pistacia lentiscus</i> disrupts bacterial biofilm.	CHILDREN and ADULTS 3 sprays 3 times daily 20 ml bottle with oral spray dispenser
Berberol®	OPTIMIZATION of CARDIOVASCULAR AND REGULATION OF GLYCOLIPID PARAMETERS	588 mg <i>Berberis aristata</i> DC. d.s.e.; 105 mg <i>Silybum marianum</i> L. d.s.e. PATENTED · FILM-COATED TABLET The combination with silymarin enhances the oral bioavailability of berberine.	1-2 tabs per day Pack of 30 tablets
Berberol® K	MAINTENANCE of NORMAL CHOLESTEROL LEVELS	730 mg Berberine Phytosome®; 2.9 mg Monacolins. FILM-COATED TABLET Berberine Phytosome® increases the bioavailability of berberine alone by 10-fold. MonaKoPure® is an extract containing 2.9 mg of Monacolin K and KA (1:1 ratio) and free from other monacolins.	1 tab per day Pack of 30 tablets
Carvelin®	OPTIMIZATION of MICRO-CIRCULATORY and LYMPHATIC FUNCTION	100 mg LEUCOSELECT® Phytosome® NORMAL release; 50 mg LIMPHELECT® SLOW release; 80 mg GINKGOSELECT® Phytosome® NORMAL release. MULTILAYER TABLET WITH DIFFERENTIAL RELEASE The Phytosome® form and differential release optimize oral bioavailability.	2 tabs per day for 8–10 weeks 1 tab per day as maintenance Pack of 30 tablets

Product	Potential benefits /Targeted issue	Biopharmaceutical composition	Directions for use
Cibiesse®	PROMOTES HEALTHY GASTROINTESTINAL REGULARITY in cases of CONSTIPATION	1 mg Melatonin; 5 g Psyllium. SINGLE-DOSE SACHET The gelling property of psyllium allows the incorporation, transport, and release of melatonin at the intestinal level.	1 sachet daily preferably in the evening before bedtime Pack of 20 sachets
Dibiesse®	PROMOTES HEALTHY GASTROINTESTINAL REGULARITY in cases of DIARRHEA	255 mg <i>Berberis aristata</i> dry extract s.t.; 750 mg Hydrolyzed guar gum; 0.5 mg Melatonin. TABLET The gelling property of hydrolyzed guar gum allows the incorporation, transport, and release of melatonin and berberine at the intestinal level.	1 tablet every 12 hours for at least 8 weeks 1 tablet daily for maintenance Pack of 30 tablets
Dispepril®	PROMOTES GASTRIC REGULATION in cases of DYSPEPSIA	300 mg dry extract of <i>Zingiber officinale</i> Roscoe rhizome; 150 mg dry extract of <i>Perilla frutescens</i> (L.) Britton leaves. GASTRO-RESISTANT TABLET The ginger extract is titrated and standardized to 10% in gingerols and shogaols. The perilla extract is obtained by ethanol extraction to isolate the lipophilic component and by aqueous solvent extraction to isolate the hydrophilic component.	1 tablet 15 minutes before lunch and before dinner Pack of 30 tablets
Dolinpea®	MANAGEMENT of INFLAMMATION AND CHRONIC PAIN	600 mg PEA Phytosome®. COATED TABLET The Phytosome® form enhances the solubility and bioavailability of PEA compared to its conventional form	1-2 tabs per day Pack of 30 tablets
Emospid®	PROMOTES OPTIMAL VENOUS CIRCULATION and IS USEFUL in cases of HEMORRHOIDS	100 mg LEUCOSELECT™ Phytosome® NORMAL release; 30 mg Triterpenes from <i>Centella asiatica</i> SLOW release; 80 mg MIRTOSELECT™ NORMAL release. MULTILAYER TABLET WITH DIFFERENTIAL RELEASE The Phytosome® form and differential release optimize oral bioavailability.	3 tabs per day 1-2 tabs daily as maintenance Pack of 20 tablets
Fibermet®	REGULATION of CARBOHYDRATE and LIPID METABOLISM in ADULTS REGULATION of INTESTINAL TRANSIT	1500 mg Psyllium; 1500 mg Glucomannan; 1500 mg Phytosterols and Phytosterols; 500 mg Depolymerized guar fiber; 40 µg Chromium. SINGLE-DOSE SACHET The soluble, viscous fibers in combination with chromium improve the glycemic profile, while plant sterols improve the lipid profile.	1 sachet before main meals Pack of 20 sachets
Galactol®	HELPS REDUCE INTESTINAL BLOATING associated with GLUTEN, LACTOSE, and FODMAP INTAKE	100 mg TOLERASE® G (Tolerase® G is a trademark of DSM); 20 mg equivalent to 600 GalU α-galactosidase; 45 mg equivalent to 4,500 ALU β-galactosidase. GASTRO-RESISTANT TABLET Provides the complete enzymatic pool for the digestion of gluten, FODMAPs, and lactose.	1-2 tabs at the beginning of main meals Pack of 30 tablets

Product	Potential benefits /Targeted issue	Biopharmaceutical composition	Directions for use
Globes®	BODY WEIGHT BALANCE	150 mg GREENSELECT® Phytosome® <i>Camellia sinensis</i> L. leaves dry extract s.t. > 60% total polyphenols > 40% epigallocatechin-O-gallate; 15 mg <i>Piper nigrum</i> L. fruit dry extract s.t. ENTERIC-COATED TABLET Enteric-coating, the Phytosome® form, and the association with piperine favor oral bioavailability.	2 tablets per day for at least 12 weeks Pack of 30 tablets
Hepa G®	PROMOTES LIVER HEALTH in cases of NON-ALCOHOLIC FATTY LIVER DISEASE (NAFLD)	160 mg SILIPHOS®; 100 mg L-Cysteine; 50 mg L-Methionine; 50 mg L-Serine. SLOW-RELEASE TABLET The Phytosome® form improves the absorption of silybin. The combination of the three amino acids optimizes glutathione production.	2-4 tabs per day Pack of 30 tablets
Homair®	PROMOTES THE REDUCTION of VISCERAL FAT	800 mg CURSERIN™; 8 mg <i>Piper nigrum</i> L. fruit dry extract s.t. FILM-COATED TABLET The Phytosome® form obtained with phosphatidylserine, together with piperine, optimizes curcumin absorption and prevents its molecular degradation.	2 tabs per day Pack of 30 tablets
Kramegin® VAGINAL DOUCHE CE	PREVENTION of VAGINAL COLONIZATION and AGGRESSION by BACTERIA AND FUNGI	Boric acid 3% · Lactic acid 0.14%; <i>Krameria triandra</i> 0.01%; MEDICAL DEVICE · PATENTED VAGINAL DOUCHE Helps restore pH balance · Boric acid counteracts the vitality of pathogenic microflora.	Use twice a week or as otherwise needed 5 bottles of 100 ml 5 disposable cannulas
Lipicur®	PROTECTS against OXIDATIVE STRESS and SUPPORTS RELIEF in cases of NEUROPATHIC PAIN	400 mg Alpha-lipoic acid 4 mg <i>Piper nigrum</i> L. fruit dry extract s.t. 400 mg <i>Curcuma longa</i> L. rhizome Phytosome® PATENTED · FILM-COATED TABLET The Phytosome® form and the association with piperine enhance the oral bioavailability of curcumin.	1-2 tabs per day Pack of 30 tablets
Macrutin®	OPTIMIZATION of URINARY TRACT FUNCTION	200 mg Cranpure™, dry extract of <i>Vaccinium macrocarpon</i> (American cranberry) fruit, standardized to 30% proanthocyanidins providing a total of 60 mg PAC per tablet; 500 mg D-Mannose. ENTERIC-COATED TABLET Enteric-coating safeguards the entire content of proanthocyanidins from gastric pH.	1 tab in the morning 1 tab in the evening before bedtime, after emptying the bladder Pack of 30 tablets
Meloff®	HELPS PROMOTE RESTFUL SLEEP in cases of SLEEP DISTURBANCES	200 mg dry extract of Melissa leaves Phytosome® FILM-COATED TABLET The Phytosome® form increases oral bioavailability and enhances the activity of the simple extract.	1-2 tabs per day Pack of 30 tablets
Neurofast®	PROMOTES RELAXATION in cases of STRESS and HELPS REDUCE STRESS-INDUCED CARDIAC ARRHYTHMIA	100 mg VALEROLELECT® 0.8% in valerenic acids FAST release; 100 mg <i>Passiflora incarnata</i> dry extract s.t. to 3.5% flavonoids SLOW release; 100 mg <i>Crataegus</i> spp. dry extract s.t. to 1.8% vitexin-2-rhamnoside NORMAL release. PATENTED · MULTILAYER TABLET WITH DIFFERENTIAL RELEASE The differential release form favors the oral bioavailability of the ingredients.	1-3 tabs per day Pack of 30 tablets

Product	Potential benefits / Targeted issue	Biopharmaceutical composition	Directions for use
Nisatol®	HELPS MODULATE BLOOD PRESSURE LEVELS	400 mg <i>Nigella sativa</i> L. oil, of which 40 mg thymoquinone; 3.3 mg Vitamin E. ENTERIC-COATED SOFTGEL CAPSULE The oily extract of <i>Nigella sativa</i> seeds is standardized to 10% thymoquinone.	1-2 softgel cps per day with main meals Pack of 30 softgel capsules
Quevir®	CONTRIBUTES to THE MAINTENANCE of THE BODY'S NATURAL DEFENSES	500 mg Quercetin Phytosome®. FILM-COATED TABLET The Phytosome® form optimizes the absorption and therefore the activity of simple quercetin.	1-2 tabs per day Pack of 30 tablets
Quevir® SPRAY	USEFUL for THROAT WELL-BEING	Quercetin Phytosome®; Glycyrrhizate; Bisabolol; Zanthalene®; <i>Melaleuca alternifolia</i> ; Thyme; Mint; Eucalyptus. ORAL SPRAY The Phytosome® form optimizes the absorption and therefore the activity of simple quercetin.	3 oral sprays 3 times daily or as needed 20 ml bottle with oral spray dispenser
Sophy®	SUPPORTS WOMEN'S HEALTH in cases of POLYCYSTIC OVARY SYNDROME (PCOS)	550 mg Berberine Phytosome®, dry extract of <i>Berberis aristata</i> . TABLET The Phytosome® form makes berberine 10 times more bioavailable. Useful in regulating altered metabolic parameters.	1-2 tabs per day Pack of 30 tablets
ZantodERM® CREAM	MOISTURIZING and SOOTHING for the SKIN	18-β-Glycyrrhetic acid Phytosome®, Zanthalene®, Bisabolol; <i>Melaleuca alternifolia</i> essential oil; <i>Curcuma longa</i> root dry extract. PATENTED · DERMATOLOGICAL CREAM The Phytosome® forms favor skin penetration and provide antioxidant, soothing, and anti-itch activity.	2-3 applications per day for at least 10 days 100 ml tube
Zantogin® VULVAR CREAM	PROTECTION from VULVAR IRRITATION	18-β-Glycyrrhetic acid Phytosome®, Zanthalene®, Bisabolol; <i>Melaleuca alternifolia</i> essential oil; Lactic acid; <i>Curcuma longa</i> root dry extract. PATENTED · VULVAR CREAM The phytosomal forms favor skin penetration and provide pH-balancing, soothing, and anti-itch effects.	1-2 applications per day for at least 10 days 40 ml tube
Zantogin® INTIMATE CLEANSER	SUITABLE for DAILY VULVAR HYGIENE	18-β-Glycyrrhetic acid Phytosome®, Zanthalene®, <i>Melaleuca alternifolia</i> essential oil; Bisabolol; Lactic acid; <i>Curcuma longa</i> root dry extract. PATENTED · INTIMATE CLEANSER The phytosomal forms favor skin penetration and provide pH-balancing, soothing, and anti-itch effects.	1-2 applications per day for at least 10 days 250 ml bottle
Zantogin® GEL CE	ADJUVANT in ATROPHIC VAGINITIS and TREATMENT of VAGINAL DRYNESS	Triterpenes from <i>Centella asiatica</i> Phytosome® 1%; Xilogel from <i>Tamarindus indica</i> 1%; Polycarbophil 0.8%; Zanthalene® 0.5%; Hyaluronic acid 0.5%. MEDICAL DEVICE · PATENTED MUCOADHESIVE VAGINAL GEL The formulation favors skin penetration and provides healing, re-epithelializing, and moisturizing effects.	3 applications per week until symptom remission and then 2 applications per week 30 ml tube 6 disposable applicators

Single-Ingredient Botanical Products



Product	Potential benefits /Targeted issue	Biopharmaceutical composition	Directions for use
MonoSelect® Agnus	HELPS COUNTER MENSTRUAL CYCLE DISORDERS	40 mg <i>Vitex agnus-castus</i> L. fruit dry extract s.t. standardized to 0.5% agnuside. FAST-RELEASE TABLET The FAST form optimizes absorption.	1 tablet per day for 90 days , then continue with 1 tablet during the 7 days preceding the menstrual cycle Pack of 30 tablets
MonoSelect® AKBA	SUPPORTS JOINT FUNCTION	500 mg CASPEROME® Phytosome®, Boswellic acids from <i>Boswellia serrata</i> R. resin. FILM-COATED TABLET The Phytosome® form increases oral bioavailability.	1-2 tabs per day for 90 days , away from meals, for at least 6 weeks Pack of 30 tablets
MonoSelect® Ginkgo	SUPPORTS NORMAL BLOOD CIRCULATION OPTIMIZES MEMORY AND COGNITIVE FUNCTIONS	120 mg Ginkgoselect® Plus Phytosome®, <i>Ginkgo biloba</i> L. leaf dry extract s.t. ≥ 7% ginkgoflavonglucosides ≥ 2% ginkgoterpenes ≥ 0.8% bilobalide and ginkgolides FILM-COATED TABLET The Phytosome® form optimizes oral bioavailability.	1-3 tabs per day away from meals Pack of 30 tablets
MonoSelect® Macrocarpon PATENTED	HELPS PREVENT CYSTITIS RECURRENCE	200 mg <i>Vaccinium macrocarpon</i> L. fruit dry extract standardized to 30% proanthocyanidins, equivalent to 60 mg PAC. ENTERIC-COATED TABLET The enteric coating allows the PACs to reach the intestine intact.	1-2 tabs per day away from meals Pack of 30 tablets
MonoSelect® Sabal	SUPPORTS PROSTATE FUNCTION	320 mg SABALSELECT®, <i>Serenoa repens</i> S. fruit extract standardized to 90% linear-chain fatty acids. ENTERIC-COATED SOFTGEL CAPSULE Enteric-coating reduces possible gastric discomfort caused by the oily component of the extract.	1 capsule per day away from meals Pack of 30 tablets

Precision Bacterial Care



Product	Potential benefits /Targeted issue	Biopharmaceutical composition	Directions for use
Bactoblis® evol	USEFUL for PROMOTING ORAL MICROBIOTA BALANCE and PREVENTING THROAT INFECTIONS	<i>Streptococcus salivarius</i> EVOL12®, no less than 1 billion CFU/tablet. SLOW-DISSOLVING OROSOLUBLE TABLET Clinically proven efficacy and safety.	1 tablet in the evening , to be dissolved completely before bedtime, for cycles of no less than 3 months Pack of 30 tablets
Bowell®	PROMOTES INTESTINAL MICROBIOTA BALANCE in cases of TREATMENT with RIFAXIMIN	<i>Bifidobacterium longum</i> W11, no less than 10 billion CFU/stick pack. SINGLE-SERVING STICK PACK WITH OROSOLUBLE POWDER Probiotic resistant to rifaximin	1 stick pack per day also during rifaximin treatment Pack of 14 stick packs

Product	Potential benefits /Targeted issue	Biopharmaceutical composition	Directions for use
Brevicillin®	PROMOTES INTESTINAL MICROBIOTA BALANCE in CASE of TREATMENT with AMOXICILLIN or AMOXICILLIN-CLAVULANIC ACID	<i>Bifidobacterium breve</i> PRL2020, no less than 20 billion CFU/stick pack. SINGLE-SERVING STICK PACK WITH OROSOLUBLE POWDER Probiotic resistant to amoxicillin and amoxicillin-clavulanic acid	1-3 stick packs per day Take 1 stick after each dose of antibiotic, dissolve it in water or directly in the oral cavity Pack of 20 stick packs
Brevicillin® DROPS	PROMOTES INTESTINAL MICROBIOTA BALANCE in CASE of TREATMENT with AMOXICILLIN or AMOXICILLIN-CLAVULANIC ACID	<i>Bifidobacterium breve</i> PRL2020, no less than 5 billion alive cells per 5 drops. OIL DROPS Probiotic resistant to amoxicillin and amoxicillin-clavulanic acid	5 drops, 1-3 times daily (after each dose of antibiotic). Take the drops diluted in cold or lukewarm beverages, or directly into the oral cavity 10 g bottle
Butirrisan®	USEFUL in cases of IBS-D	30 mg <i>Clostridium butyricum</i> CBM588®, equivalent to 4.5×10^5 CFU per tablet. TABLET The only probiotic on the market that produces butyric acid in the colon.	1-3 tabs per day during main meals Pack of 90 tablets
Crispact®	USEFUL for PROMOTING VAGINAL MICROBIOTA BALANCE	<i>Lactobacillus crispatus</i> M247, no less than 20 billion CFU/stick pack. SINGLE-SERVING STICK PACK WITH OROSOLUBLE POWDER Formulated with the world's most studied commercially available strain of <i>Lactobacillus crispatus</i> .	1 stick pack per day no less than 90 days dissolve it in water or directly in the oral cavity Pack of 30 stick packs
Crispact® CAPSULE	USEFUL for PROMOTING VAGINAL MICROBIOTA BALANCE	<i>Lactobacillus crispatus</i> M247, no less than 20 billion CFU/capsule. CAPSULE Formulated with the world's most studied commercially available strain of <i>Lactobacillus crispatus</i> .	1 capsule per day no less than 90 days Pack of 30 tablets
Colipral®	USEFUL in cases of RECURRENT CYSTITIS, IBS and IBD	<i>Escherichia coli</i> 5C (ECP24®), no less than 1 billion CFU/capsule. ENTERIC-COATED CAPSULE Completely sequenced genome and superior safety profile.	1-2 capsules daily with a little water Pack of 30 capsules
FG5® FORTE	As an ADD-ON TO ANTIBIOTICS, ANTIPYRETICS and ANTI-INFLAMMATORIES	Stable probiotics (20 billion viable cells); B-group vitamins; Fructooligosaccharides (FOS); Vitamins A, C, E; Zn, Cu, Se, GSH; Leucocyanidins; Lycopene. PATENTED · SINGLE-DOSE SACHET High-dosage symbiotic with detoxifying functions.	1 sachet A + 1 sachet B per day Pack of 6 sachets A + 6 sachets B

Product	Potential benefits /Targeted issue	Biopharmaceutical composition	Directions for use
Gabapral®	USEFUL in cases of RECURRENT ABDOMINAL PAIN	<i>Bifidobacterium adolescentis</i> PRL2019, no less than 20 billion CFU/stick pack. SINGLE-SERVING STICK PACK WITH OROSOLUBLE POWDER Unique GABA-producing probiotic.	1 stick pack per day no less than 90 days dissolve it in water or directly in the oral cavity Pack of 30 stick packs
GliadinES®	USEFUL in cases of GLUTEN SENSITIVITY	<i>Bifidobacterium longum</i> ES1, no less than 1 billion CFU/sachet. SINGLE-SERVING SACHET WITH OROSOLUBLE POWDER Probiotic able to break down gliadin and support microbiota balance in individuals following a gluten-free diet.	1 stick pack per day no less than 90 days dissolve it in water or directly in the oral cavity Pack of 30 sachets
iNatal®	USEFUL for PROMOTING the BALANCE of the MICROBIOTA during PREGNANCY and PREVENTING PROM	<i>Enterococcus faecium</i> L3 – 10 billion CFU; <i>Bifidobacterium animalis lactis</i> BB-12® – 3 billion CFU; <i>Lactococcus lactis</i> SP38 – 3 billion CFU; <i>Lactocaseibacillus casei</i> R0215 – 3 billion CFU. SINGLE-SERVING SACHET Clinically studied for use during pregnancy.	1 sachet per day to be dissolved in water, starting approximately from the 2 nd trimester of pregnancy Pack of 30 sachets
iNatal® DUO	USEFUL for PREVENTING RECURRENT CYSTITIS	<i>Enterococcus faecium</i> L3 – 10 billion CFU; <i>Bifidobacterium animalis lactis</i> BB-12® – no less than 2 billion CFU. SINGLE-SERVING SACHET Combination containing bioprotective and pro-immunity strains.	1 sachet per day to be dissolved in water, for 4-12 weeks Pack of 14 sachets
iNatal® PED	USEFUL for PREVENTING PEDIATRIC GASTROENTERITIS	<i>Enterococcus faecium</i> L3 – no less than 5 billion CFU; <i>Bifidobacterium animalis lactis</i> BB-12® – no less than 2 billion CFU. SINGLE-SERVING STICK PACK Combination containing bioprotective and pro-immunity strains.	1 stick pack per day to be dissolved in water Pack of 30 stick packs

Precision Prebiotics



Product	Potential benefits /Targeted issue	Biopharmaceutical composition	Directions for use
Colopectin®	PECTIN with PREBIOTIC ACTION, BENEFICIAL in cases of CONSTIPATION	800 mg of Pectin per stick pack. STICK PACK of pectin, particularly supportive for bifidobacteria such as <i>Bifidobacterium longum</i> W11 (Bowell®).	1-2 stick packs per day dissolved in a glass of water or other liquid Box of 28 sticks
Fibradis®	PREBIOTIC ACTION USEFUL in CASE of INTESTINAL DYSBIOSIS	Fiber blend with 90% bifidogenic (Inulin, GOS, FOS, XOS) and 10% lactogenic fibers (Lactulose, Polydextrose). SINGLE-SERVING SACHET Genus-specific fiber blend formulated to promote the proliferation and colonization of bifidobacteria and lactic acid bacteria in physiological intestinal ratios.	1-2 sachets per day Pack of 14 sachets

BIOMOLECULAR supplements designed to address Molecular Deficiency Disorders



Product	Potential benefits /Targeted issue	Biopharmaceutical composition	Directions for use
DDM® Betaina	CONTRIBUTES to NORMAL HOMOCYSTEINE METABOLISM	250 mg Betaine; 3 mg Vitamin B6; 0.4 mg Folic acid; 3.75 µg Vitamin B12. 8-HOUR CONTROLLED-RELEASE TABLET Optimized intestinal absorption. Provides all the elements necessary for homocysteine metabolism	1 tab per day Pack of 30 tablets
DDM® Chinone	REDUCTION of OXIDATIVE STRESS and MUSCLE FATIGUE	200 mg Coenzyme Q10; 15 mg Vitamin E; 25 mg Vitamin B2; 9.5 mg Vitamin B6; 0.4 mg Vitamin B9; 0.025 mg Vitamin B12. SINGLE-SERVING SACHET The microemulsion increases the bioavailability of CoQ10 by improving its chemical affinity with the enterocyte membrane.	1 sachet per day away from meals Pack of 30 sachets
DDM® Chiro	CONTRIBUTES to NORMAL FERTILITY and REPRODUCTION	600 mg D-Chiro-Inositol; 1.5 mg Zinc; 400 µg Folic acid; 10 µg Vitamin D. 8-HOUR CONTROLLED-RELEASE TABLET Protection and optimization of active ingredient absorption.	1-2 tabs per day Pack of 30 tablets
DDM® Ferro TABLETS	CONTRIBUTES and IRON ABSORPTION and METABOLISM	30 mg Iron; 240 mg Vitamin C; 1.2 mg Vitamin A. 4-HOUR CONTROLLED-RELEASE TABLET Limits gastric discomfort. Releases bioavailable iron in the upper intestinal tract.	1 tab per day Pack of 30 tablets
DDM® Galattosidasi	CONTRIBUTES to THE DIGESTION OF LACTOSE and FODMAPS	α-Galactosidase 600 GalU; β-Galactosidase 4,500 ALU. ENTERIC-COATED TABLET Provides the complete enzymatic pool for the digestion of lactose and FODMAPs.	1-2 tabs per day before meals Pack of 30 tablets
DDM® Matrice	CONTRIBUTES to NORMAL COLLAGEN FORMATION	5,000 mg Hydrolyzed collagen; 500 mg Hydrolyzed elastin; 12 mg Vitamin C. PATENTED · SINGLE-SERVING SACHET The hydrolyzed form promotes connective matrix synthesis.	1-2 sachets per day Pack of 14 sachets
DDM® Metile	SUPPORTS NORMAL MOOD TONE	250 mg SAME; 125 mg Betaine. GASTRO-RESISTANT TABLET Preserves both endogenous and exogenous SAME. Maximizes methyl-donation function.	1-2 tabs per day Pack of 32 tablets
DDM® Nitrico	ANTIOXIDANT, VASODILATOR	200 mg L-Arginine; 200 mg L-Citrulline; 200 mg L-Lysine; 200 mg L-Ornithine. 8-HOUR CONTROLLED-RELEASE TABLET Optimizes intestinal absorption and the metabolic cycle for nitric oxide (NO) generation.	1 tab per day Pack of 20 tablets
Alkaloximed®	HELPS COUNTER TISSUE ACIDOSIS, OXIDATIVE STRESS, FATIGUE, AND MUSCLE CRAMPS	Citrates (K, Mg, Zn); Vitamins A, C, E; Selenium; B-group vitamins. SINGLE-SERVING SACHET Saline multivitamin for rebalancing and maintaining proper tissue pH and cellular homeostasis.	1-2 sachets per day Pack of 20 sachets