

PRODUCT LIST



Contributing to the health and happiness of humankind
www.ildong.com/eng



Head office
2, Baumoe-ro 27-gil, Seocho-gu, Seoul, Korea Tel : +82-2-526-3114 Fax : +82-2-526-3031
Factory
Finished products : 25, Gongdan 1-ro, Anseong-si, Gyeonggi-do, Korea
Raw materials : 53, Gongdan-ro 98 beon-gil, Heungdeok-gu, Cheongju-si, Chungcheongbuk-do, Korea
E-mail address : export@ildong.com Home page : www.ildong.com/eng



Philosophy

An elite organization contributing to the health and happiness of humankind

Respect for
Humanity

Quality
Management

Value
Creation


Vision

As a sustainable total healthcare company with over 1 tril. won in sales and 0.1 tril. won in income, we will perform innovative R&D for new solutions, become the most trusted partner for health professionals, and build the most valuable consumer brand.

ILDONG Group



Overview



Establishment
March 14, 1941



Employees
1,114 (August, 2025)



Number of patents
200 patents (ILDONG Group)



Turnover
US\$523M (2024)



Growth rate
CAGR 3.38% (2019-2024)



Head office
2, Baumoe-ro 27-gil,
Seocho-gu, Seoul, Korea



R&D and Plant
1 central R&D center
4 manufacturing plants



Branches of domestic sales
18 branches for hospital sales
20 branches for clinic sales
12 branches for pharmacy sales




Main business
Manufacturing and
sales of pharmaceutical
products & API


Main Products




ETC



OTC



Supplements




Others



R&D Center

Becoming a leading global pharmaceutical company through development of innovative new drugs



R&D Source of Innovation



R&D Pipeline

No.	Code	Description	Indication	Development Stage					Remarks
				Lead op	PCC	P1	P2	P3	
1	ID110521156	GLP-1 receptor agonist	Obesity/ T2DM			●			KR Ph1 MAD ongoing
2	ID120040002	Padoprazan [P-CAB]	GERD				●		KR Ph2 completion
3	ID119040338	A1/A2A receptor dual antagonist	Parkinson's disease		●				KR IND submission 26 Q1
4	IL21120033	ACKR3 [CXCR7] agonist-PAM	IBD, RA		●				IND submission 26 2H
5	IL21061054	Cyclin K degrader	Gastric cancer		●				IND submission 28 2H
6	IDX-1197	Venadaparib (PARP inhibitor)	Gastric cancer				●		GC combo Ph2a ongoing
7	ID11916	4th-generation antiandrogen	Prostate/ Breast cancer		●				Non-clinical ongoing

Manufacturing Facilities



General facility (Anseong)

1. Automated facilities and professional manpower
2. Stabilized manufacturing process
3. PIC/s and PMDA compliance, ISO14001
4. Capacity(lyr) : Tablet(11.3B), Capsule(2.5B)
5. Floor area 25,101m²

Anticancer (Anseong)

1. Dedicated facility for cytotoxic anticancer drugs
2. All formulation available
3. PIC/s and PMDA compliance, ISO14001
4. Capacity(lyr) : Tablet(100M), Capsule(300M), Lyophilized(0.55M), Liquid(30M)
5. Floor area 2,344m²




Cephalosporin (Anseong)

1. The biggest capacity of lyophilized cephalosporin injection in Korea
2. All formulation available
3. PIC/s GMP compliance, ISO14001
4. Capacity(lyr) : Tablet(500M), Capsule(660M), Lyophilized(11M), Granule(0.7M KG)
5. Floor area 7,587m²

API (Cheongju)

1. Synthesis plant for high-quality API
2. Accreditation certificate of foreign drug manufacturer[Japan]
3. PIC/s GMP and PMDA compliance, ISO14001
4. Floor area 9,761m²
5. Manufacturing products: API[Chemical synthesis]



HA Dermal Filler (Cheongju)

1. Raw material manufacturing site approved aseptic GMP
2. Dermal filler manufacturing site approved GMP
3. Manufacture high purity HA Dermal filler
4. Floor area 4,837m²
5. Manufacturing products: Sodium Hyaluronate(Raw material, Dermal filler)

Probiotics (Poseung)

1. The biggest fermentation & extraction facilities in Korea
2. Certified GMP, HACCP, ISO14001
3. Patented technology "Quadruple coating" & "Tyndallization"
4. Customized formulation available
5. Floor area 9,761m²
6. Manufacturing products: Probiotics


Gastrointestinal system

Product name	Picture	Classification	API	Packing unit
BESIVO Tablets		Hepatitis B virus treatments	Besifovir dipivoxil 150mg	30T / Bottle
VICURE Tablets		Hepatitis B virus treatments	Entecavir 0.5mg, 1mg	30T / Alu-Alu
RABIET Tablets		Proton pump inhibitors	Rabeprazole sodium 10mg, 20mg	28T / PTP

Anticancer

SPECSSA Tablets		Targeted cancer therapy	Gefitinib 250mg	30T / PTP
TEMOLAM Capsules		Alkylating agent	Temozolomide 20mg, 100mg, 250mg	5C / PTP
ALGIK Injection		Antimetabolite	Pemetrexed 100mg, 500mg	1V / Box
TAXOZEN Injection		Taxane	Docetaxel 20mg, 80mg	1V(solution) + 1V(solvent) / Box
ID GEMCITABINE Injection (Lyophilized)		Antimetabolite	Gemcitabine HCl 228mg, 1,140mg (200mg, 1g as Gemcitabine)	1V / Box

Cardiovascular system


Product name	Picture	Classification	API	Packing unit
DROPTOP Tablets		Antihyperlipidemic agents	Rosuvastatin/Ezetimibe 5/10mg, 10/10mg, 20/10mg	30T / Alu-Alu
ATOMIBE Tablets		Antihyperlipidemic agents	Atorvastatin/Ezetimibe 5/10mg, 10/10mg 20/10mg, 40/10mg	30T / Bottle
PITAZZET Tablets		Antihyperlipidemic agents	Pitavastatin/Ezetimibe 1/10mg, 2/10mg, 4/10mg	30T / Bottle 100T / Bottle (2/10mg, 4/10mg)
TELOSTOP Tablets		Antihypertensive / Antihyperlipidemic agents	Telmisartan/Rosuvastatin 40/5mg, 40/10mg, 40/20mg 80/5mg, 80/10mg, 80/20mg	30T / Alu-Alu
TELOSTOP PLUS Tablets		Antihypertensive / Antihyperlipidemic agents	Telmisartan/Amlodipine/ Rosuvastatin 40/5/5mg, 40/5/10mg, 80/5/10mg	30T / Alu-Alu
TWOTOPS Tablets		Antihypertensive agents	Telmisartan/Amlodipine 40/5mg, 40/10mg, 80/5mg, 80/10mg	30T / Alu-Alu
TWOTOPS PLUS Tablets		Antihypertensive agents	Telmisartan/Amlodipine/ Hydrochlorothiazide 40/5/12.5mg, 80/5/12.5mg, 80/5/5mg, 80/10/12.5m	30T / Alu-Alu

Product name	Picture	Classification	API	Packing unit
MICATERE PLUS Tablets		Antihypertensive agents	Telmisartan/Hydrochlorothiazide 40/12.5mg, 80/12.5mg, 80/25mg	30T / Alu-Alu
MICATERE Tablets		Antihypertensive agents	Telmisartan 40mg, 80mg	30T / Alu-Alu
BIFORGE Tablets		Antihypertensive agents	Amlodipine/Valsartan 5/80mg, 5/160mg, 10/160mg	28T / Alu-Alu
L-CARN Tablets		Miscellaneous cardiovascular system	Levocarnitine 330mg	60T / Alu-Alu

Endocrine & Metabolic system

EMPAKHAN Tablets		SGLT2 inhibitors	Empagliflozin 10mg, 25mg	30T / PTP
EMPAKHANLINA Tablets		SGLT2 inhibitors / DPP-4 inhibitors	Empagliflozin/Linagliptin 10/5mg, 25/5mg	30T / Bottle
EMPAKHAN DUO Tablets		SGLT2 inhibitors / Biguanides	Empagliflozin/Metformin 5/500mg, 5/850mg, 5/1000mg, 12.5/500mg, 12.5/850mg, 12.5/1000mg	60T / Bottle

Antibiotics

Product name	Picture	Classification	API	Packing unit
CEFACLOR Capsules		Second-generation cephalosporins	Cefaclor 250mg (potency)	30C / Bottle 100C / PTP 300C / Bottle
EFFEXIN Tablets		Fluoroquinolones	Ofloxacin 100mg, 200mg	30T / Bottle (100mg) 300T / Bottle (100mg) 10T / PTP (200mg)
EFFEXIN Otic Solution		Fluoroquinolones	Ofloxacin 15mg (3mg/mL)	5mL / Bottle
LEVOFEXIN Tablets		Fluoroquinolones	Levofloxacin 100mg, 250mg, 500mg	30T / Bottle 100T / Bottle
LEVOFEXIN Injection		Fluoroquinolones	Levofloxacin 250mg, 500mg, 750mg (5mg/mL)	1V / Box
TAZOLACTAM Injection		Penicillins / Beta-lactamase inhibitors	Piperacillin sodium/ Tazobactam sodium 2.25g, 4.5g	10V / Box

Respiratory system

CUNINTA Tablets		Tyrosine kinase inhibitors	Nintedanib esylate 150mg	60T / PTP
MONITAZONE Nasal Spray		Corticosteroids for nasal use	Mometasone furoate 0.5mg/mL	18mL / Bottle (140 sprays)

Central Nervous system

Product name	Picture	Classification	API	Packing unit
MEMANTO Tablets		Anti-dementia	Memantine HCl 10mg	30T / Bottle 100T / Bottle 100T / PTP
MEMANSEPT Tablets		Anti-dementia	Donepezil HCl/Memantine HCl 10/20mg	100T / Bottle

Urogenital system

UROCARE Tablets		Antimuscarinic	Solifenacin succinate 5mg, 10mg	30T / PTP
TONADE Tablets		PDE5 inhibitors	Tadalafil 5mg, 10mg, 20mg	28T / PTP (5mg) 4T / PTP (10, 20mg)

Intra-articular injection

HYNALUBON PLUS Injection		Treatment of periarthritis of shoulder and osteoarthritis of the knee joint	Sodium hyaluronate 20mg/2mL	3PFS / Box
-----------------------------	---	---	--------------------------------	------------

Dermal filler

HYALEVE No.1 No.2 No.3 No.4		Temporary improvement of adult facial wrinkles through physical restoration	Sodium hyaluronate 20mg/mL, Lidocaine 3mg/mL	1PFS / Box
---	---	---	---	------------



Top selling Multivitamin brand in Korea
(2024 IQVIA)

ARONAMIN[®]
Since 1963



GOLD



GOLD PREMIUM



C PLUS



SIVER PREMIUM



E MAX PLUS

Vitamin B1 (Fursultiamine/Fursultiamine HCl)	50.0 mg	50.0 mg	27.285 mg	50.0 mg	54.57 mg
Vitamin B2 (Riboflavin/Riboflavin butyrate)	2.5 mg	15.0 mg	5.0 mg	30.0 mg	5.0 mg
Vitamin B6	2.5 mg	50.0 mg	5.0 mg	30.0 mg	50.0 mg
Vitamin B12	5.22 µg	200.0 µg	6.0 µg	30.0 µg	500.0 µg
Vitamin B3		25.0 mg	50.0 mg	30.0 mg	20.0 mg
Vitamin B5		25.0 mg	20.0 mg	30.0 mg	15.0 mg
Vitamin B9		0.25 mg	0.25 mg	0.2 mg	0.25 mg
Biotin		0.2 mg	22.5 µg	0.15 mg	
Vitamin A				666 IU	
Vitamin C	70.0 mg		600.0 mg	50.0 mg	
Vitamin D		200 IU		200 IU	
Vitamin E	20.0 mg	25 IU	20 IU	10 IU	100 IU
Zinc oxide			9.33 mg	12.46 mg	
Magnesium oxide		82.78 mg		82.9 mg	
Ferrous fumarate			13.5 mg	4.575 mg	
Selenium in dried yeast			46.3 mg	23.15 mg	
Dicalcium phosphate anhydrous				340.0 mg	
Ursodeoxycholic acid				15.0 mg	
Cupric oxide				0.625 mg	
Manganese sulfate hydrate				1.539 mg	
Chondroitin sulfate sodium				50.0 mg	
γ-oryzanol					5.0 mg

Periodontal Disease



Blood Circulation Improvement



Cold Antipyretic Analgesics



Cold Antipyretic Analgesics



Cold Antipyretic Analgesics



DENQ Tablets

Composition_	[Each tablet contains] Titrated extract of the unsaponifiable fraction <i>zea mays L</i> 35.0mg (7.0mg as 8-sitosterol)
Indication_	Periodontal disease (gingivitis, periodontosis)
Dosage & Administration_	Initial dose (2 weeks) : 2 tablets 3 times daily before meal Maintenance dose : 1 tablet 3 times daily before meal
Packing unit_	30T / Box, 240T / Box, 360T / Bottle



CIRCUXIN Tablets

Composition_	[Each tablet contains] Ginkgo biloba extract 40mg, 80mg, 120mg, 240mg
Indication_	Treatment of peripheral arterial disease (intermittent claudication), dizziness, degenerative and vascular tinnitus, organic brain dysfunction accompanying dementia disease such as tinnitus, headache, hypomnesia, attention disorder, depression, dizziness, etc.
Dosage & Administration_	Peripheral arterial disease, dizziness, tinnitus : 1 tablet 2 times daily (80mg) 1 tablet 3 times daily (40mg) Organic brain dysfunction : 1 tablet 2 times daily (120mg) 1 tablet 3 times daily (40-80mg)
Packing unit_	30T / Bottle (40, 80, 240mg), 100T / Bottle (40mg), 300T / Bottle (40, 80, 240mg), 120T x 2 / Box (120mg)



CAROL-F Tablets

Composition_	[Each tablet contains] Ibuprofen 200mg
Indication_	Fever and pain due to cold, headache, dysmenorrhea (period pain), posttraumatic anti-inflammatory and analgesic effect, rheumatoid arthritis, osteoarthritis, dorsalgia (backache)
Dosage & Administration_	1 or 2 tablets every 4-6 hours Up to 6 tablets per day can be administered.
Packing unit_	10T / Box, 30T / Bottle, 100T / Bottle, 300T / Bottle



CAROL Syrup

Composition_	[1mL contains] Ibuprofen 20mg
Indication_	Fever and pain due to cold, headache, neuralgia, myalgia, dysmenorrhea, strains pain, dental pain, arthralgia and rheumatic pain
Dosage & Administration_	Adults : 10-20mL/time, 3-4times/day 11-14 yrs : 10-13mL/dose 3-6 yrs : 5-8mL/dose 7-10 yrs : 8-10mL/dose 1-2 yrs : 3-5mL/dose
Packing unit_	90mL / Bottle

NACOL PLUS Syrup

Composition_	[90mL contains] Acetaminophen 1000mg, Chlorpheniramine maleate 8.3mg, Tiopepidine citrate 66.6mg, dl-Methyl-eephedrine hcl 83.3mg, Caffeine 83.83mg
Indication_	Relief of common cold/fever, chills, sore throat, cough, sputum, sneezing, rhinorrhea, headache, arthralgia and myalgia
Dosage & Administration_	4 times a day in 30 mins after meal and bed time 11-15 yrs : 10mL/dose 3-7 yrs : 5mL/dose 7-11 yrs : 7mL/dose 2-3 yrs : 3mL/dose
Packing unit_	90mL / Bottle

PANTHENOL CARE Ointment

Composition_	[1g contains] Dexpanthenol 50mg
Indication_	For adjunctive treatment of wounds, burns, lacerations (including nipple fissures during lactation), pressure ulcers, acute and chronic dermatitis, eczema, skin ulcers, diaper rash, and sunburn (solar dermatitis)
Dosage & Administration_	After cleansing the wound, apply to the affected area once or several times daily. For nipple fissures during lactation, apply to the nipple after each breastfeeding.
Packing unit_	60g / Tube

PREPAIN Ointment

Composition_	[1g contains] Lidocaine 30mg, Allantoin 10mg, Tetrahydrozoline HCl 0.5mg, Chlorhexidine HCl 5mg, l-Menthol 5mg
Indication_	Temporary relief of pain, itching, edema (swelling), bleeding caused by anal fissure, hemorrhoids, and disinfection
Dosage & Administration_	Adults and adolescents (> Over 15 yrs) Application : Directly apply to the affected area in 3 times a day. Injection : Inject into the rectum within 2g per time, maximum 3 times a day.
Packing unit_	28g / Tube

PREPAIN MILD Ointment

Composition_	[1g contains] Lidocaine 30mg, Allantoin 10mg, Tetrahydrozoline HCl 0.5mg, Chlorhexidine HCl 5mg
Indication_	Temporary relief of pain, itching, edema (swelling), bleeding caused by anal fissure, hemorrhoid, and disinfection
Dosage & Administration_	Adults and adolescents (> Over 15 yrs) Application : Directly apply to the affected area within 3 times a day. Injection : Inject into the rectum within 2g per time, maximum 3 times a day.
Packing unit_	28g / Tube

PREPAIN MILD Suppositories

Composition_	[Each suppository contains] Lidocaine 60mg, Tetrahydrozoline HCl 1mg, Chlorhexidine HCl 5mg
Indication_	Temporary relief of pain, itching, edema (swelling), bleeding caused by anal fissure, hemorrhoid, and disinfection
Dosage & Administration_	Adults and adolescents (> Over 15 yrs) Inject into the rectum 1 suppository per time, 3 times a day.
Packing unit_	10 suppositories / Box



PREPASEN 600 Tablets

Ingredient_	[Each tablet contains] Diosmin 600mg
Indication_	Improvement of symptoms related to venous insufficiency, Adjuvant treatment for disorders caused by capillary weakness, Treatment of symptoms related to hemorrhoids
Dosage & Administration_	Venous insufficiency : 1 tablet daily after meal Hemorrhoid : 1 tablet 2 or 3 times daily after meal
Packing unit_	30T / Bottle, 30T x 2 / Bottle



Wound and Ulcer Treatment



Hemorrhoid Treatment



Hemorrhoid Treatment



Hemorrhoid Treatment



Hemorrhoid Treatment



Supports Children's Immune & Cognitive Health



Made with Premium Swiss Vitamin D3



Made with Premium Swiss Vitamin D3-High Potency



Supports Eye Health & Relieves Eye Strain



High-Purity 80% Enhanced Bioavailability



KIDQ RED GINSENG JELLY

Ingredients_	[Each 2 sticks contain] Ginsenosides (Rg1, Rb1 & Rg3) 3mg, Zinc 5mg, Niacin 8.3mg
Health Benefits_	Red ginseng : Supports immune health, helps reduce fatigue, may improve memory, and provides antioxidant support
Suggested Use_	Take 1 stick twice daily
Shelf life_	18 months
Packing unit_	15 sticks x 2 / Box (15g / stick)

ILDONG VITAMIN D3 2000IU

Ingredients_	[Each capsule contains] Vitamin D 50µg
Health Benefits_	Vitamin D : Supports calcium and phosphorus absorption, bone formation and maintenance, and may help reduce osteoporosis risk
Suggested Use_	Take 1 capsule once daily (chewable)
Shelf life_	24 months
Packing unit_	90C / Bottle

ILDONG VITAMIN D3 5000IU

Ingredients_	[Each capsule contains] Vitamin D 125µg
Health Benefits_	Vitamin D : Supports calcium and phosphorus absorption, bone formation and maintenance, and may help reduce osteoporosis risk
Suggested Use_	Take 1 capsule once daily (chewable)
Shelf life_	24 months
Packing unit_	90C / Bottle

MEGA LUTEIN

Ingredients_	[Each capsule contains] Lutein 18.2mg, Total Zeaxanthin 1.8mg, Astaxanthin 4mg, Vitamin A 700µg RAE, Vitamin C 30mg, Vitamin E 3.3mg α-TE, Zinc 2.55mg
Health Benefits_	Lutein & Zeaxanthin : Supports eye health with age Haematococcus (Astaxanthin source) : Helps reduce eye strain Vitamin A : Supports vision in low light Vitamin C : Supports connective tissue formation, iron absorption, and provides antioxidant support Vitamin E : Provides antioxidant support Zinc : Supports immune function and cell growth
Suggested Use_	Take 1 capsule daily with plenty of water
Shelf life_	24 months
Packing unit_	60C x 2 / Box

rTG OMEGA3 PREMIUM

Ingredients_	[Each 2 capsules contain] EPA + DHA 1,100 mg, Vitamin E 3.3 mg α-TE, Vitamin D 25 µg
Health Benefits_	EPA & DHA : Supports healthy blood lipids, circulation, memory, and eye comfort Vitamin D : Supports calcium and phosphorus absorption, bone formation and maintenance, and may help reduce osteoporosis risk Vitamin E : Provides antioxidant support
Suggested Use_	Take 2 capsules daily with plenty of water
Shelf life_	24 months
Packing unit_	60C x 2 / Box

COQ10 ACE PREMIUM

Ingredients_	[Each capsule contains] Coenzyme Q10 100mg, Vitamin A 700µgRAE, Vitamin E 10mg α-TE, Vitamin B1 1.95mg, Vitamin B2 2mg, Vitamin B6 2.05mg, Folate 680µgDFE, Selenium 16.5µg, Zinc 2.55mg
Health Benefits_	Coenzyme Q10 : Supports antioxidant protection and healthy blood pressure Vitamin A : Supports vision in low light Selenium : Provides antioxidant support Vitamin B1 : Supports energy metabolism Vitamin B2 : Supports energy production Vitamin B6 : Supports protein metabolism and healthy homocysteine levels Vitamin E : Provides antioxidant support Folate : Supports red blood cell formation and healthy fetal development Zinc : Supports immune function and cell growth
Suggested Use_	Take 1 capsule daily with plenty of water
Shelf life_	24 months
Packing unit_	60C x 2 / Box

REAL COLLAGEN PREMIUM

Ingredients_	[Each tablet contains] Gly-Pro-Hyp 32.9mg, Vitamin C 100mg, Biotin 30µg
Health Benefits_	Low-molecular collagen peptides (patented) : Supports skin hydration and healthy skin against UV Vitamin C : Supports connective tissue formation, iron absorption, and provides antioxidant support Biotin : Supports metabolism of fats, carbohydrates, and proteins and energy production
Suggested Use_	Take 1 stick daily
Shelf life_	24 months
Packing unit_	30 sticks x 2 / Box (2g / stick)

ILDONG BLOOD SUGAR CARE & BANABA

Ingredients_	[Each tablet contains] Chromium 450µg, Zinc 8.5mg, Corosolic acid 1.3mg, Selenium 5µg, Vitamin B6 1.5mg, Vitamin B12 7.2µg, Folate 600µgDFE
Health Benefits_	Chromium : Supports carbohydrate, fat, and protein metabolism Zinc : Supports immune function and cell growth Banaba leaf extract (Corosolic acid) : May help manage post-meal blood sugar Selenium : Provides antioxidant support Vitamin B6 : Supports protein metabolism and healthy homocysteine levels Vitamin B12 : Supports normal folate metabolism Folate : Supports red blood cell formation and healthy fetal development
Suggested Use_	Take 1 tablet daily with plenty of water
Shelf life_	24 months
Packing unit_	60T x 2 / box

ILDONG GLUTATHIONE WHITE 85

Ingredients_	G-yeast extract, Milk thistle powder, White tomato concentrate powder
Health Benefits_	Glutathione : Supports healthy skin and antioxidant protection Milk thistle : Supports healthy liver function and antioxidant protection
Suggested Use_	Take 2 tablets daily with plenty of water
Shelf life_	24 months
Packing unit_	60T x 2 / Box

ILDONG MELACARE TRIPLE

Ingredients_	[Each tablet contains] Plant-based melatonin 2mg - Tomato extract powder - St. John's wort extract powder - Pistachio extract powder
Health Benefits_	Melatonin : Supports natural sleep and circadian rhythm Tomato extract powder, St. John's wort extract powder, Pistachio extract powder : Supports antioxidant protection, skin health, and cardiovascular wellness
Suggested Use_	Take 1 tablet daily with water before bed
Shelf life_	24 months
Packing unit_	30T x 2 / Box

Heart Health Formula




Collagen for Healthy, Glowing Skin



Daily Blood Sugar Support



L-Glutathione Liposomal* for Enhanced Absorption



*Liposomal refers to the manufacturing method of the ingredient.

Plant-Based Melatonin for Natural Sleep Support



85 Years


of probiotics expertise

- 85 years of probiotics research and development; Korea's **first** approved probiotic product



- Patented **quadruple-coated** probiotics

"ILDONG's patented quadruple coating technology provides a protective barrier, enhancing strain stability and helping more survive the digestive process."



- Best quality control & Korea's **most trusted** probiotics brand



CUSTOMIZED SOLUTIONS


Available Strain List

Genus	Strain	Genus	Strain	Potencies (CFU/g)
Lactobacillus	<i>L. gasseri</i>	<i>Ligilactobacillus</i>	<i>L. salivarius</i>	1B ~ 600B
	<i>L. acidophilus</i>	<i>Lactococcus</i>	<i>Lc. lactis</i>	
	<i>L. bulgaricus</i>	<i>Enterococcus</i>	<i>E. faecium</i>	
	<i>L. helveticus</i>		<i>E. faecalis</i>	
	<i>L. johnsonii</i>	<i>Streptococcus</i>	<i>S. thermophilus</i>	
Lactiseibacillus	<i>L. rhamnosus</i>	Bifidobacterium	<i>B. longum</i>	
	<i>L. casei</i>		<i>B. bifidum</i>	
	<i>L. paracasei</i>		<i>B. lactis</i>	
Limosilactobacillus	<i>L. reuteri</i>		<i>B. breve</i>	
	<i>L. fermentum</i>	Bacillus	<i>B. subtilis</i>	
Lactiplantibacillus	<i>L. plantarum</i>		<i>B. coagulans</i>	

Dosage Forms




Packaging




Tailored for Your Market



Probiotics



Probiotics



Probiotics



Probiotics



Probiotics



BIOBABY GOLD Powder

Composition_ Total 1billion CFU / stick (*L. rhamnosus*, *B. lactis*, *E. faecium*), Fructooligosaccharide, Zinc, Vitamin B1, B6, C (Chocolate cookie flavor)

Suggested Use_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 30 sticks / Box (1.5g / stick)

BIOBABY GOLD Chewable tablets

Composition_ Total 0.5billion CFU / tablet (*L. rhamnosus*, *L. casei*, *L. plantarum*, *B. lactis*, *E. faecium*), Fructooligosaccharide, Zinc, Magnesium, Calcium, Vitamin B2, B12, C (Strawberry flavor)

Suggested Use_ 2 tablets a day

Shelf life_ 24 months

Packing unit_ 30 tablets / Bottle (1g / tablet)

LACTO GOLD Powder

Composition_ Total 2billion CFU / stick (*L. rhamnosus*, *B. lactis*, *E. faecium*), Fructooligosaccharide, Magnesium, Calcium, Vitamin B1, B2, B6, C, E (Grape flavor)

Suggested Use_ 1 stick a day

Shelf life_ 24 months

Packing unit_ 30 sticks / Box (2g / stick)

LACTO PRO Powder

Composition_ Total 2billion CFU / stick (*B. bifidum*, *B. breve*, *B. animalis ssp. lactis*, *L. acidophilus*, *L. plantarum*), Fructooligosaccharide, Zinc, Niacin (Cranberry flavor)

Suggested Use_ 1 ~ 3 sticks a day

Shelf life_ 24 months

Packing unit_ 30 sticks / Box (1.5g / stick)

LACTO LEO Powder

Composition_ Total 2billion CFU / stick (*B. bifidum*, *B. breve*, *B. animalis ssp. lactis*, *L. acidophilus*, *L. plantarum*), Fructooligosaccharide, Zinc, Niacin (Orange flavor)

Suggested Use_ 1 ~ 3 sticks a day

Shelf life_ 24 months

Packing unit_ 30 sticks / Box (1.5g / stick)

Probiotics



Probiotics



Probiotics



Probiotics



Probiotics



BIOLACT Powder

Composition_ Total 3billion CFU / stick (*L. acidophilus*, *B. longum*, *E. faecium*), Fructooligosaccharide, Magnesium (Orange flavor)

Suggested Use_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 10 sticks / Box (3g / stick)

BIOLACT FORTE Powder

Composition_ Total 6billion CFU / stick (*L. acidophilus*, *B. longum*, *E. faecium*), Fructooligosaccharide, Magnesium (Orange flavor)

Suggested Use_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 10 sticks / Box (3g / stick)

BIOLACT EVA Powder

Composition_ Total 3billion CFU / stick (*L. acidophilus*, *B. longum*, *E. faecium*), Fructooligosaccharide, Magnesium, Zinc (Cranberry flavor)

Suggested Use_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 10 sticks / Box (1.5g / stick)

HERBALANCE BIOTIC

Composition_ Total 1billion CFU / stick (Probiotic blend – 17 strains, 8 vaginal-derived strains), Fructooligosaccharides, Zinc (Cranberry flavor)

Suggested Use_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 30 sticks / Box (1.5 g / stick)

GLOWBIOTIC

Composition_ Total 3billion CFU / stick (*L. acidophilus*, *B. longum*, *E. Faecium*) (Strawberry flavor)

Suggested Use_ 1 stick a day

Shelf life_ 36 months

Packing unit_ 10 sticks / Box (1.5g / stick)

Classification by purpose

Total wound care management


Burns



Bedsore



Cut / Minor wounds



Surgical wounds



Foot ulcer / Heel pain



Finger replantation



Breast surgery (Procedure)



Acne / Laser resurfacing



Wound Healing
Foam DressingWound Healing
Foam DressingWound Healing
Foam DressingWound Healing
Foam DressingWound Healing
Foam Dressing

MEDITOUCH 2mm

Material_ Polyurethane foam dressing

Features_

- Three-layer, high-density foam structure
- High exudate absorption and strong retention, that prevents leakage under pressure

Indications_ Low to moderate exudate wounds (abrasions, first-, and second-degree burns, and similar wounds)

Size_ 5 x 7cm, 5 x 10cm, 10 x 10cm, 5 x 20cm

MEDITOUCH 5mm

Material_ Polyurethane foam dressing

Features_

- Three-layer, high-density foam structure
- High exudate absorption and strong retention, that prevents leakage under pressure

Indications_ Moderate to heavy exudate wounds (venous ulcers, bedsores, diabetic ulcers, donor wounds, and general surgical wounds)

Size_ 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm, 30 x 100cm, 35 x 150cm

MEDITOUCH NET

Material_ 5mm thick polyurethane foam with NET film layer

Features_

- A perforated net film layer added to Meditouch 5mm
- Net film layer leaves no residue during dressing changes, prevents foam flipping during high exudate absorption, and minimizes secondary skin damage and pain

Indications_ Moderate to heavy exudate wounds

Size_ 10 x 10cm, 10 x 20cm, 20 x 20cm, 30 x 55cm

MEDITOUCH CHITOSAN

Material_ Non-adhesive polyurethan foam dressing containing chitosan

Features_ Chitosan contained for rapid hemostasis and enhanced wound healing with high permeability

Indications_ High exudate wounds and bleeding (surgical wounds, bedsores, and similar wounds)

Size_ 5mm : 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm, 30 x 100cm, 5 x 150cm
7mm(Roll) : 10 x 65cm, 20 x 100cm

MEDITOUCH ADHESIVE

Material_ 2mm thick polyurethane foam with silicone film attached to the contact layer

Features_

- Increased adhesion, minimized irritation from soft silicone layer
- Non-adherent to the wound during dressing changes

Indications_ High exudate wounds

Size_ 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm

Wound Healing
Foam DressingWound Healing
Foam DressingWound Healing
DressingWound Healing
Foam DressingWound Healing
Foam Dressing

MEDITOUCH BORDER

Material_ 3mm thick polyurethane foam with silicone film attached to the contact layer

Features_

- Secures adhesion on curved or uneven wound areas
- Can be repositioned after wound inspection

Indications_ For absorption of exudate and protection of the wound

Size_ 5.5 x 6.5cm (Foam 3 x 4cm), 7.5 x 7.5cm (Foam 5 x 5cm), 10 x 10cm (Foam 6.5 x 6.5cm),
9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 15 x 15cm (Foam 10 x 10cm)

MEDITOUCH BORDER THIN

Material_ 2mm thick border type foam dressing with soft silicone attached to the contact layer

Features_

- Easy wound management on exposed areas such as face, neck, and arms (skin-colored film)
- Meets European standards for waterproof performance

Indications_ High exudate wounds

Size_ 5.5 x 6.5cm (Foam 3 x 4cm), 9 x 9cm (Foam 5 x 5cm), 10 x 10cm (Foam 7 x 7cm),
9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 15 x 15cm (Foam 10 x 10cm)

MEDITOUCH BORDER POST-OP

Material_ 1.7mm thick adhesive border type silicone gauze dressing

Features_

- Flexible cut layer allows comfortable movement of the wound area (light activity possible)
- Waterproof top barrier allowing washing and shower

Indications_ For the management of post-surgical sites

Size_ 5.5 x 6.5cm (Pad 3 x 4cm), 7.5 x 7.5cm (Pad 5 x 5cm), 9 x 15cm (Pad 5 x 10cm),
9 x 20cm (Pad 5 x 15cm), 9 x 25cm (Pad 5 x 20cm), 9 x 30cm (Pad 5 x 25cm)

MEDITOUCH AD/AD CIRCLE/AD O

Material_ AD : 2mm thick silicone adhesive polyurethane foam dressing
AD circle : 12mm thick, circular, center-perforated, adhesive polyurethane foam dressing
AD O : 3mm thick, square-shaped, center-perforated, adhesive polyurethane foam dressing

Features_

- High usability for post-surgical wound management by healthcare professionals
- Self-adhesive wound contact layer facilitates easy self-dressing changes for patients

Indications_ High exudate wounds, particularly post-breast surgery (AD Circle) and perforated surgical sites (AD O)

Size_ AD : 5 x 10cm, 5 x 20cm, 10 x 10cm, 10 x 20cm, 20 x 20cm
AD circle : 6.5 x 1.6cm (perforated)
AD O : 6 x 6cm

MEDITOUCH HAND

Material_ Polyurethane foam dressing with hand support structure

Features_ Exclusively designed for hand wounds with hand-shaped molding for easy use by healthcare professionals and patients

Indications_ High exudate wounds (cuts, abrasions, lacerations, first-, and second-degree burns, surgical wounds, bedsores stages 1–4, and diabetic ulcers)

Size_ Pad : 31 x 36cm
Hand-shaped molding : S (9 x 7.5 x 5cm)
L (12.5 x 13 x 7.5cm)

Wound Healing Foam Dressing




Wound Healing Hydrocolloid Dressing



Wound Healing Hydrocolloid Dressing



Wound Healing Hydrocolloid Dressing



MEDITOUCH HEEL

Material_ 7mm thick non-adhesive polyurethane foam dressing for feet

Features_

- Prevents and manages bedsores on the heel and ankle (including immobilized ICU patients)
- Serves as a cushion for heel pain relief and bed sore prevention post-orthopedic foot casting

Indications_ High exudate wounds (bedsores, foot ulcers including diabetic foot ulcers, and splints)

Size_

[S] : 13 x 10cm
[L] : 22 x 11.5cm

MEDITOUCH H SUN PROTECTION

Material_ Hydrocolloid dressing

Features_

- Sun protection product (UPF 50+)
- Waterproof
- 100% Hydrocolloid (odorless, colorless, preservative-free)

Indications_ Low to moderate exudate wounds (abrasions, lacerations, post-surgical wounds, second-degree burns, skin graft donor sites, and bedsores)

Packing unit_ Sheet : 2 Sheets (10.5 x 10.5cm), 10 Sheets (10 x 10cm)
Dot : 48 Dots (1.2cm x 30 Dots, 1.0cm x 18 Dots)
2,100 Dots (1.0cm x 42 Dots x 50EA)
2,100 Dots (1.2cm x 42 Dots x 50EA)

MEDITOUCH H PLUS

Material_ Hydrocolloid dressing

Features_

- Contains hyaluronic acid for enhanced wound hydration
- Soft and comfortable on application and removal
- Can be cut to fit the wound size (sheet type)

Indications_ For absorption of exudate and protection of the wound

Packing unit_ Sheet : 2 Sheets (10cm x 10cm)

MEDITOUCH H CARE

Material_ Hydrocolloid dressing

Features_

- Contains Dexpanthenol (moisturizing effect)
- Sun protection product (UPF 50+)
- Waterproof

Indications_ Minor to moderate exudate wounds (abrasions, lacerations, post-surgical wounds, second-degree burns, skin graft donor sites, and bedsores)

Packing unit_ 2 Sheets (10.5 x 10.5cm)

Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



Wound Healing Foam Dressing



MEDITOUCH MOM'S HEART

Material_ 3mm thick adhesive polyurethane foam dressing

Features_

- Integrated adhesive and absorbent layers for convenient use
- Adheres well to elbows and knees, allowing comfortable movement
- Waterproof

Indications_ For absorption of exudate and protection of the wound

Packing unit_ 2 Sheets (7.5 x 7.5cm (Foam 5 x 5cm))

MEDITOUCH A

Material_ Polyurethane foam dressing

Features_

- Recommended 5mm for the first 1~2 days after injury, then 1mm from day 3 onward
- Sodium alginate contained (high exudate absorption, antibacterial action, hemostatic effect)
- Waterproof non-woven sheet included (washable, shower-safe)

Indications_ 1mm : Low exudate wounds (abrasions and lacerations)
5mm : Moderate to high exudate wounds (burns, post-surgical sites; sutured wounds, and bedsores)

Packing unit_ 1mm : (S) : 3 Sheets (4 x 9cm)
(L) : 1 Sheet (10 x 10cm)
5mm : 1 Sheet (10 x 10cm)

MEDITOUCH BURN PROTECTION

Material_ Polyurethan foam dressing

Features_

- Wound contact layer with silver nitrate (antibacterial) and activated carbon (odor absorption)
- Fixation tape included

Indications_ Moderate to high exudate wounds (particularly burns)

Packing unit_ 2mm : 3 Sheets (10 x 12cm (Foam 5 x 7cm))
5mm : 1 Sheet (15 x 15cm (Foam 10 x 10cm))

MEDITOUCH F

Material_ Polyurethane foam dressing band (waterproof)

Features_

- Available in multiple sizes to fit various wounds
- Waterproof

Indications_ For absorption of exudate and protection of the wound

Size_ (S) : 3 Sheets (5.5 x 7.5cm (Foam 2.5 x 3.5cm))
(General) : 3 x 7cm (Foam 1.5 x 3.4cm))

Wound Healing Foam Dressing



Wound Healing Liquid



Scar Care



Scar Care



MEDITOUCH ELASTIC BAND

Material_	Polyurethane foam dressing band
Features_	• Thin, elastic film for comfortable movement • Waterproof non-woven fabric allowing gentle shower
Indications_	For absorption of exudate and protection of the wound
Packing unit_	[S] : 3 Sheets (5.5 x 7.5cm (Foam : 2. X 3.5cm)) [M] : 3 Sheets (7.5 x 10cm (Foam : 3 x 5cm)) [General] : 7 Sheets (3 x 7cm (Foam 1.5 x 3.4cm)) [Mixed] : 3 Sheets [General], 2 Sheets [S], 3 Sheets [Oval] (3.5 x 7cm (Foam 2 x 3.5cm))

MEDITOUCH LIQUID

Material_	Polyurethane, Alcohol, Ethylacetate
Features_	• Waterproof protective film for cracked skin • Two additional applicator brushes for hygienic use • Refreshing peppermint scent
Indications_	Protection and contamination prevention for minor wounds, such as cracked skin on fingers and toes
Packing unit_	8g / Bottle

MEDITOUCH TEUNSCAR Sheet

Material_	Silicone sheet
Features_	• Soft, self-adhesive silicone gel sheet • Reusable after cleaning • Clinically tested for safety (dermatological, acute toxicity, and skin irritation tests passed)
Indications_	For prevention and management of old and new scars, keloid scars, healed wounds, and stretch marks resulting from general surgery, trauma, or first-degree burns
Size_	3 x 12cm, 5 x 8cm, 7 x 12cm, 4 x 28cm, 12 x 16cm, 15 x 25cm

MEDITOUCH TEUNSCAR Gel / Cream

Composition_	Gel : Silicone, Jojoba seed oil, Vitamin C derivative, Dexpantheriol, Beta-glucan Cream : Silicone, Jojoba seed oil, Betaine, Shea butter, Cocoa butter, Hyaluronic acid
Features_	• Can be applied with makeup after drying • Enhanced functionality, care for both scars and stretch marks • Clinically tested for safety (dermatological, acute toxicity, and skin irritation tests passed)
Indications_	For the management and protection of areas with a damaged skin barrier, including first-degree burns, dry skin, scars, and stretch marks
Packing unit_	Gel : 10g / Tube, 20g / Tube Cream : 200g / Tube

[API]

Synthesis

Besifovir dipivoxil maleate
Benidipine hydrochloride
Ciprofloxacin base
Donepezil hydrochloride hydrate
Levofloxacin hemihydrate
Mosapride citrate dihydrate
Quetiapine fumarate
Rabeprazole sodium
Telmisartan
Topiramate
Nintedanib esylate (Under development)

Vitamins

Fursultiamine
Fursultiamine hydrochloride
Thiamine disulfide
Riboflavin butyrate

Synthesis

Atorvastatin calcium hydrate
Bazedoxifene acetate
Bepotastine besilate
Carvedilol
Cilostazol
Edoxaban besilate hydrate
Epinastine hydrochloride
Fexofenadine hydrochloride
Lafutidine
Manidipine hydrochloride
Mizoribine
Omeprazole
Polaprezinc
Pranlukast hydrate
Sarpogrelate hydrochloride
Tadalafil
Teneligliptin hydrobromide hydrate
Tenofovir alafenamide hemitartrate
Tosufloxacin tosilate hydrate

