



Contributing to the health and happiness of humankind  
[www.ildong.com/eng](http://www.ildong.com/eng)

# PRODUCT LIST



**Head office**  
2, Baumoe-ro 27-gil, Seocho-gu, Seoul, Korea Tel : +82-2-526-3114 Fax : +82-2-526-3031  
**Factory**  
Finished products : 25, Gongdan 1-ro, Anseong-si, Gyeonggi-do, Korea  
Raw materials : 53, Gongdan-ro 98 beon-gil, Heungdeok-gu, Cheongju-si, Chungcheongbuk-do, Korea  
E-mail address : [export@ildong.com](mailto:export@ildong.com) Home page : [www.ildong.com/eng](http://www.ildong.com/eng)



## Philosophy

An elite organization contributing to the health and happiness of humankind



## Vision

As a sustainable total healthcare company with over 1 tril. won in sales and 0.1 tril. won in income, we will perform innovative R&D for new solutions, become the most trusted partner for health professionals, and build the most valuable consumer brand.

## ILDONG Group



## Overview


<b>Establishment</b> March 14, 1941	<b>Employees</b> 1,114 (August, 2025)	<b>Number of patents</b> 200 patents (ILDONG Group)
<b>Turnover</b> US\$523M (2024)	<b>Growth rate</b> CAGR 3.38% (2019-2024)	<b>Head office</b> 2, Baumoe-ro 27-gil, Seocho-gu, Seoul, Korea
<b>R&amp;D and Plant</b> 1 central R&D center 4 manufacturing plants	<b>Branches of domestic sales</b> 18 branches for hospital sales 20 branches for clinic sales 12 branches for pharmacy sales	<b>Main business</b> Manufacturing and sales of pharmaceutical products & API

## Main Products

<b>55%</b>	<b>ETC</b>  Ezetimibe/Rosuvastatin Tab   Pemetrexed Inj.	<b>28%</b>	<b>OTC</b>  Zea mays Tab.   Active Multivitamin Tab.
<b>4%</b>	<b>Supplements</b>  Probiotics   Vitamin Complex	<b>13%</b>	<b>Others</b>  Wound Dressings   Probiotic Cosmetics

## R&D Center

Becoming a leading global pharmaceutical company through development of innovative new drugs



## R&D Source of Innovation



Strong in-house medicinal chemistry capability



Empowered lab-venture agile organization



Partnership with world-class CROs and firms



Uncompromised quality and speed, cost-effective

## R&D Pipeline

No.	Code	Description	Indication	Development Stage					Remarks
				Lead op	PCC	P1	P2	P3	
1	ID110521156	GLP-1 receptor agonist	Obesity/ T2DM			●			KR Ph1 MAD ongoing
2	ID120040002	Padoprazan (P-CAB)	GERD				●		KR Ph2 completion
3	ID119040338	A1/A2A receptor dual antagonist	Parkinson's disease		●				KR IND submission 26 Q1
4	IL21120033	ACKR3 (CXCR7) agonist-PAM	IBD, RA		●				IND submission 26 2H
5	IL21061054	Cyclin K degrader	Gastric cancer		●				IND submission 28 2H
6	IDX-1197	Venadaparib (PARP inhibitor)	Gastric cancer				●		GC combo Ph2a ongoing
7	ID11916	4th-generation antiandrogen	Prostate/ Breast cancer		●				Non-clinical ongoing

## Manufacturing Facilities



### General facility (Anseong)

1. Automated facilities and professional manpower
2. Stabilized manufacturing process
3. PIC/s and PMDA compliance, ISO14001
4. Capacity(lyr) : Tablet(11.3B), Capsule(2.5B)
5. Floor area 25,101m<sup>2</sup>

### Anticancer (Anseong)

1. Dedicated facility for cytotoxic anticancer drugs
2. All formulation available
3. PIC/s and PMDA compliance, ISO14001
4. Capacity(lyr) : Tablet(100M), Capsule(300M), Lyophilized(0.55M), Liquid(30M)
5. Floor area 2,344m<sup>2</sup>



### Cephalosporin (Anseong)

1. The biggest capacity of lyophilized cephalosporin injection in Korea
2. All formulation available
3. PIC/s GMP compliance, ISO14001
4. Capacity(lyr) : Tablet(500M), Capsule(660M), Lyophilized(11M), Granule(0.7M KG)
5. Floor area 7,587m<sup>2</sup>

### API (Cheongju)

1. Synthesis plant for high-quality API
2. Accreditation certificate of foreign drug manufacturer(Japan)
3. PIC/s GMP and PMDA compliance, ISO14001
4. Floor area 9,761m<sup>2</sup>
5. Manufacturing products: API(Chemical synthesis)



### HA Dermal Filler (Cheongju)

1. Raw material manufacturing site approved aseptic GMP
2. Dermal filler manufacturing site approved GMP
3. Manufacture high purity HA Dermal filler
4. Floor area 4,837m<sup>2</sup>
5. Manufacturing products: Sodium Hyaluronate(Raw material, Dermal filler)

### Probiotics (Poseung)

1. The biggest fermentation & extraction facilities in Korea
2. Certified GMP, HACCP, ISO14001
3. Patented technology "Quadruple coating" & "Tyndallization"
4. Customized formulation available
5. Floor area 9,761m<sup>2</sup>
6. Manufacturing products: Probiotics







### Gastrointestinal system





Product name	Picture	Classification	API	Packing unit
<b>BESIVO</b> Tablets		Hepatitis B virus treatments	Besifovir dipivoxil 150mg	30T / Bottle
<b>VICURE</b> Tablets		Hepatitis B virus treatments	Entecavir 0.5mg, 1mg	30T / Alu-Alu
<b>RABIET</b> Tablets		Proton pump inhibitors	Rabeprazole sodium 10mg, 20mg	28T / PTP

### Anticancer

<b>SPECSSA</b> Tablets		Targeted cancer therapy	Gefitinib 250mg	30T / PTP
<b>TEMOLAM</b> Capsules		Alkylating agent	Temozolomide 20mg, 100mg, 250mg	5C / PTP
<b>ALGIK</b> Injection		Antimetabolite	Pemetrexed 100mg, 500mg	1V / Box
<b>TAXOZEN</b> Injection		Taxane	Docetaxel 20mg, 80mg	1V(solution) + 1V(solvent) / Box
<b>ID GEMCITABINE</b> Injection (Lyophilized)		Antimetabolite	Gemcitabine HCl 228mg, 1,140mg [200mg, 1g as Gemcitabine]	1V / Box

### Cardiovascular system



Product name	Picture	Classification	API	Packing unit
<b>DROPTOP</b> Tablets		Antihyperlipidemic agents	Rosuvastatin/Ezetimibe 5/10mg, 10/10mg, 20/10mg	30T / Alu-Alu
<b>ATOMIBE</b> Tablets		Antihyperlipidemic agents	Atorvastatin/Ezetimibe 5/10mg, 10/10mg 20/10mg, 40/10mg	30T / Bottle
<b>PITAZZET</b> Tablets		Antihyperlipidemic agents	Pitavastatin/Ezetimibe 1/10mg, 2/10mg, 4/10mg	30T / Bottle 100T / Bottle {2/10mg, 4/10mg}
<b>TELOSTOP</b> Tablets		Antihypertensive / Antihyperlipidemic agents	Telmisartan/Rosuvastatin 40/5mg, 40/10mg, 40/20mg 80/5mg, 80/10mg, 80/20mg	30T / Alu-Alu
<b>TELOSTOP PLUS</b> Tablets		Antihypertensive / Antihyperlipidemic agents	Telmisartan/Amlodipine/ Rosuvastatin 40/5/5mg, 40/5/10mg, 80/5/10mg	30T / Alu-Alu
<b>TWOTOPS</b> Tablets		Antihypertensive agents	Telmisartan/Amlodipine 40/5mg, 40/10mg, 80/5mg, 80/10mg	30T / Alu-Alu
<b>TWOTOPS PLUS</b> Tablets		Antihypertensive agents	Telmisartan/Amlodipine/ Hydrochlorothiazide 40/5/12.5mg, 80/5/12.5mg, 80/5/5mg, 80/10/12.5m	30T / Alu-Alu

Product name	Picture	Classification	API	Packing unit
<b>MICATERE PLUS</b> Tablets		Antihypertensive agents	Telmisartan/Hydrochlorothiazide 40/12.5mg, 80/12.5mg, 80/25mg	30T / Alu-Alu
<b>MICATERE</b> Tablets		Antihypertensive agents	Telmisartan 40mg, 80mg	30T / Alu-Alu
<b>BIFORGE</b> Tablets		Antihypertensive agents	Amlodipine/Valsartan 5/80mg, 5/160mg, 10/160mg	28T / Alu-Alu
<b>L-CARN</b> Tablets		Miscellaneous cardiovascular system	Levocarnitine 330mg	60T / Alu-Alu



### Endocrine & Metabolic system

<b>EMPAKHAN</b> Tablets		SGLT2 inhibitors	Empagliflozin 10mg, 25mg	30T / PTP
<b>EMPAKHANLINA</b> Tablets		SGLT2 inhibitors / DPP-4 inhibitors	Empagliflozin/Linagliptin 10/5mg, 25/5mg	30T / Bottle
<b>EMPAKHAN DUO</b> Tablets		SGLT2 inhibitors / Biguanides	Empagliflozin/Metformin 5/500mg, 5/850mg, 5/1000mg, 12.5/500mg, 12.5/850mg, 12.5/1000mg	60T / Bottle



### Antibiotics

Product name	Picture	Classification	API	Packing unit
<b>CEFACTOR</b> Capsules		Second-generation cephalosporins	Cefaclor 250mg (potency)	30C / Bottle 100C / PTP 300C / Bottle
<b>EFFEXIN</b> Tablets		Fluoroquinolones	Ofloxacin 100mg, 200mg	30T / Bottle (100mg) 300T / Bottle (100mg) 10T / PTP (200mg)
<b>EFFEXIN</b> Otic Solution		Fluoroquinolones	Ofloxacin 15mg (3mg/ml)	5mL / Bottle
<b>LEVOFEXIN</b> Tablets		Fluoroquinolones	Levofloxacin 100mg, 250mg, 500mg	30T / Bottle 100T / Bottle
<b>LEVOFEXIN</b> Injection		Fluoroquinolones	Levofloxacin 250mg, 500mg, 750mg (5mg/ml)	1V / Box
<b>TAZOLACTAM</b> Injection		Penicillins / Beta-lactamase inhibitors	Piperacillin sodium/ Tazobactam sodium 2.25g, 4.5g	10V / Box



### Respiratory system

<b>CUNINTA</b> Tablets		Tyrosine kinase inhibitors	Nintedanib esylate 150mg	60T / PTP
<b>MONITAZONE</b> Nasal Spray		Corticosteroids for nasal use	Mometasone furoate 0.5mg/mL	18mL / Bottle (140 sprays)


### Central Nervous system

Product name	Picture	Classification	API	Packing unit
MEMANTO Tablets		Anti-dementia	Memantine HCl 10mg	30T / Bottle 100T / Bottle 100T / PTP
MEMANSEPT Tablets		Anti-dementia	Donepezil HCl/Memantine HCl 10/20mg	100T / Bottle

### Urogenital system

Product name	Picture	Classification	API	Packing unit
UROCARE Tablets		Antimuscarinic	Solifenacin succinate 5mg, 10mg	30T / PTP
TONADE Tablets		PDE5 inhibitors	Tadalafil 5mg, 10mg, 20mg	28T / PTP (5mg) 4T / PTP (10, 20mg)

### Intra-articular injection

Product name	Picture	Classification	API	Packing unit
HYNALUBON PLUS Injection		Treatment of periartthritis of shoulder and osteoarthritis of the knee joint	Sodium hyaluronate 20mg/2mL	3PFS / Box

### Dermal filler

Product name	Picture	Classification	API	Packing unit
HYALEVE No.1 No.2 No.3 No.4		Temporary improvement of adult facial wrinkles through physical restoration	Sodium hyaluronate 20mg/mL, Lidocaine 3mg/mL	1PFS / Box

 Top selling Multivitamin brand in Korea  
(2024 IQVIA)

# ARONAMIN<sup>®</sup>

## Since 1963



	GOLD	GOLD PREMIUM	C PLUS	SIVER PREMIUM	E MAX PLUS
Vitamin B1 (Fursultiamine/Fursultiamine HCl)	50.0 mg	50.0 mg	27.285 mg	50.0 mg	54.57 mg
Vitamin B2 (Riboflavin/Riboflavin butyrate)	2.5 mg	15.0 mg	5.0 mg	30.0 mg	5.0 mg
Vitamin B6	2.5 mg	50.0 mg	5.0 mg	30.0 mg	50.0 mg
Vitamin B12	5.22 µg	200.0 µg	6.0 µg	30.0 µg	500.0 µg
Vitamin B3		25.0 mg	50.0 mg	30.0 mg	20.0 mg
Vitamin B5		25.0 mg	20.0 mg	30.0 mg	15.0 mg
Vitamin B9		0.25 mg	0.25 mg	0.2 mg	0.25 mg
Biotin		0.2 mg	22.5 µg	0.15 mg	
Vitamin A				666 IU	
Vitamin C	70.0 mg		600.0 mg	50.0 mg	
Vitamin D		200 IU		200 IU	
Vitamin E	20.0 mg	25 IU	20 IU	10 IU	100 IU
Zinc oxide			9.33 mg	12.46 mg	
Magnesium oxide		82.78 mg		82.9 mg	
Ferrous fumarate			13.5 mg	4.575 mg	
Selenium in dried yeast			46.3 mg	23.15 mg	
Dicalcium phosphate anhydrous				340.0 mg	
Ursodeoxycholic acid				15.0 mg	
Cupric oxide				0.625 mg	
Manganese sulfate hydrate				1.539 mg	
Chondroitin sulfate sodium				50.0 mg	
γ-oryzanol					5.0 mg

Periodontal Disease



Blood Circulation Improvement



Cold Antipyretic Analgesics



Cold Antipyretic Analgesics



Cold Antipyretic Analgesics



**DENQO** Tablets

**Composition\_** [Each tablet contains]  
Titrated extract of the unsaponifiable fraction of *zea mays L.* 35.0mg (7.0mg as  $\beta$ -sitosterol)

**Indication\_** Periodontal disease (gingivitis, periodontosis)

**Dosage & Administration\_** Initial dose (2 weeks) : 2 tablets 3 times daily before meal  
Maintenance dose : 1 tablet 3 times daily before meal

**Packing unit\_** 30T / Box, 240T / Box, 360T / Bottle



**CIRCUROXIN** Tablets

**Composition\_** [Each tablet contains]  
Ginkgo biloba extract 40mg, 80mg, 120mg, 240mg

**Indication\_** Treatment of peripheral arterial disease (intermittent claudication), dizziness, degenerative and vascular tinnitus, organic brain dysfunction accompanying dementia disease such as tinnitus, headache, hypomnesia, attention disorder, depression, dizziness, etc.

**Dosage & Administration\_** Peripheral arterial disease, dizziness, tinnitus : 1 tablet 2 times daily (80mg)  
1 tablet 3 times daily (40mg)  
Organic brain dysfunction : 1 tablet 2 times daily (120mg)  
1 tablet 3 times daily (40-80mg)

**Packing unit\_** 30T / Bottle (40, 80, 240mg), 100T / Bottle (40mg),  
300T / Bottle (40, 80, 240mg), 120T x 2 / Box (120mg)



**CAROL-F** Tablets

**Composition\_** [Each tablet contains]  
Ibuprofen 200mg

**Indication\_** Fever and pain due to cold, headache, dysmenorrhea (period pain), posttraumatic anti-inflammatory and analgesic effect, rheumatoid arthritis, osteoarthritis, dorsalgia (backache)

**Dosage & Administration\_** 1 or 2 tablets every 4-6 hours  
Up to 6 tablets per day can be administered.

**Packing unit\_** 10T / Box, 30T / Bottle, 100T / Bottle, 300T / Bottle



**CAROL** Syrup

**Composition\_** [1mL contains]  
Ibuprofen 20mg

**Indication\_** Fever and pain due to cold, headache, neuralgia, myalgia, dysmenorrhea, strains pain, dental pain, arthralgia and rheumatic pain

**Dosage & Administration\_** Adults : 10-20mL/time, 3-4times/day  
11-14 yrs : 10-13mL/dose 7-10 yrs : 8-10mL/dose  
3-6 yrs : 5-8mL/dose 1-2 yrs : 3-5mL/dose

**Packing unit\_** 90mL / Bottle

**NACOL PLUS** Syrup

**Composition\_** [90mL contains]  
Acetaminophen 1000mg, Chlorpheniramine maleate 8.3mg, Tipepidine citrate 66.6mg, dl-Methylephedrine hcl 83.3mg, Caffeine 83.83mg

**Indication\_** Relief of common cold/fever, chills, sore throat, cough, sputum, sneezing, rhinorrhea, headache, arthralgia and myalgia

**Dosage & Administration\_** 4 times a day in 30 mins after meal and bed time  
11-15 yrs : 10mL/dose 7-11 yrs : 7mL/dose  
3-7 yrs : 5mL/dose 2-3 yrs : 3mL/dose

**Packing unit\_** 90mL / Bottle

**PANTHENOL CARE** Ointment

**Composition\_** [1g contains]  
Dexpantenol 50mg

**Indication\_** For adjunctive treatment of wounds, burns, lacerations (including nipple fissures during lactation), pressure ulcers, acute and chronic dermatitis, eczema, skin ulcers, diaper rash, and sunburn (solar dermatitis)

**Dosage & Administration\_** After cleansing the wound, apply to the affected area once or several times daily.  
For nipple fissures during lactation, apply to the nipple after each breastfeeding.

**Packing unit\_** 60g / Tube



**PREPAIN** Ointment

**Composition\_** [1g contains]  
Lidocaine 30mg, Allantoin 10mg, Tetrahydrozoline HCl 0.5mg, Chlorhexidine HCl 5mg, I-Menthol 5mg

**Indication\_** Temporary relief of pain, itching, edema (swelling), bleeding caused by anal fissure, hemorrhoids, and disinfection

**Dosage & Administration\_** Adults and adolescents (> Over 15 yrs)  
Application : Directly apply to the affected area in 3 times a day.  
Injection : Inject into the rectum within 2g per time, maximum 3 times a day.

**Packing unit\_** 28g / Tube



**PREPAIN MILD** Ointment

**Composition\_** [1g contains]  
Lidocaine 30mg, Allantoin 10mg, Tetrahydrozoline HCl 0.5mg, Chlorhexidine HCl 5mg

**Indication\_** Temporary relief of pain, itching, edema (swelling), bleeding caused by anal fissure, hemorrhoid, and disinfection

**Dosage & Administration\_** Adults and adolescents (> Over 15 yrs)  
Application : Directly apply to the affected area within 3 times a day.  
Injection : Inject into the rectum within 2g per time, maximum 3 times a day.

**Packing unit\_** 28g / Tube

**PREPAIN MILD** Suppositories

**Composition\_** [Each suppository contains]  
Lidocaine 60mg, Tetrahydrozoline HCl 1mg, Chlorhexidine HCl 5mg

**Indication\_** Temporary relief of pain, itching, edema (swelling), bleeding caused by anal fissure, hemorrhoid, and disinfection

**Dosage & Administration\_** Adults and adolescents (> Over 15 yrs)  
Inject into the rectum 1 suppository per time, 3 times a day.

**Packing unit\_** 10 suppositories / Box



**PREPASEN 600** Tablets

**Ingredient\_** [Each tablet contains]  
Diosmin 600mg

**Indication\_** Improvement of symptoms related to venous insufficiency, Adjuvant treatment for disorders caused by capillary weakness, Treatment of symptoms related to hemorrhoids

**Dosage & Administration\_** Venous insufficiency : 1 tablet daily after meal  
Hemorrhoid : 1 tablet 2 or 3 times daily after meal

**Packing unit\_** 30T / Bottle, 30T x 2 / Bottle



Wound and Ulcer Treatment



Hemorrhoid Treatment



Hemorrhoid Treatment



Hemorrhoid Treatment



Hemorrhoid Treatment



Supports Children's Immune & Cognitive Health



Made with Premium Swiss Vitamin D3



Made with Premium Swiss Vitamin D3-High Potency



Supports Eye Health & Relieves Eye Strain



High-Purity 80% Enhanced Bioavailability



**KIDQ RED GINSENG JELLY**

**Ingredients\_** [Each 2 sticks contain]  
Ginsenosides (Rg1, Rb1 & Rg3) 3mg, Zinc 5mg, Niacin 8.3mg

**Health Benefits\_** Red ginseng : Supports immune health, helps reduce fatigue, may improve memory, and provides antioxidant support

**Suggested Use\_** Take 1 stick twice daily

**Shelf life\_** 18 months

**Packing unit\_** 15 sticks x 2 / Box (15g / stick)

**ILDONG VITAMIN D3 2000IU**

**Ingredients\_** [Each capsule contains]  
Vitamin D 50µg

**Health Benefits\_** Vitamin D : Supports calcium and phosphorus absorption, bone formation and maintenance, and may help reduce osteoporosis risk

**Suggested Use\_** Take 1 capsule once daily (chewable)

**Shelf life\_** 24 months

**Packing unit\_** 90C / Bottle

**ILDONG VITAMIN D3 5000IU**

**Ingredients\_** [Each capsule contains]  
Vitamin D 125µg

**Health Benefits\_** Vitamin D : Supports calcium and phosphorus absorption, bone formation and maintenance, and may help reduce osteoporosis risk

**Suggested Use\_** Take 1 capsule once daily (chewable)

**Shelf life\_** 24 months

**Packing unit\_** 90C / Bottle

**MEGA LUTEIN**

**Ingredients\_** [Each capsule contains]  
Lutein 18.2mg, Total Zeaxanthin 1.8mg, Astaxanthin 4mg, Vitamin A 700µg RAE, Vitamin C 30mg, Vitamin E 3.3mg α-TE, Zinc 2.55mg

**Health Benefits\_** Lutein & Zeaxanthin : Supports eye health with age  
Haematococcus (Astaxanthin source) : Helps reduce eye strain  
Vitamin A : Supports vision in low light  
Vitamin C : Supports connective tissue formation, iron absorption, and provides antioxidant support  
Vitamin E : Provides antioxidant support  
Zinc : Supports immune function and cell growth

**Suggested Use\_** Take 1 capsule daily with plenty of water

**Shelf life\_** 24 months

**Packing unit\_** 60C x 2 / Box

**rTG OMEGA3 PREMIUM**

**Ingredients\_** [Each 2 capsules contain]  
EPA + DHA 1,100 mg, Vitamin E 3.3 mg α-TE, Vitamin D 25 µg

**Health Benefits\_** EPA & DHA : Supports healthy blood lipids, circulation, memory, and eye comfort  
Vitamin D : Supports calcium and phosphorus absorption, bone formation and maintenance, and may help reduce osteoporosis risk  
Vitamin E : Provides antioxidant support

**Suggested Use\_** Take 2 capsules daily with plenty of water

**Shelf life\_** 24 months

**Packing unit\_** 60C x 2 / Box

**COQ10 ACE PREMIUM**

**Ingredients\_** [Each capsule contains]  
Coenzyme Q10 100mg, Vitamin A 700µgRAE, Vitamin E 10mg α-TE, Vitamin B1 1.95mg, Vitamin B2 2mg, Vitamin B6 2.05mg, Folate 680µgDFE, Selenium 16.5µg, Zinc 2.55mg

**Health Benefits\_** Coenzyme Q10 : Supports antioxidant protection and healthy blood pressure  
Vitamin A : Supports vision in low light      Selenium : Provides antioxidant support  
Vitamin B1 : Supports energy metabolism      Vitamin B2 : Supports energy production  
Vitamin B6 : Supports protein metabolism and healthy homocysteine levels  
Vitamin E : Provides antioxidant support  
Folate : Supports red blood cell formation and healthy fetal development  
Zinc : Supports immune function and cell growth

**Suggested Use\_** Take 1 capsule daily with plenty of water

**Shelf life\_** 24 months      **Packing unit\_** 60C x 2 / Box

**REAL COLLAGEN PREMIUM**

**Ingredients\_** [Each tablet contains]  
Gly-Pro-Hyp 32.9mg, Vitamin C 100mg, Biotin 30µg

**Health Benefits\_** Low-molecular collagen peptides (patented) : Supports skin hydration and healthy skin against UV  
Vitamin C : Supports connective tissue formation, iron absorption, and provides antioxidant support  
Biotin : Supports metabolism of fats, carbohydrates, and proteins and energy production

**Suggested Use\_** Take 1 stick daily

**Shelf life\_** 24 months

**Packing unit\_** 30 sticks x 2 / Box (2g / stick)

**ILDONG BLOOD SUGAR CARE & BANABA**

**Ingredients\_** [Each tablet contains]  
Chromium 450µg, Zinc 8.5mg, Corosolic acid 1.3mg, Selenium 5µg, Vitamin B6 1.5mg, Vitamin B12 7.2µg, Folate 600µgDFE

**Health Benefits\_** Chromium : Supports carbohydrate, fat, and protein metabolism  
Zinc : Supports immune function and cell growth  
Banaba leaf extract (Corosolic acid) : May help manage post-meal blood sugar  
Selenium : Provides antioxidant support  
Vitamin B6 : Supports protein metabolism and healthy homocysteine levels  
Vitamin B12 : Supports normal folate metabolism  
Folate : Supports red blood cell formation and healthy fetal development

**Suggested Use\_** Take 1 tablet daily with plenty of water

**Shelf life\_** 24 months      **Packing unit\_** 60T x 2 / box

**ILDONG GLUTATHIONE WHITE 85**

**Ingredients\_** G-yeast extract, Milk thistle powder, White tomato concentrate powder

**Health Benefits\_** Glutathione : Supports healthy skin and antioxidant protection  
Milk thistle : Supports healthy liver function and antioxidant protection

**Suggested Use\_** Take 2 tablets daily with plenty of water

**Shelf life\_** 24 months

**Packing unit\_** 60T x 2 / Box

**ILDONG MELACARE TRIPLE**

**Ingredients\_** [Each tablet contains]  
Plant-based melatonin 2mg  
- Tomato extract powder      - St. John's wort extract powder      - Pistachio extract powder

**Health Benefits\_** Melatonin : Supports natural sleep and circadian rhythm  
Tomato extract powder, St. John's wort extract powder, Pistachio extract powder : Supports antioxidant protection, skin health, and cardiovascular wellness

**Suggested Use\_** Take 1 tablet daily with water before bed

**Shelf life\_** 24 months

**Packing unit\_** 30T x 2 / Box

Heart Health Formula



Collagen for Healthy, Glowing Skin



Daily Blood Sugar Support



L-Glutathione Liposomal\* for Enhanced Absorption



\*Liposomal refers to the manufacturing method of the ingredient.

Plant-Based Melatonin for Natural Sleep Support



# CUSTOMIZED SOLUTIONS

# 85 Years


of probiotics expertise

85 years of probiotics research and development; Korea's first approved probiotic product



Patented quadruple-coated probiotics

"ILDONG's patented quadruple coating technology provides a protective barrier, enhancing strain stability and helping more survive the digestive process."



Best quality control & Korea's most trusted probiotics brand




## Available Strain List

Genus	Strain	Genus	Strain	Potencies (CFU/g)
Lactobacillus	<i>L. gasseri</i>	<i>Ligilactobacillus</i>	<i>L. salivarius</i>	1B - 600B
	<i>L. acidophilus</i>	<i>Lactococcus</i>	<i>Lc. lactis</i>	
	<i>L. bulgaricus</i>	<i>Enterococcus</i>	<i>E. faecium</i>	
	<i>L. helveticus</i>		<i>E. faecalis</i>	
	<i>L. johnsonii</i>	<i>Streptococcus</i>	<i>S. thermophilus</i>	
Lactiseibacillus	<i>L. rhamnosus</i>	<i>Bifidobacterium</i>	<i>B. longum</i>	
	<i>L. casei</i>		<i>B. bifidum</i>	
	<i>L. paracasei</i>		<i>B. lactis</i>	
Limosilactobacillus	<i>L. reuteri</i>		<i>B. breve</i>	
	<i>L. fermentum</i>	<i>Bacillus</i>	<i>B. subtilis</i>	
<i>Lactiplantibacillus</i>	<i>L. plantarum</i>		<i>B. coagulans</i>	

## Dosage Forms




## Packaging



## Tailored for Your Market




Probiotics



Probiotics




Probiotics



Probiotics



Probiotics



**BIOBABY GOLD Powder**

**Composition\_** Total 1billion CFU / stick (*L. rhamnosus*, *B. lactis*, *E. faecium*), Fructooligosaccharide, Zinc, Vitamin B1, B6, C (Chocolate cookie flavor)

**Suggested Use\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 30 sticks / Box (1.5g / stick)

**BIOBABY GOLD Chewable tablets**

**Composition\_** Total 0.5billion CFU / tablet (*L. rhamnosus*, *L. casei*, *L. plantarum*, *B. lactis*, *E. faecium*), Fructooligosaccharide, Zinc, Magnesium, Calcium, Vitamin B2, B12, C (Strawberry flavor)

**Suggested Use\_** 2 tablets a day

**Shelf life\_** 24 months

**Packing unit\_** 30 tablets / Bottle (1g / tablet)

**LACTO GOLD Powder**

**Composition\_** Total 2billion CFU / stick (*L. rhamnosus*, *B. lactis*, *E. faecium*), Fructooligosaccharide, Magnesium, Calcium, Vitamin B1, B2, B6, C, E (Grape flavor)

**Suggested Use\_** 1 stick a day

**Shelf life\_** 24 months

**Packing unit\_** 30 sticks / Box (2g / stick)

**LACTO PRO Powder**

**Composition\_** Total 2billion CFU / stick (*B. bifidum*, *B. breve*, *B. animalis ssp. lactis*, *L. acidophilus*, *L. plantarum*), Fructooligosaccharide, Zinc, Niacin (Cranberry flavor)

**Suggested Use\_** 1 ~ 3 sticks a day

**Shelf life\_** 24 months

**Packing unit\_** 30 sticks / Box (1.5g / stick)

**LACTO LEO Powder**

**Composition\_** Total 2billion CFU / stick (*B. bifidum*, *B. breve*, *B. animalis ssp. lactis*, *L. acidophilus*, *L. plantarum*), Fructooligosaccharide, Zinc, Niacin (Orange flavor)

**Suggested Use\_** 1 ~ 3 sticks a day

**Shelf life\_** 24 months

**Packing unit\_** 30 sticks / Box (1.5g / stick)

**BIOLACT Powder**

**Composition\_** Total 3billion CFU / stick (*L. acidophilus*, *B. longum*, *E. faecium*), Fructooligosaccharide, Magnesium (Orange flavor)

**Suggested Use\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 10 sticks / Box (3g / stick)

**BIOLACT FORTE Powder**

**Composition\_** Total 6billion CFU / stick (*L. acidophilus*, *B. longum*, *E. faecium*), Fructooligosaccharide, Magnesium (Orange flavor)

**Suggested Use\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 10 sticks / Box (3g / stick)

**BIOLACT EVA Powder**

**Composition\_** Total 3billion CFU / stick (*L. acidophilus*, *B. longum*, *E. faecium*), Fructooligosaccharide, Magnesium, Zinc (Cranberry flavor)

**Suggested Use\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 10 sticks / Box (1.5g / stick)

**HERBALANCE BIOTIC**

**Composition\_** Total 1billion CFU / stick (Probiotic blend - 17 strains, 8 vaginal-derived strains), Fructooligosaccharides, Zinc (Cranberry flavor)

**Suggested Use\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 30 sticks / Box (1.5g / stick)

**GLOWBIOTIC**

**Composition\_** Total 3billion CFU / stick (*L. acidophilus*, *B. longum*, *E. Faecium*) (Strawberry flavor)

**Suggested Use\_** 1 stick a day

**Shelf life\_** 36 months

**Packing unit\_** 10 sticks / Box (1.5g / stick)

Probiotics



Probiotics



Probiotics



Probiotics



Probiotics



# Classification by purpose

Total wound care management


## Burns



## Bedsores



## Cut / Minor wounds



## Surgical wounds



## Foot ulcer / Heel pain



## Finger replantation



## Breast surgery (Procedure)



## Acne / Laser resurfacing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



## MEDITOUCH 2mm

- Material\_** Polyurethane foam dressing
- Features\_**
- Three-layer, high-density foam structure
  - High exudate absorption and strong retention, that prevents leakage under pressure
- Indications\_** Low to moderate exudate wounds (abrasions, first-, and second-degree burns, and similar wounds)
- Size\_** 5 x 7cm, 5 x 10cm, 10 x 10cm, 5 x 20cm

## MEDITOUCH 5mm

- Material\_** Polyurethane foam dressing
- Features\_**
- Three-layer, high-density foam structure
  - High exudate absorption and strong retention, that prevents leakage under pressure
- Indications\_** Moderate to heavy exudate wounds (venous ulcers, bedsores, diabetic ulcers, donor wounds, and general surgical wounds)
- Size\_** 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm, 30 x 100cm, 35 x 150cm

## MEDITOUCH NET

- Material\_** 5mm thick polyurethane foam with NET film layer
- Features\_**
- A perforated net film layer added to Meditouch 5mm
  - Net film layer leaves no residue during dressing changes, prevents foam flipping during high exudate absorption, and minimizes secondary skin damage and pain
- Indications\_** Moderate to heavy exudate wounds
- Size\_** 10 x 10cm, 10 x 20cm, 20 x 20cm, 30 x 55cm

## MEDITOUCH CHITOSAN

- Material\_** Non-adhesive polyurethane foam dressing containing chitosan
- Features\_** Chitosan contained for rapid hemostasis and enhanced wound healing with high permeability
- Indications\_** High exudate wounds and bleeding (surgical wounds, bedsores, and similar wounds)
- Size\_** 5mm : 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm, 30 x 100cm, 5 x 150cm  
7mm(Roll) : 10 x 65cm, 20 x 100cm

## MEDITOUCH ADHESIVE

- Material\_** 2mm thick polyurethane foam with silicone film attached to the contact layer
- Features\_**
- Increased adhesion, minimized irritation from soft silicone layer
  - Non-adherent to the wound during dressing changes
- Indications\_** High exudate wounds
- Size\_** 10 x 10cm, 10 x 20cm, 20 x 20cm, 35 x 50cm

## MEDITOUCH BORDER

- Material\_** 3mm thick polyurethane foam with silicone film attached to the contact layer
- Features\_**
- Secures adhesion on curved or uneven wound areas
  - Can be repositioned after wound inspection
- Indications\_** For absorption of exudate and protection of the wound
- Size\_** 5.5 x 6.5cm (Foam 3 x 4cm), 7.5 x 7.5cm (Foam 5 x 5cm), 10 x 10cm (Foam 6.5 x 6.5cm),  
9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 15 x 15cm (Foam 10 x 10cm)

## MEDITOUCH BORDER THIN

- Material\_** 2mm thick border type foam dressing with soft silicone attached to the contact layer
- Features\_**
- Easy wound management on exposed areas such as face, neck, and arms (skin-colored film)
  - Meets European standards for waterproof performance
- Indications\_** High exudate wounds
- Size\_** 5.5 x 6.5cm (Foam 3 x 4cm), 9 x 9cm (Foam 5 x 5cm), 10 x 10cm (Foam 7 x 7cm),  
9 x 15cm (Foam 5 x 10cm), 9 x 25cm (Foam 5 x 20cm), 15 x 15cm (Foam 10 x 10cm)

## MEDITOUCH BORDER POST-OP

- Material\_** 1.7mm thick adhesive border type silicone gauze dressing
- Features\_**
- Flexible cut layer allows comfortable movement of the wound area (light activity possible)
  - Waterproof top barrier allowing washing and shower
- Indications\_** For the management of post-surgical sites
- Size\_** 5.5 x 6.5cm (Pad 3 x 4cm), 7.5 x 7.5cm (Pad 5 x 5cm), 9 x 15cm (Pad 5 x 10cm),  
9 x 20cm (Pad 5 x 15cm), 9 x 25cm (Pad 5 x 20cm), 9 x 30cm (Pad 5 x 25cm)

## MEDITOUCH AD/AD CIRCLE/AD O

- Material\_** AD : 2mm thick silicone adhesive polyurethane foam dressing  
AD circle : 12mm thick, circular, center-perforated, adhesive polyurethane foam dressing  
AD O : 3mm thick, square-shaped, center-perforated, adhesive polyurethane foam dressing
- Features\_**
- High usability for post-surgical wound management by healthcare professionals
  - Self-adhesive wound contact layer facilitates easy self-dressing changes for patients
- Indications\_** High exudate wounds, particularly post-breast surgery (AD Circle) and perforated surgical sites (AD O)
- Size\_** AD : 5 x 10cm, 5 x 20cm, 10 x 10cm, 10 x 20cm, 20 x 20cm  
AD circle : 6.5 x 1.6cm (perforated)  
AD O : 6 x 6cm

## MEDITOUCH HAND

- Material\_** Polyurethane foam dressing with hand support structure
- Features\_** Exclusively designed for hand wounds with hand-shaped molding for easy use by healthcare professionals and patients
- Indications\_** High exudate wounds (cuts, abrasions, lacerations, first-, and second-degree burns, surgical wounds, bedsores stages 1-4, and diabetic ulcers)
- Size\_** Pad : 31 x 36cm  
Hand-shaped molding : S (9 x 7.5 x 5cm)  
L (12.5 x 13 x 7.5cm)

### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Hydrocolloid Dressing



### Wound Healing Hydrocolloid Dressing



### Wound Healing Hydrocolloid Dressing



#### MEDITOUCH HEEL

- Material\_** 7mm thick non-adhesive polyurethane foam dressing for feet
- Features\_**
- Prevents and manages bedsores on the heel and ankle (including immobilized ICU patients)
  - Serves as a cushion for heel pain relief and bed sore prevention post-orthopedic foot casting
- Indications\_** High exudate wounds (bedsores, foot ulcers including diabetic foot ulcers, and splints)
- Size\_**
- [S] : 13 x 10cm  
[L] : 22 x 11.5cm

#### MEDITOUCH H SUN PROTECTION

- Material\_** Hydrocolloid dressing
- Features\_**
- Sun protection product (UPF 50+)
  - Waterproof
  - 100% Hydrocolloid (odorless, colorless, preservative-free)
- Indications\_** Low to moderate exudate wounds (abrasions, lacerations, post-surgical wounds, second-degree burns, skin graft donor sites, and bedsores)
- Packing unit\_** Sheet : 2 Sheets (10.5 x 10.5cm), 10 Sheets (10 x 10cm)  
Dot : 48 Dots (1.2cm x 30 Dots, 1.0cm x 18 Dots)  
2,100 Dots (1.0cm x 42 Dots x 50EA)  
2,100 Dots (1.2cm x 42 Dots x 50EA)

#### MEDITOUCH H PLUS

- Material\_** Hydrocolloid dressing
- Features\_**
- Contains hyaluronic acid for enhanced wound hydration
  - Soft and comfortable on application and removal
  - Can be cut to fit the wound size (sheet type)
- Indications\_** For absorption of exudate and protection of the wound
- Packing unit\_** Sheet : 2 Sheets (10cm x 10cm)

#### MEDITOUCH H CARE

- Material\_** Hydrocolloid dressing
- Features\_**
- Contains Dexpanthenol (moisturizing effect)
  - Sun protection product (UPF 50+)
  - Waterproof
- Indications\_** Minor to moderate exudate wounds (abrasions, lacerations, post-surgical wounds, second-degree burns, skin graft donor sites, and bedsores)
- Packing unit\_** 2 Sheets (10.5 x 10.5cm)

#### MEDITOUCH MOM'S HEART

- Material\_** 3mm thick adhesive polyurethane foam dressing
- Features\_**
- Integrated adhesive and absorbent layers for convenient use
  - Adheres well to elbows and knees, allowing comfortable movement
  - Waterproof
- Indications\_** For absorption of exudate and protection of the wound
- Packing unit\_** 2 Sheets (7.5 x 7.5cm) (Foam 5 x 5cm)

#### MEDITOUCH A

- Material\_** Polyurethane foam dressing
- Features\_**
- Recommended 5mm for the first 1-2 days after injury, then 1mm from day 3 onward
  - Sodium alginate contained (high exudate absorption, antibacterial action, hemostatic effect)
  - Waterproof non-woven sheet included (washable, shower-safe)
- Indications\_** 1mm : Low exudate wounds (abrasions and lacerations)  
5mm : Moderate to high exudate wounds (burns, post-surgical sites, sutured wounds, and bedsores)
- Packing unit\_** 1mm : (S) : 3 Sheets (4 x 9cm)  
(L) : 1 Sheet (10 x 10cm)  
5mm : 1 Sheet (10 x 10cm)

#### MEDITOUCH BURN PROTECTION

- Material\_** Polyurethane foam dressing
- Features\_**
- Wound contact layer with silver nitrate (antibacterial) and activated carbon (odor absorption)
  - Fixation tape included
- Indications\_** Moderate to high exudate wounds (particularly burns)
- Packing unit\_** 2mm : 3 Sheets (10 x 12cm (Foam 5 x 7cm))  
5mm : 1 Sheet (15 x 15cm (Foam 10 x 10cm))

#### MEDITOUCH F

- Material\_** Polyurethane foam dressing band (waterproof)
- Features\_**
- Available in multiple sizes to fit various wounds
  - Waterproof
- Indications\_** For absorption of exudate and protection of the wound
- Size\_**
- [S] : 3 Sheets (5.5 x 7.5cm (Foam 2.5 x 3.5cm))  
[General] : 3 x 7cm (Foam 1.5 x 3.4cm)

### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Foam Dressing



### Wound Healing Liquid



### Scar Care



### Scar Care



## MEDITOUCH ELASTIC BAND

- Material\_** Polyurethane foam dressing band
- Features\_**
- Thin, elastic film for comfortable movement
  - Waterproof non-woven fabric allowing gentle shower
- Indications\_** For absorption of exudate and protection of the wound
- Packing unit\_**
- [S] : 3 Sheets (5.5 x 7.5cm (Foam : 2. X 3.5cm))
  - [M] : 3 Sheets (7.5 x 10cm (Foam : 3 x 5cm))
  - [General] : 7 Sheets (3 x 7cm (Foam : 1.5 x 3.4cm))
  - [Mixed] : 3 Sheets (General), 2 Sheets (S), 3 Sheets (Oval) (3.5 x 7cm (Foam 2 x 3.5cm))

## MEDITOUCH LIQUID

- Material\_** Polyurethane, Alcohol, Ethylacetate
- Features\_**
- Waterproof protective film for cracked skin
  - Two additional applicator brushes for hygienic use
  - Refreshing peppermint scent
- Indications\_** Protection and contamination prevention for minor wounds, such as cracked skin on fingers and toes
- Packing unit\_** 8g / Bottle

## MEDITOUCH TEUNSCAR Sheet

- Material\_** Silicone sheet
- Features\_**
- Soft, self-adhesive silicone gel sheet
  - Reusable after cleaning
  - Clinically tested for safety (dermatological, acute toxicity, and skin irritation tests passed)
- Indications\_** For prevention and management of old and new scars, keloid scars, healed wounds, and stretch marks resulting from general surgery, trauma, or first-degree burns
- Size\_** 3 x 12cm, 5 x 8cm, 7 x 12cm, 4 x 28cm, 12 x 16cm, 15 x 25cm

## MEDITOUCH TEUNSCAR Gel / Cream

- Composition\_** Gel : Silicone, Jojoba seed oil, Vitamin C derivative, Dexpanthenol, Beta-glucan  
Cream : Silicone, Jojoba seed oil, Betaine, Shea butter, Cocoa butter, Hyaluronic acid
- Features\_**
- Can be applied with makeup after drying
  - Enhanced functionality, care for both scars and stretch marks
  - Clinically tested for safety (dermatological, acute toxicity, and skin irritation tests passed)
- Indications\_** For the management and protection of areas with a damaged skin barrier, including first-degree burns, dry skin, scars, and stretch marks
- Packing unit\_** Gel : 10g / Tube, 20g / Tube  
Cream : 200g / Tube

## [ API ]

### Synthesis

- Besifovir dipivoxil maleate
- Benidipine hydrochloride
- Ciprofloxacin base
- Donepezil hydrochloride hydrate
- Levofloxacin hemihydrate
- Mosapride citrate dihydrate
- Quetiapine fumarate
- Rabeprazole sodium
- Telmisartan
- Topiramate
- Nintedanib esylate (Under development)

### Vitamins

- Fursultiamine
- Fursultiamine hydrochloride
- Thiamine disulfide
- Riboflavin butyrate

### Synthesis

- Atorvastatin calcium hydrate
- Bazedoxifene acetate
- Bepotastine besilate
- Carvedilol
- Cilostazol
- Edoxaban besilate hydrate
- Epinastine hydrochloride
- Fexofenadine hydrochloride
- Lafutidine
- Manidipine hydrochloride
- Mizoribine
- Omeprazole
- Polaprezinc
- Pranlukast hydrate
- Sarpogrelate hydrochloride
- Tadalafil
- Teneligliptin hydrobromide hydrate
- Tenofovir alafenamide hemitartrate
- Tosufloxacin tosilate hydrate

