



# 公司介绍及产品目录

COMPANY PROFILE AND PRODUCT CATALOG

和诚共生  
同享未来

**海南皇隆制药股份有限公司**  
HAINAN HUALON PHARMACEUTICAL CO.,LTD.

**0898-68616800/68616811**(传真)

地址：海南省海口国家高新技术产业开发区药谷三横路8号  
邮政编码：570311 网站：<http://www.hnhuanglong.com>

Address: No. 8 Sanheng Road, Pharmaceutical Valley, Haikou National Hi-Tech Industrial Development Zone, Haikou, Hainan, PR China 570311  
Email: [sales@hnhuanglong.com](mailto:sales@hnhuanglong.com)



# 关于皇隆 About Hualon



HUALON is the National High-tech Enterprises, Customs AEO Senior Certification Enterprises, Hainan Headquarters Economic Enterprises. It is mainly engaged in the R&D, production and sales of chemical raw materials and preparations. It has two preparation production bases and three subsidiaries. Pharmaceutical valley factory covers an area of 96 mu with a total investment of 546 million RMB.

公司是国家高新技术企业，海关AEO高级认证企业，海南省总部经济企业，主要从事化学原料药及制剂的研发、生产与销售。拥有海南两个制剂生产基地和三个子公司。药谷厂区占地96亩，总投资5.46亿元。

HUALON has a complete production system, it has standard workshops of about 70,000 square meters, and has seven categories of production workshops, which including API workshop; Powder for injection workshop; Lyophilized powder for injection workshop; OSD workshop; Topical workshop; Ointment workshop and Small volume parenteral solution workshop. It mainly focuses on cardio cerebrovascular, digestive system, antipyretic and analgesic products. Gynecological and anesthetic drugs are supplemented. The company has passed the ISO 9001 quality management system, ISO 14001 environmental management system, ISO 45001 Occupational Health and safety management system and ISO 50001 energy management system certification.

公司建有完善的生产体系，拥有标准厂房约7万平方米，七大类生产车间，包括原料药车间、粉针车间、冻干粉针车间、口服固体制剂车间、外用车间、软膏车间、小容量注射剂车间。主要以心脑血管、消化系统、解热镇痛类产品为主，妇科用药、麻醉用药为辅。公司已通过ISO 9001质量管理体系、ISO 14001环境管理体系、ISO 45001职业健康安全管理体系和ISO 50001能源管理体系的四大体系认证。

HUALON is the provincial and municipal engineering technology R&D center, the national torch program project, the national major new drug development project undertaking unit. The company adheres to the road of innovation and development, continue to focus on the cardiovascular field, to form a strong brand appeal and a variety of competitiveness. HUALON adheres to the road of internationalization, the main products have been exported to many countries in Middle Asia, Southeast Asia and etc. The company's Lyophilized powder for injection workshop and OSD workshop are undergoing EU GMP certification to realize large-scale export profits and realize the rapid, sustainable and healthy development of the enterprise.

公司是省市级工程技术研发中心、国家火炬计划项目、国家重大创制新药项目承担单位。公司将坚持走创新发展之路，继续专注于心脑血管领域，形成强大的品牌号召力和多品种的竞争力；坚持走国际化道路，目前主要产品已出口中亚、东南亚多个国家。公司的冻干粉针车间及口服固体制剂车间正在进行欧盟GMP认证，实现规模化出口获利，实现企业快速、持续、健康发展。



中国认可  
管理体系  
MANAGEMENT SYSTEM  
CNAS CO02-M



Healthy China 健康中国

# CONTENTS 目录

皇隆 致力于现代人的健康事业  
Hualon is committed to the health cause of modern people

品名 Product Name	规格 Strength	适应症 Indication
缬沙坦分散片 Valsartan Dispersible Tablets	80mg	治疗轻、中度原发性高血压 For treatment of mild to moderate essential hypertension
氟康唑分散片 Fluconazole Dispersible	50mg 0.15g	用于治疗真菌引起的各种疾病 treatment of various diseases caused by fungi
苯酰甲硝唑分散片 Benzoyl Metronidazole Dispersible Tablets	0.32g	泌尿生殖系统滴虫病，如阴道滴虫病等；肠道及肠外阿米巴病，如阿米巴病及阿米巴肝脓肿等；贾第虫病；敏感厌氧菌所致各种感染，如菌血症、败血症、腹部手术后感染等；预防由厌氧菌引起的妇科、外科术后感染等。 Urogenital trichomoniasis, such as vaginal trichomoniasis; intestinal and parenteral amoebiasis, such as amoebiasis and amoebic liver abscess; Giardiasis; various infections caused by sensitive anaerobes, such as bacteremia, septicemia, abdominal post-operative infections; prevention of gynecological and surgical infections caused by anaerobes, etc.
缬沙坦氨氯地平片 Valsartan and Amlodipine Tablets	80mg:5mg	治疗原发性高血压。本品用于单药治疗不能充分控制血压的患者。 Utreatment of essential hypertension. For patients whose blood pressure cannot be adequately controlled by single drug therapy.
伏格列波糖片 Voglibose Tablets	0.2mg	改善糖尿病餐后高血糖。 Improve diabetic postprandial hyperglycemia.
匹伐他汀钙片 Pitavastatin Calcium Tablets	2mg	用于治疗高胆固醇症、家族性高胆固醇症。 For the treatment of hypercholesterolemia and familial hypercholesterolemia.
铝碳酸镁咀嚼片 Hydrotalcite Chewable Tablets	0.5g	1.慢性胃炎。 2.与胃酸有关的胃部不适症状，如胃痛、胃灼热感（烧心）、酸性暖气、饱胀等。 1. Chronic gastritis. 2. Symptoms of gastric discomfort related to gastric acid, such as stomachache, heartburn, acid belching, fullness, etc.
盐酸伊伐布雷定片 Ivabradine Hydrochloride Tablets	5mg	抗心力衰竭和心律失常 Anti-heart failure and arrhythmia
利巴韦林颗粒 Ribavirin Granules	50mg	适用于呼吸道合胞病毒引起的病毒性肺炎与支气管炎，皮肤疱疹病毒感染。 For viral pneumonia and bronchitis caused by respiratory syncytial virus and skin herpes virus infection.
富马酸伏诺拉生片 Vonoprazan Fumarate Tablets	10mg 20mg	反流性食管炎。 Reflux esophagitis.
依巴斯汀片 Ebastine Tablets	10mg	适用于伴有或不伴有过敏性结膜炎的过敏性鼻炎（季节性和常年性）。慢性特发性荨麻疹的对症治疗。 Suitable for allergic rhinitis with and without allergic conjunctivitis (seasonal and perennial). Symptomatic treatment of chronic idiopathic urticaria.
氯化钾颗粒 Potassium Chloride Granules	1.0g 1.5g	用于治疗低钾血症。 Used to treat hypokalemia.

口服剂  
Oral Solid

品名 Product Name	规格 Strength	适应症 Indication
<b>冻干粉针 Lyophilized Powder</b>		
注射用乙酰谷酰胺 Vaceglutamide for Injection	0.1g 0.2g	用于脑外伤性昏迷、神经外科手术引起的昏迷、肝昏迷及偏瘫、高位截肢、小儿麻痹后遗症、神经性头痛和腰疼等。 For brain traumatic coma, coma caused by neurosurgery, hepatic coma and hemiplegia, high amputation, sequelae of polio, nervous headache and low back pain, etc.
注射用泮托拉唑钠 Pantoprazole Sodium for Injection	40mg	用于十二指肠溃疡、胃溃疡、急性胃粘膜病变，复合性胃溃疡等急性上消化道出血。 For treatment of acute upper gastrointestinal bleeding, such as duodenal ulcer, gastric ulcer, acute gastric mucosal lesions, complexity gastric ulcer.
注射用奥美拉唑钠 Omeprazole Sodium for Injection	40mg	作为当口服疗法不适用时下列病症的替代疗法：十二指肠溃疡、胃溃疡、反流性食管炎及 Zollinger-Ellison 综合征 As when oral therapy is not applicable, alternative therapy for these conditions such as duodenal ulcer, gastric ulcer, reflux esophagitis and Zollinger-Ellison syndrome.
注射用呋塞米 Furosemide for injection	20mg 40mg	水肿性疾病、高血压、预防急性肾功能衰竭；高钾血症及高钙血症、稀释性低钠血症、抗利尿激素分泌过多症、急性药物毒物中毒。 Edema disease, hypertension, prevention of acute renal failure; hyperkalemia and hypercalcemia, dilution hyponatremia, antidiuretic hormone secretion syndrome, acute drug poisoning.
注射用水溶性维生素 Water-soluble Vitamin for Injection	复方制剂 Compound preparation	品系肠外营养不可少的组成部分之一，用于满足成人和儿童每日对水溶性维生素的生理需求。 One of the indispensable components of parenteral nutrition is to meet the daily physiological needs of water-soluble vitamins for adults and children.
注射用西咪替丁 Cimetidine for Injection	0.4g	1.治疗已明确诊断的十二指肠溃疡，胃溃疡 2.十二指肠溃疡短期治疗后复发的患者 3.持久性胃食道反流性疾病，对抗反流措施和单一药物治疗和抗酸剂无效的患者 4.预防危急病人发生反激性溃疡及出血 5.胃泌素瘤（卓林格-艾利森氏综合症） 1. Treatment of duodenal and gastric ulcers that have been clearly diagnosed. 2. Patients with recurrence of duodenal ulcer after short-term treatment. 3. Persistent gastroesophageal reflux disease, patients who are ineffective in anti-reflux measures and single drug therapy and antacid. 4. Prevention of flyback ulcer and bleeding in critical patients. 5. Gastrinoma (Zoellinger-Ellison syndrome).
注射用萘普生钠 Naproxen Sodium for njection	0.275g	用于各种原因引起的发热及疼痛的对症治疗 Used for symptomatic treatment of fever and pain caused by various reason.
注射用帕瑞昔布钠 Parecoxib Sodium for Injection	20mg 40mg	适用于手术后疼痛的短期治疗。 For short-term treatment of postoperative pain
注射用特利加压素 Terlipressin for Injection	1mg	用于治疗食管静脉曲张出血。 Used to treat bleeding from esophageal varices.

注射剂  
Injections

品名 Product Name	规格 Strength	适应症 Indication
注射用生长抑素 Somatostatin for Injection	1mg	用于严重急性食道静脉曲张出血；严重急性胃或十二指肠溃疡出血，或并发急性糜烂性胃炎或出血性胃炎；胰腺外科手术术后并发症的预防和治疗；胰、胆和肠瘘的辅助治疗；糖尿病酮症酸中毒的辅助治疗。 For severe acute esophageal variceal hemorrhage; Severe acute gastric or duodenal ulcer hemorrhage, or complicated with acute erosive gastritis or hemorrhagic gastritis; Prevention and treatment of complications after pancreatic surgery; Adjuvant treatment of pancreatic biliary and intestinal fistula; Adjuvant treatment of diabetic ketoacidosis.
注射用醋酸西曲瑞克 Cetrorelix Acetate for Injection	0.25mg	对进行控制性卵巢刺激的患者，防止提前排卵，进而进行采卵和辅助生殖技术治疗。在临床试验中，本品与人绝经期促性腺激素（HMG）联合使用。本品与重组人促卵泡激素（R-HFSH）联合使用的有限经验表明，其疗效与前者相似。 For patients undergoing controlled ovarian stimulation, to prevent premature ovulation, and ovarian collection and assisted reproductive technology were then used. In clinical trials, it has been used in combination with human menopausal gonadotropin (HMG). Limited experience in combination with recombinant human follicle-stimulating hormone (R-HFSH) has shown similar efficacy.
注射用尼可地尔 Nicorandil for Injection	2mg 12mg	抗心绞痛。 Antianginal.
<b>粉针 Powder for injection</b>		
注射用吡拉西坦 Piracetam for Injection	4g 8g	脑功能改善药物，临床应用广泛，用于急、慢性脑血管病、脑外伤、各种中毒性脑病等多种原因所致的记忆减退及轻中度功能障碍。 Brain function improved drugs, be widely used in clinical application. For memory impairment and mild to moderate brain dysfunction caused by acute and chronic cerebrovascular disease, brain trauma, a variety of toxic encephalopathy and etc.
注射用赖氨匹林 Lysine Acetylsalicylate for Injection	0.25g 0.9g	不适用于口服给药的发热及中度疼痛的治疗。 Not applicable for the treatment of fever and moderate pain by oral administration.
注射用果糖二磷酸钠 Sodium Fructose Diphosphate for Injection	5g 10g	适用于低磷酸血症。低磷酸血症可在急性情况，如输血，在体外循环下进行手术、胃肠外营养时出现，也与一些慢性疾病，如慢性酒精中毒、长期营养不良、慢性呼吸道衰竭中碳酸的耗竭有关。 For hypophosphatemia. Hypophosphatemia may occur in acute conditions, such as blood transfusion, operation under cardiopulmonary bypass, and parenteral nutrition. It is also related to some chronic diseases, such as chronic alcoholism, chronic malnutrition, and the depletion of carbonic acid in chronic respiratory failure
注射用盐酸丙帕他莫 Propacetamol Hydrochloride for Injection	1.0g 2.0g	用于中度疼痛的短期治疗，尤其是外科手术后疼痛。也可用于发热的短期治疗。 For short-term treatment of moderate pain, especially after surgery. It can also be used for short-term treatment of fever.

注射剂  
Injections

品名 Product Name	规格 Strength	适应症 Indication
注射用氨曲南 Aztreonam for Injection	0.5g 1g	适用于治疗敏感需氧革兰阴性菌所致的各种感染，亦用于治疗医院内感染中的各类型感染（如免疫缺陷病人的医院内感染）。 For the treatment of various infections caused by sensitive aerobic gram-negative bacteria, and also for the treatment of various types of nosocomial infections (such as nosocomial infections of immunodeficiency patients).
<b>注射液 Small Volume Parenteral Solution</b>		
卡贝缩宫素注射液 Carbetocin Injection	1ml: 100µg	用于选择性硬膜外或腰麻下剖腹产术后，以预防子宫收缩乏力和产后出血。 Used after elective epidural or lumbar anesthesia caesarean section to prevent uterine contraction weakness and postpartum hemorrhage.
硫酸沙丁胺醇注射液 Salbutamol Sulfate Injection	1ml: 0.5mg	用于选择性硬膜外或腰麻下剖腹产术后，以预防子宫收缩乏力和产后出血。 Used after elective epidural or lumbar anesthesia caesarean section to prevent uterine contraction weakness and postpartum hemorrhage.
硫酸镁注射液 Magnesium sulfate injection	2ml: 1g 10ml: 5g	可作为抗惊厥药。常用于妊娠高血压。降低血压，治疗先兆子痫和子痫，也用于治疗早产。 It can be used as an anticonvulsant. It is often used for pregnancy-induced hypertension. It lowers blood pressure, treats preeclampsia and eclampsia, and is also used to treat premature births.
维生素B6注射液 Vitamin B6 Injection	1ml: 100mg	治疗维生素B6(吡哆醇)缺乏症。 Treatment of vitamin B6 (pyridoxine) deficiency.
呋塞米注射液 Furosemide injection	2ml:20mg	1.水肿性疾病 2.高血压 3.预防急性肾功能衰竭 4.高钾血症及高钙血症。 5.稀释性低钠血症 6.抗利尿激素分泌过多症 (SIADH)。 7.急性药物中毒：如巴比妥类药物中毒等。 1. Edematous disease 2. Hypertension 3. Prevention of acute renal failure. 4. Hyperkalemia and hypercalcemia. 5. Dilutive hyponatremia 6. Hyperdiuretic hormone secretion (SIADH). 7. Acute drug poisoning: such as barbiturate drug poisoning.
吸入用乙酰半胱氨酸溶液 Acetylcysteine Solution for Inhalation	3ml: 0.3g	治疗浓稠粘液分泌物过多的呼吸道疾病如：急性支气管炎、慢性支气管炎及其病情恶化者、肺气肿、粘稠物阻塞症以及支气管扩张症。 Treatment of respiratory diseases with excessive thick mucus secretions, such as acute bronchitis, chronic bronchitis and its deterioration, emphysema, mucus obstruction, and bronchiectasis.

注射剂  
Injections

吸入溶液剂  
solution of inhalation

品名 Product Name	规格 Strength	适应症 Indication
阿米卡星洗剂 Amikacin Lotion	50ml 125mg	用于敏感菌引起的严重感染。 For severe infections caused by sensitive bacteria.
聚维酮碘溶液 Povidone Iodine Solution	1% 5%	用于皮肤、粘膜的消毒（如各类阴道炎、宫颈炎、性病的预防和治疗）。 For disinfection of skin and mucous membrane. (for prevention and treatment various types of vaginitis, cervicitis and sexually transmitted diseases.)
甲硝唑氯己定洗剂 Metronidazole and Chlorhexidine Lotion	50ml 250ml	用于细菌、滴虫、霉菌引起的各种阴道炎。 For various types of vaginitis caused by bacteria, trichomonas and mould fungi.
苯扎氯铵溶液 Benzalkonium Chloride Solution	150ml: 0.15g (0.10%)	用于手术部位黏膜消毒；皮肤、黏膜创伤部位消毒；感染皮肤消毒；阴道冲洗。 Used for mucosal disinfection of surgical site, skin and mucosal wound site, infectious skin disinfection and vaginal irrigation.
他克莫司软膏 Tacrolimus Ointment	10g: 3mg	用于因潜在危险而不宜使用传统疗法、或对传统疗法反应不充分、或无法耐受传统疗法的中到重度特应性皮炎患者，作为短期或间歇性长期治疗。 As short-term or intermittent long-term treatment for potentially dangerous reasons not appropriate for traditional therapies or not responding adequately to traditional therapy or patients with moderate to severe atopic dermatitis who cannot tolerate traditional therapies.
吡美莫司乳膏 Pimecrolimus Cream	1% (10g:100mg)	适用于无免疫受损的2岁及2岁以上轻度至中度异位性皮炎（湿疹）患者。 Suitable for mild to moderate atopic dermatitis (eczema) in patients aged 2 years and older without immune impairment.
尼可地尔原料 Nicorandil Raw Material	/	符合EP标准 Comply with EP standards
帕瑞昔布钠原料 Parecoxib Sodium Raw Material	/	/
利伐沙班原料 Rivaroxaban Raw Material	/	/

外用  
Topical drug

原料药  
APIs