DAEWON
PRODUCT LIST

Daewon Pharm Co., Ltd.

DAEWON Pharm.Co.,Ltd.

The most important value for us is belief and trust.

History

1958. 01.	Founded
1988. 12.	Completed Hyangnam KGMP factory construction
1989. 09.	Established the Central Research Laboratory
1994. 10.	Listed on the Korea Securities Dealer Automated Quotation (KOSDAQ)
1999. 12.	Listed on the Korea Stock Exchange (KOSPI)
2007. 04.	Acquired approval of Pelubi Tablet as the 12th new drug developed in Korea
2008. 01.	50th anniversary of foundation
2009. 02.	Awarded at the 10th Korea New Drug Development Award (Technology Prize; Pelubi Tab.)
2012. 06.	Certified as an Innovative Pharmaceutical Enterprise (Ministry of Health and Welfare)
2015. 07.	Designated as an Advanced Technology Center (Ministry of Commerce, Industry and Energy)
2015. 12.	Honored Grand Prize of Good Company Award (Citizens' Coalition for Economic Justice)
2016. 02.	Awarded at the 17th Korea New Drug Development Award (Technology Prize; Pelubi CR Tab.)
2018. 06.	ISO 37001 Approved
2020. 01.	Establishment of New Factory in Jincheon
2021. 06.	Acquired Keukdong H Pharm (transformed to Daewon Healthcare)
2024. 02.	Acuqired SD Biotechnologies

Factory

· Jincheon Factory
- Plottage : 79,922 m²
- Capacity : 580 million of liquid dosage unit (Biggest capacity in Korea)

· Hyangnam Factory
- Plottage : 15,269 m²
- Capacity : 2 billion of solid dosage unit
  25 million of liquid dosage unit
  100 million of injectable dosage unit

Strength of Liquid Stick Sachet

Specialized in CMO Business

We, Daewon Pharm., are specialized in manufacture of Liquid Stick Sachet.

Portable, Convenient and Fast!

· Increased adherence of patients
· More than 81% of repurchase rate
· Possible to formulate diverse pharmaceuticals & food supplements

Expand to Overseas Business

Daewon Pharm is strategically positioning itself for robust expansion, with active operations including a subsidiary in Vietnam. Our approach involves licensing out advanced medications including the new drug such as Pelubi & Pelubi CR Tablets (NSAIDs), Megex-I Suspension (anti-cancer supplement), and Privituss Suspension (antitussive), with a particular focus on pharmerging markets. Our commitment extends to exporting cutting-edge technologies and distinct pharmaceutical offerings, all rooted in our proprietary platform technology. Additionally, we are actively exporting health functional supplements such as Oramin series (Korean Ginseng Vitamin) and probiotics.

Our vision heads to total health care company by acquiring Daewon Healthcare.

We acquired Daewon Healthcare as an affiliate specialized in manufacturing health functional supplement. Daewon Healthcare offers finished supplements such as multi-vitamin, probiotics and contract manufacture of customer brand.

Product	Active ingredient	Indication	Dosage & Administration
Pelubi Tab. Analgesic	Each tablet contains **Pelubiprofen 30mg**	Reduce symptoms of Osteoarthritis, Rheumatoid arthritis, Back pain (Lumbago) and Fever	1 Tab.(30mg), 3 times daily
Pelubi CR Tab. Analgesic	Each tablet contains **Pelubiprofen 45mg**	Reduce symptoms of Osteoarthritis, Rheumatoid arthritis, Back pain (Lumbago) and Acute pain	1 Tab. (45mg), twice daily.
Wontran ER Tab. Analgesic	Each tablet contains **Acetaminophen 650mg** **Tramadol HCl 75mg**	Moderate to severe chronic pain	Take 1 Tab. at first dose, administrate 2 Tabs. once, twice daily. (4 Tabs a day) Administration interval should be at least 12 hours. The maximum daily dose of Wontran ER tab is 4 Tabs.
Nerexone SR Tab. Analgesic	Each tablet contains **Eperisone Hydrochloride 75mg**	Painful muscle spasms associated with musculoskeletal disorders: cervical brachial syndrome, shoulder pain, back pain	Adults: 2 times a day, 1 tablet once (75 mg as eperisone hydrochloride) orally administered after meals. Increase or decrease appropriately according to age and symptoms. Take it whole without crushing, dividing, or chewing.
Codaewon Tab. Respiratory	Each tablet contains **Dihydrocodeine bitartrate 5mg** **DL-Methylephedrine HCl 17.5mg** **Chlorpheniramine maleate 1.5mg** **Guaifenesin 50mg**	Cough, Sputum	Adults : 2 Tabs., 3 times daily Children : 11~15years : 1~2 Tabs. / 8~11years : 1 Tab. three times daily
Nezelex Nasal Spray Respiratory	In 1 dose **Mometasone Furoate 50㎍**	Allergic rhinitis	If patients push the pump one time, Mometasone Furoate 100mg release(Mometasone Furoate monohydrate 0.05mg). Once daily, spraying twice in nasal.
Rizine Tab. Respiratory	Each tablet contains **Cetirizine HCl 10mg**	Rhinitis by seasonal allergy, Conjunctivitis, Chronic rhinitis, Itching	Over 6 year and adults : 1 Tab., daily, administer in the evening.

Product	Active ingredient	Indication	Dosage & Administration
Codaewon Forte Syr. Respiratory	In 100ml syrup **Ammonium Chloride 1000mg** **Chlorpheniramine Maleate 15mg** **Dihydrocodeine Tartrate 50mg** **Dl-methylephedrine HCl 131mg**	Antipyretic analgesic	The doses are different according to age.
Codaewon S Syr. Respiratory	In 1mL **Dihydrocodeine Tartrate Hydrochloride 10mg** **DL-Methylephedrine Hydrochloride 26.2mg** **Chlorpheniramine Maleate 3mg** **Ammonium Chloride 200mg** **Pelargonium Sidoides 11% Ethanol Extract (1→8~10) 1235.52mg**	Improvement of symptoms and signs of acute bronchitis	Take 1 packet (20 mL) once for adults, 3 times a day.
Beposta B Tab. Respiratory	Each tablet contains **Bepotastine besilate 10mg**	Treatment of itching due to allergic conjunctivies	1 Tab., twice daily
Elstein Tab. / Cap. / Syr. Respiratory	Each tablet, capsule and syrup contains **Erdosteine 300mg, 300mg and 35mg/mL**	Relief of cough acute & chronic respiratory disease	Tablet and Capsule : 1 Cap, 2~3 times daily Syrup : 175~350mg, once or twice daily
Oseltawon Cap. Respiratory	Each capsule contains **Oseltamivir phosphate 75mg**	Treatment of Influenza	In adults and adolescents 13 years and older is 75 mg twice daily for 5 days.
Trigel Susp. Gastrointestinal	Each pouch(10mL) contains **Oxethazaine 20mg** **Dried Aluminum hydroxide gel 582mg** **Magnesium hydroxide 196mg**	Acute & Chronic pain, Gastritis, Duodenal ulcer, Esophagitis, Stomach pain by dyspepsia in radiotherapy	1/2~1 Pouch, 4 times daily
Eswonamp Tab. Gastrointestinal	Each tablet contains **Esomeprazole magnesium 20, 40mg**	GERD, Zolonger-Elison syndrome, Duodenal ulcer	GERD : 20~40mg daily 20mg or 40mg Duodenal Ulcer : 20mg daily

Product	Active ingredient	Indication	Dosage & Administration
Escorten Tab. Gastrointestinal	Each tablet contains **Esomeprazole Magnesium Trihydrate 11.15mg**	Improvement of gastric mucosal lesions in acute gastritis and chronic gastritis	Adults: 1 tablet at a time, orally administered once a day. Children under 12 years of age: There is no case of administering this drug to children under 12 years of age.
Fotagel Susp. Gastrointestinal	Each pouch(20mL) contains **Dioctahedral smectite 3g**	Pain symptoms after esophageal, gastroduodenal and enteric disease. Acute or chronic diarrhea.	Acute : 20mL, 3~4 times daily Children : under 6 months of age : 10mL, 2 times daily 6 months~5 years : 10mL, 3 times daily over 5 years : 20mL, 2~3 times daily
Freegel Susp. Gastrointestinal	Each pouch(15mL) contains **Almagate 1.5g**	Gastroduodenal ulcer, Gastritis, Hyperchylia (heartburn, nausea, vomiting, gastric pain, belching up a bit of sour vomit), Reflux esophagitis.	1 Pouch(15mL) 3 times daily, in 1~2 hours after meals. In case of severe gastroduodenal ulcer, 1 Pouch(15mL) 4 times daily in 1~2 hours after meals or before sleeping.
Pantyrase Tab. Gastrointestinal	Each tablet contains **Pancreatin 175mg** **Ox bile Extract 25mg** **Dimethicone 25mg** **Hemicellulase 50mg**	Dyspepsia, Anorexia, Abdominal fullness	Adults : 1~2 Tabs., 3 times daily
Pariben Tab. Gastrointestinal	Each tablet contains **Rabeprazole sodium 10mg, 20mg**	Gastric ulcer, Duodenal ulcer, Oesophagitis erosiva	Gastric ulcer, Duodenal ulcer : 10mg once daily, Oesophagitis erosive : 20mg once daily
Clasin dried syr. 125mg/5mL, 250mg/5mL Antimicrobial	125mg/5mL : Each 1mL contains **Clarithromycin 25mg(activity)** 250mg/5mL : Each 1mL contains **Clarithromycin 50mg(activity)**	Upper & lower respiratory infection, skin infection, Mycobacterium infection	7.5mg/kg(as clarithromycin activity), Every 12 hours
Clasin Tab. Antimicrobial	Each tablet contains **Clarithromycin 250, 500mg**	Lower & Upper respiratory tract infections: bronchitis, pneumonia, pharyngitis, sinusitis, etc.	Adults: As clarithromycin, 250mg (potency) is usually administered twice a day, and in case of severe infection, 500mg (potency) is administered twice a day.

Product	Active ingredient	Indication	Dosage & Administration
Wonfuroxime Inj. Antimicrobial	Each vial contains **Cefuroxime sodium 250mg, 750mg, 1.5g**	Bronchitis, Pneumonia, Pyelonephritis, Meningitis, Gonorrhea	Adults : 750mg 3 times daily, IV or IM Children : 30~100mg / kg divided into 3~4 times daily IV or IM
Wontaxime Inj. Antimicrobial	Each vial contains **Cefotaxime sodium 250mg or 500mg or 1g**	Bronchitis, Pneumonia, Meningitis, Gonorrhea, Septicemia, Osteomyelitis, Peritonitis	Acute : 2~12g divided into several times IV or IM according to infections Children: 50~100mg / kg divided every 6~12 hours daily IV
Wontiaxone Inj. Antimicrobial	Each vial contains **Ceftriaxone sodium 1g, 0.5g**	Various infections	Adult : 1~2g IV and IM once daily. In severe infection up to 4g may be given Pediatric : 20~50mg/kg IV and IM once daily. In severe infection up to 80mg/kg may be given
Clow Tab. Cardiovascular	Each tablet contains **Rosuvastatin 5mg, 10mg, 20mg**	Protopathy hypercholesterolemia, Combined hyperlipidemia	5~20mg, once daily
Clow Z Tab. Cardiovascular	Each tablet contains **Rosuvastatin 5mg, 10mg, 20mg** **Ezetimibe 10mg**	Protopathy hypercholesterolemia, Combined hyperlipidemia	1 Tab., once daily
Litozet Tab. Cardiovascular	Each tablet contains **Ezetimibe 10mg** **Atorvastatin 5mg, 10mg, 20mg, 40mg**	Primary hypercholesterolemia	This drug is administered once daily, regardless of meal
Diortan Tab. Cardiovascular	Each tablet contains **Valsartan 80mg, 160mg**	Hypertension	1 Tab., once daily

Product	Active ingredient	Indication	Dosage & Administration
Daewon Clopidogrel Tab. Cardiovascular			
	Each tablet contains **Clopidogrel Bisulfate 97.875mg (75mg as Clopidogrel)**	Recent MI, Recent Stroke or Established Peripheral Arterial Disease. Acute Coronary Syndrome. Decrease the risk of atherothrombosis and thromboembolism.	1 Tab., once daily
Itorin Tab. Cardiovascular			
	Each tablet contains **Simvastatin 10mg, 20mg Ezetimibe 10mg**	Protopathy hypercholesterolemia, Combined hyperlipidemia	The doses are different according to patients
Lipiwon Tab. Cardiovascular			
	Each tablet contains **Atorvastatin Ca 10.36 / 20.72mg (10, 20mg as Atorvastatin)**	Patients with primary hypercholesterolemia and prevention of Cardiovascular Disease	1 Tab.(10mg), once daily. If needed, the maximum dosage is 80mg per day.
Wonsartan Tab. Cardiovascular			
	Each tablet contains **Losartan potassium 50mg**	Hypertension	1 Tab.(50mg), once daily. If needed, the maximum dose is 2 Tabs.(100mg).
Wonvelol Tab. Cardiovascular			
	Each tablet contains **Carvedilol 12.5mg / 25mg**	Essential hypertension, Chronic stable angina pectoris	Essential hypertension : 25mg once daily (2 weeks) Chronic stable angina pectoris : 25mg 2times daily (2 weeks)
Twincombi Tab. Cardiovascular			
	Each tablet contains **Telmisartan 40mg + Amlodipine 5mg Telmisartan 40mg + Amlodipine 10mg Telmisartan 80mg + Amlodipine 5mg**	Hypertension	1 Tab., once daily
Tri-in-one Tab. Cardiovascular			
	Each tablet contains **Telmisartan 40mg + Amlodipine 5mg + Rosuvastatin 5mg Telmisartan 40mg + Amlodipine 5mg + Rosuvastatin 10mg Telmisartan 80mg + Amlodipine 5mg + Rosuvastatin 5mg Telmisartan 80mg + Amlodipine 5mg + Rosuvastatin 10mg**	Hypertension & Hyperlipidemia	1 Tab., once daily

Product	Active ingredient	Indication	Dosage & Administration
TG Fenone Tab. Cardiovascular			
	Each tablet contains **Choline Fenofibrate 178.8 mg (as fenofibric acid 135 mg)**	Treatment of Severe Hypertriglyceridemia and Treatment of Primary Hypercholesterolemia or Mixed Dyslipidemia	1 Tab., once daily
Spiracton Tab. Cardiovascular			
	Each tablet contains **Spironolactone 25mg, 50mg**	Heart failure, Hypertension and hypokalemia	1~2 Tabs., daily
Uptava Cap. Cardiovascular			
	Each tablet contains **Pitavastatin calcium 2mg, Fenofibrate Granules 241.51mg**	Treatment of complex dyslipidemia with high triglyceride levels and low HDL-cholesterol levels, although LDL-cholesterol levels are adequately controlled during pitavastatin 2mg monotherapy in adult patients at high risk of coronary heart disease (CHD)	Take 1 capsule once a day immediately after meals. Serum lipid levels (total cholesterol (TC), LDL-C, and triglycerides (TG)) should be monitored in response to treatment. patients receiving pitavastatin and fenofibrate concomitantly are not switched to this drug since there is no bioequivalence data.
Mericle Tab. Antidiabetic			
	Each tablet contains **Glimepiride 2mg**	Insulin-independent diabetes(Type II)	It should be adjusted according to patients. 1 Tab., once daily. It should be administrated before the first meal of a day.
Janulitin Tab. Antidiabetic			
	Each tablet contains **Sitagliptin 25, 50, 100mg**	This drug is administered as an adjunct to diet and exercise therapy to improve blood sugar control in patients with type 2 diabetes.	Take 100 mg once a day in monotherapy or combination therapy, and the maximum daily dose is 100 mg. This medicine can be taken regardless of meals.
Janulitin Combi Tab. Antidiabetic			
	Each tablet contains **Sitagliptin 50mg Metformin hydrochloride 500, 850, 1000mg**	This drug is administered as an adjunct to diet and exercise therapy to improve blood sugar control in patients with type 2 diabetes. If metformin or sitagliptin monotherapy cannot adequately control blood sugar or if sitagliptin and metformin combination therapy is substituted	Take twice a day with food, and the dose is gradually increased to reduce gastrointestinal side effects caused by metformin.

Product	Active ingredient	Indication	Dosage & Administration
Dapasita Tab. 10/100mg Antidiabetic			
	Each tablet contains **Dapagliflozin 10mg** **Sitagliptin 100mg**	This drug is administered as an adjunct to diet and exercise to improve blood sugar control in type 2 diabetic patients for whom sitagliptin and dapagliflozin are appropriately administered.	Take 1 tablet daily regardless of meal. Take it whole without crushing, dividing, or chewing.
Dapasita-M SR Tab. Antidiabetic			
	Each tablet contains **Dapagliflozin 5mg, 10mg** **Sitagliptin 50mg, 100mg** **Metformin hydrochloride 500mg, 750mg, 1000mg**	This drug is administered as an adjunct to diet and exercise therapy to improve glycemic control in type 2 diabetic patients for whom a combination of dapagliflozin, sitagliptin and metformin is appropriate.	Patients taking 10/100/1000 mg sustained-release tablets of this drug should take 1 tablet once a day. Patients taking 5/50/500 mg, 5/50/750 mg and 5/50/1000 mg extended-release tablets of this drug should take 2 tablets once a day.
Dapawon Tab. Antidiabetic			
	Each tablet contains **Dapagliflozin 5mg, 10mg**	Type 2 Diabetes: This drug is administered as an adjunct to diet and exercise to improve blood sugar control in patients with type 2 diabetes.	This medicine may be taken orally once daily at any time of the day, regardless of the meal. Take it whole without crushing, dividing, or chewing.
Dapawon-M SR Tab. Antidiabetic			
	Each tablet contains **Dapagliflozin 5mg, 10mg** **Metformin hydrochloride 500mg, 1000mg**	Type 2 Diabetes: This drug is administered as an adjunct to diet and exercise to improve blood sugar control in patients with type 2 diabetes.	This drug is usually administered once daily with the evening meal. It should be individualized without exceeding the maximum recommended dose of dapagliflozin 10mg and extended release metformin 2000mg.
Tralitin Tab. Antidiabetic			
	Each tablet contains **Linagliptin 5mg**	This drug is administered as an adjunct to diet and exercise therapy to improve blood sugar control in patients with type 2 diabetes. - Monotherapy - Combination therapy	Take 1 tablet once a day
Tralitin Combi XR Tab. Antidiabetic			
	Each tablet contains **Linagliptin 5mg+Metformin 1000mg** **Linagliptin 2.5mg+Metformin 750mg** **Linagliptin2.5mg+Metformin 1000mg**	This drug is administered as an adjunct to diet and exercise therapy to improve glycemic control in patients with type 2 diabetes who are suitable for combined administration of linagliptin and metformin.	5/1000mg : Take 1 tablet once a day 2.5/750mg : Take 2 tablets once a day 2.5/1000mg : Take 2 tablets once a day

Product	Active ingredient	Indication	Dosage & Administration
Empaone Tab. Antidiabetic			
	Each tablet contains **Empagliflozin 10mg, 25mg**	This drug is administered as an adjunct to diet and exercise therapy to improve glycemic control in adults with type 2 diabetes.	Take 1 tablet once a day
Empasita Tab. Antidiabetic			
	Each tablet contains **Empagliflozin 10mg+Sitagliptin 100mg** **Empagliflozin 25mg+Sitagliptin 100mg**	Type 2 Diabetes:	Take 1 tablet once a day
Empasita-M SR Tab. Antidiabetic			
	Each tablet contains **Empagliflozin 25mg+Sitagliptin 100mg+Metformin 1000mg** **Empagliflozin 12.5mg+Sitagliptin 50mg+Metformin 750mg** **Empagliflozin 12.5mg+Sitagliptin 50mg+Metformin 500mg** **Empagliflozin 10mg+Sitagliptin 100mg+Metformin 1000mg** **Empagliflozin 5mg+Sitagliptin 50mg+Metformin 750mg** **Empagliflozin 5mg+Sitagliptin 50mg+Metformin 500mg**	Type 2 Diabetes:	25/100/1000mg : Take 1 tablet once a day 12.5/50/750mg : Take 2 tablets once a day 12.5/50/500mg : Take 2 tablets once a day 10/100/1000mg : Take 1 tablet once a day 5/50/750mg : Take 2 tablets once a day 5/50/500mg : Take 2 tablets once a day
Licure Susp. Hepatic			
	Each pouch(20g) contains **L-leucine 0.952g** **L-isoleucine 1.904g** **L-valine 1.144g**	Hypoalbuminemia	1 Pouch(20g), 3 times daily
Metran Cap. Psychoneurotic			
	Each capsule / ampoule(1mL) contains **Mecobalamin 500㎍**	Peripheral neuronic disorder. Megaloblastic anemia caused by deficiency of Vitamin B12.	Cap. : Adults : 1500㎍ daily divided into 3 times Inj. : Adults : 1 Amp. / day 3 times a week IM, SC
Alfocholine Soft cap. / Inj. Psychoneurotic			
	Each Soft cap. / ampoule contains **Choline Alfoscerate 400mg / 1g / 400mg**	Improvement of cognitive dysfunction in patients with dementia of neurodegenerative and vascular origin	Tablet and Syrup : 400mg, 2~3 times daily Injection : 1g, once daily

Product	Active ingredient	Indication	Dosage & Administration
Terasin Tab. Endocrine	Each tablet contains **Terazosin HCl 2.314mg(as Terazosin 2mg)**	Hypertension(mild-moderate). Urinary symptoms of benign prostatic hyperplasia	Hypertension: Initial dose 1mg, maintenance dose 2~10mg. BPH: Initial dose 1mg, maintenance dose 5~10mg.
Agnafil Tab. Endocrine	Each tablet contains **Sildenafil 100mg**	Impotence	50mg once as needed, approximately 1 hour before sexual activity
Solipro Tab. Endocrine	Each tablet contains **Solifenacin succinate 5mg, 10mg**	Overactive bladder with symptoms of urge urinary incontinence, urgency, and frequency	5mg~10mg, once daily
Renamezin Cap. Kidney Disease	In one time dose (7 capsules) **Spherical adsorptive carbon 2g**	Chronic renal failure	7 Caps., 3 times daily (21 Caps./day)
Lowpota Suspension Kidney Disease	Each 1 pouch **(20 mL) contains Calcium Polystyrene Surfonate 5g**	Hyperkalemia	Calcium polystyrene sulfonate, 15 to 30 g per day divided into 2 to 3 doses and administered orally.
Semerwon Tab. Kidney Disease	Each tablet contains **Sevelamer carbonate 800mg**	Serum phosphorus control in patients with chronic kidney disease receiving dialysis	This medicine should be taken three times a day with meals.
Tolvis Tab. Kidney Disease	Each tablet contains **Tolvaptan 15mg, 30mg**	Clinically significant hypervolemic or euvolemic hyponatremia in patients with heart failure, syndrome of abnormal antidiuretic hormone secretion (SIADH), etc	The recommended initial dose for adults is 15 mg once daily. To reach the target serum sodium concentration, increase the dose to 30 mg once a day at an interval of at least 24 hours, and increase to a maximum of 60 mg once a day. To minimize the risk of liver damage, do not administer for more than 30 days.

Product	Active ingredient	Indication	Dosage & Administration
Risewon Plus Tab. Osteoporosis	Each tablet contains **Risedronate Sodium 2.5 Hydrate 40.162mg + Cholecalciferol(Vitamin D) Concentrated Powder 56mg**	Treatment and prevention of osteoporosis in postmenopausal women / Treatment of osteoporosis in men	1 Tab., weekly
Forend Tab. Osteoporosis	Each tablet contains **Alendronate sodium 91.37mg**	Osteoporosis	1 Tab., once weekly
Forend Plus D Tab. Osteoporosis	Each tablet contains **Alendronate sodium 91.37mg Cholecalciferol concentrated powder 53.33mg(5600IU as Vitamin D3)**	Treatment of osteoporosis in postmenopausal woman. Treatment to increase bone mass in men with osteoporosis.	1 Tab., once weekly
Curasten Sol. Others	Each 10mL contains **Citrulline maleate 1g**	Adynamia	10mL, 2~3 times daily
Freefol MCT Inj. 20mL, 50mL Others	In 1mL **Propofol 10mg (1%) Propofol 20mg (2%)**	Anesthesia	General Anesthesia - Adults administration 4mL, every 10sec. for induction.
Megex-I Susp. Others	In 1mL **Megestrol acetate 40mg**	Anorexia, Cachexia of cancer or AIDS patients or predominant weight loss of unknown cause.	For initial dose, 20mL daily for adults

Product	Active ingredient	Indication	Dosage & Administration
Megex -I ES Susp. Others	In 1mL **Megestrol acetate 125mg**	Anorexia, Cachecia of cancer or AIDS patients/ Significant weight loss caused by unknown reason.	Take Megestrol Acetate 625 mg(5mL)/ day. Shake well before administration.
Oramin-G Soft Cap. Mutivitamin	Each soft capsule contains **Korean Ginseng 40mg** **Aloe extr. 5mg** **Vitamins** **Minerals**	Supplementation of vitamins and minerals	Adults : 1 Cap., daily
Oramin-F Soft Cap. Mutivitamin	Each soft capsule contains **Korean Ginseng 40mg** **Aloe extr. 5mg** **Vitamins** **Minerals**	Supplementation of vitamins and minerals	Adults : 1 Cap., daily
Oramin-E Soft Cap. Mutivitamin	Each soft capsule contains **Korean Ginseng 100mg** **Garlic ext. 10mg** **Vitamins** **Minerals**	Supplementation of vitamins and minerals	Adults : 1 Cap., daily
Coldwon Cold Q Syr. OTC	Each pouch contains **Acetaminophen 325mg** **Chlorpheniramine Maleate 2.5mg** **Dextromethorphan HBr 16mg** **dl-methylephedrine HCl 21mg** **Guaifenesin 83mg** **Caffeine Anhydrous 25mg**	Temporarily relieves common cold/flu symptoms	Please see the insert
Coldwon Cough Q Syr. OTC	Each pouch contains **Acetaminophen 325mg** **Dextromethorphan HBr 16mg** **dl-methylephedrine HCl 21mg** **Guaifenesin 83mg** **Caffeine Anhydrous 25mg**	Temporarily relieves common cold/flu symptoms	Please see the insert

Product	Active ingredient	Indication	Dosage & Administration
Coldwon Nose Q S Syr. OTC	Each pouch contains **Acetaminophen 325mg** **Pseudoephedrine HCl 30mg** **Chlorpheniramine Maleate 2.5mg** **Guaifenesin 42mg** **Caffeine Anhydrous 25mg**	Temporarily relieves common cold/flu symptoms	Please see the insert
Coldwon Night Syr. OTC	Each pouch contains **Acetaminophen 325mg** **Dextromethorphan HBr 16mg** **Pseudoephedrine HCl 30mg** **Doxylamine Succinate 12.5mg**	Temporarily relieves common cold/flu symptoms	Please see the insert
Fine-Q Acetphen Syr. OTC	Each pouch contains **Acetaminophen 640mg**	Fever and pain due to cold [pain], headache, neuralgia, muscle pain, menstrual pain, sprain pain [sprain pain]	Please see the insert
Fine-Q Ibufen Syr. OTC	Each pouch contains **Ibuprofen 400mg**	Rheumatoid arthritis, juvenile [young or young-onset] rheumatoid arthritis, osteoarthritis (degenerative joint disease), fever and pain due to cold, lumbar pain, dysmenorrhea, postoperative pain	Please see the insert
Coldwon Kids Cold Syr. OTC	Each pouch contains **Acetaminophen 75mg** **Chlorpheniramine Maleate 0.9375mg** **Dextromethorphan HBr 6mg** **dl-methylephedrine HCl 9.375mg** **Guaifenesin 31.25mg**	Temporarily relieves common cold/flu symptoms	Please see the insert

Product	Active ingredient	Indication	Dosage & Administration
Coldwon Kids Cough Syr. OTC	Each pouch contains **Guaifenesin 10.5mg** **Pentoxyverine citrate 2.5mg** **DL-Methylephedrine HCl 3.125mg**	Temporarily relieves common cold/flu symptoms	Please see the insert.
Coldwon Kids Nose S Syr. OTC	Each pouch contains **Chlorpheniramine Maleate 1.0 mg** **Pseudoephedrine HCl 15mg**	Temporarily relieves common cold/flu symptoms	Please see the insert.
Coldwon Kids Fen Syr. OTC	Each pouch contains **Acetaminophen 160mg**	Temporarily relieves common cold/flu symptoms	Please see the insert.
Coldwon Kids Ibufen Syr. OTC	Each pouch contains **Ibuprofen 100mg**	Temporarily relieves common cold/flu symptoms	Please see the insert.

Food Supplements

Product	Active ingredient	Indication	Dosage & Administration
Low Molecular Collagen Skin and inner-beauty	Each pouch contains **Low molecular collagen 1,500 mg** **Vitamin C 100 mg** **Biotin 30 μg** **Ornithine hydrochloride 30 mg** **Mucin(25%) 10 mg**	Inner Beauty & Skin moisture	Take 1 sachet once a day
White Glutathione Film Skin and inner-beauty	Each film contains **Yeast Extraction (L-glutathione 50%) 130 mg** **Vitamin C 11.26%** **Hyaluronic acid 7.77%** **Milk thistle (water soluble) 4.44%** **Hydrolyzed Elastin 0.23%**	Inner Beauty & Whitening	Take 1 film once a day
rTG Omega 3 Blood Circulation	Each capsule contains **EPA, DHA 600 mg** **Vitamin D 10 μg(100%)** **Vitamin E 11 mg α-TE**	Blood circulation & Lipid level in the blood	Take 1 capsule once a day
Banaba for Blood sugar level Blood Circulation	Each tablet contains **Corosolic acid 1.3 mg** **Vitamin E 11 mg α-TE(100%)** **Chromium 30 μg(100%)** **Niacin 15mgNE(100%)** **Zinc 8.5 mg(100%)** **Biotin 30 μg(100%)** **Vitamin B1 1.2 mg(100%)** **Vitamin B2 1.4 mg(100%)** **Folic acid 400 μg(100%)**	Blood Sugar Level	Take 1 tablet once a day
CoQ10 Antioxidant Blood Circulation	Each capsule contains **CoEnzyme Q10 100 mg** **Vitamin B1 1.2 mg(100%)** **Vitamin B2 1.4 mg(100%)** **Vitamin B6 1.5 mg(100%)** **Vitamin C 30 mg(30%)** **Vitamin E 3.3 mg α-TE(30%)** **Niacin 15 mgNE(100%)** **Pantothenic acid 5 mg(100%)** **Selenium 16.5 μg(30%)** **Zn 2.55 mg(30%)**	Anti-Oxidant & Blood pressure	Take 1 capsule once a day

Product	Active ingredient	Indication	Dosage & Administration
Organic Probiotics Intestinal Health			
	Each pouch contains **Probiotics 34 bil CFU (11 strains mixture)**	Intestinal Health	Take 1 sachet once a day
Organic Probiotics blood sugar care Intestinal Health			
	Each pouch contains **Probiotics 15.5 bil CFU (12 strains mixture)** **Corosolic acid 1.3 mg**	Intestinal Health + Blood Sugar Level	Take 1 sachet once a day
Enzyme with melon taste Intestinal Health			
	Each pouch contains **Fermented enzyme** **a-amylase 500,000 unit** **Protease 1,000 unit**	Supports digestion	Take 1 sachet once a day
Lutein zeaxanthin Astaxanthin Eye Health			
	Each capsule contains **Lutein + Zeaxanthin 20 mg** **Astaxanthin 4 mg** **Zinc 8.5 mg(100%)** **Selenium 55 μg(100%)**	Eye Health	Take 1 capsule once a day
Red Ginseng Red Ginseng			
	Each pouch contains **Ginsenoside Rg1, Rb1, Rg3 : 7 mg**	Immunity	Take 1 sachet once a day

Product	Active ingredient	Indication	Dosage & Administration
Aloe gel stick jelly Immunity			
	Each pouch contains **Polysaccharide 120 mg**	Immunity	Take 1 sachet once a day
Phosphatidylserin + Ginko Memory			
	Each capsule contains **Phosphatidyl serin 300 mg** **Flavonol glycoside 28 mg** **Zinc 8.5mg(100%)**	Memory	Take 1 capsule once a day
Xanthigen Diet Weight Management			
	Each capsule contains **Xanthigen 600 mg** **(Fucoxanthin 3 mg, Punicic acid 174 mg)** **Seaweeds mixture fermentation extracts**	Weight Management	Take 1 capsule once a day
Slimtok Diet Weight Management			
	Each pouch contains **Fiber 4.2 g(17%)** **Catechin 300 mg** **Vitamin B1 1.2 mg(100%)** **Vitamin B2 1.4 mg(100%)** **Vitamin B6 1.5 mg(100%)**	Weight Management	Take 1 sachet once a day
One day Balance multibag Vitamins			
	Each pouch contains **Octacosanol 15 mg** **Vitamin A 700 μg RAE(100%)** **Vitamin B1 12 mg(1000%)** **Vitamin B2 14 mg(1000%)** **Vitamin B6 15 mg(1000%)** **Vitamin B12 24 μg(1000%)** **Vitamin C 100 mg(100%)** **Vitamin D3 10 μg(100%)** **Vitamin E 11 mg α-TE(100%)** **Niacin 15 mgNE(100%)** **Pantothenic acid 5 mg(100%)** **Biotin 30 μg(100%)** **Folic acid 400 μg(100%)** **Zn 2.55 mg(30%)** **Cu 0.24 mg(30%)** **Se 16.5 μg(30%)** **Mn 0.9 mg(30%)**	Multi-Vitamins	Take 1 pouch once a day

Advanced healthcare company, for better life.

Daewon Pharm.Co.,Ltd.

E-mail jwkang@daewonpharm.com
Pharmaceutical Products bskim@daewonpharm.com
Food Supplements davidkim@daewonpharm.com
Tel 82-2-2204-6971~9 **Fax** 82-2-499-9110
Head Office 386 Cheonhodaero, Sungdong-gu, Seoul, Korea
Hyangnam Factory 24 Jeyakgongdan 1-gil, Hyangnam-eup, Hwaseong-si, Gyeonggi-do, Korea
Jincheon Factory 44 Yongso 2-gil, Gwanghyewon-myeon, Jincheon-gun, Chungcheongbuk-do, Korea

DW_20241224_V.0001