




**Inspired by
Heritage.
Proven by
Science.**



PORTFOLIO
Finished Products





WHO WE ARE

Founded in 2015 in Serbia and the United Arab Emirates, Rhei Life was established with a clear vision: to become a relevant and reliable stakeholder in the global healthcare landscape. The company initially focused on the Adriatic region, followed by systematic expansion across Europe. Today, Rhei Life is present and recognized across the global healthcare scene.

Our growth and achievements are built on two key pillars: a highly dedicated, multidisciplinary team of professionals and a carefully developed global network of partnerships. These long-term partnerships, nurtured with trust and commitment over the past decade, represent the most valuable asset of our company and an integral part of every success we have achieved.

TWO STRATEGIC DIVISIONS – ONE CLEAR VISION

Rhei Life operates through two clearly defined and complementary business divisions, both aligned with our long-term strategy and global ambitions.

FIRST DIVISION

Product Development for

GLOBAL MARKETS

Through continuous investments in research and development, Rhei Life positions itself as a global healthcare stakeholder by developing innovative products used by patients worldwide. Our portfolio includes medicines, food supplements, and medical devices, developed either in-house or through co-development models in collaboration with strategic partners.

Our products are commercialized globally through a trusted network of partners and customers who have placed their confidence in Rhei Life across all continents.

Today, Rhei Life products are present in 77 countries, with:

- 79 partner companies worldwide
- Launched products or signed commercial agreements

79 PARTNERS

77 COUNTRIES

5 CONTINENTS

References

TRUSTED BY GLOBAL PHARMACEUTICAL COMPANIES

Rhei Life products are trusted by leading global pharmaceutical companies that have included our products in their portfolios across multiple therapeutic areas and markets worldwide.

These collaborations reflect long-term confidence in the quality, safety, scientific value, and commercial potential of Rhei Life products.

Our partners recognize our products and Rhei Life as a reliable, long-term collaborator capable of delivering innovation, regulatory expertise, and commercial excellence.

Trusted by Global

HEALTHCARE LEADERS

With over 79 partners worldwide, we are proud to support leading pharmaceutical and healthcare companies with our products, including:



Teva · Stada · Zentiva · Sun Pharma ·
Dr. Reddy's · Walgreens Boots Alliance ·
Polpharma · Mega Labs · Duopharma Biotech
Berhad · EL PHARMA (PHOENIX Group) · Al Sifa
United · Tamer Group · Lancasco · Unilab · Bivid

Special attention is given to **confirming product efficacy and safety through clinical studies conducted in accordance with international standards.**

In addition to in-house development, selected products are developed in close cooperation with partners through co-development models.

Our in-house developed products are manufactured in **11 different CMOs across Europe**, fulfilling **strict regulatory and quality requirements** for global markets. Manufacturing standards meet the requirements of national regulatory authorities as well as the stringent quality expectations of multinational pharmaceutical companies successfully promoting our products in some of the world's most regulated markets.

SECOND DIVISION

Representation and Distribution

SERVICES IN EUROPE

Through our European entity, as EU GDP license holder, Rhei Life acts as a Marketing Authorization Holder (MAH) for:

- 457 SKUs
- Generic medicines, OTC products, medical devices, and food supplements
- 11 Eastern European markets

Within this division, Rhei Life represents 37 manufacturing companies from across the world, providing comprehensive regulatory, distribution, and commercial services for European markets.

LEADERSHIP TEAM

Rhei Life is led by an experienced leadership team with strong expertise across pharmaceuticals, R&D, regulatory affairs, quality, supply chain management, and global business development.



MILOŠ STAKIĆ
Chief Executive Officer
(CEO)



LUKA RADOJČIĆ
Chief Financial Officer
(CFO)



JELENA GROZDANOVIĆ, MD
Head of Medical &
Marketing Department



MARKO JEZDIĆ
Head of Adriatic Region



DARKO PETAKOV
Head of Global
Business Development



JASMINA NENEZIĆ
Head of Supply Chain &
Logistics



DORIS MILOŠEVIĆ
Head of In-Licensing



VLADIMIR JOVANOVIĆ
Legal & Compliance
Manager



BOŠKO ČUBRA
Head of Tender Sales
Department



VESNA PLAMENAC
Head of Quality
Department



IVA GIBA
Head of RA
Department



GLOBAL BUSINESS DEVELOPMENT TEAM

Our Global Business Development Team ensures strong international presence, deep local market understanding, and long-term partnership development across all regions.

OUT-LICENSING



SLOBODAN STEVIĆ
Senior Global BD
Manager APAC



PREDRAG JOVANOVIĆ
Global BD Manager
EU and CIS



DAVID STAKIĆ
Senior Global BD
Manager MENA



PRACHI SABOO
Global BD Manager
LATAM and Central
America




DRAGANA JEREMIĆ
Senior Adriatic
BD Manager



BRANKA JANKOVIĆ
Adriatic BD
Manager



TEODORA MIKULIĆ
BD specialist



SANJA ŠKONDRIĆ
BD specialist



DAMLA UNLU PETROVIĆ
Global BD
Manager MENA



SARA POPADIĆ
Adriatic BD
Manager



NIKOLA KATANA
Retail B2B Sales
Manager



IVAN KALAPAĆ
Emergency Import
Operations Manager



MAJA KOSTADINOVIĆ
BD specialist



MARIJA PAVIĆEVIĆ
BD Specialist



SLOBODAN GRAOVAC
Senior In-Licensing
Manager



NEMANJA MIŠKOVIĆ
In-Licensing
Manager



SOFIJA STOJANOVIĆ
Senior In-Licensing
Manager



VLADAN JOVOVIĆ
Senior In-Licensing
Manager




IVAN GLAMOČANIN
Portfolio Manager



NENAD ĐORĐEVIĆ
In-Licensing
Manager



ILIJA MIHAJLOVIĆ
In-Licensing
Manager



SERGEJ MILIĆ
In-Licensing
Assistant



IN - LICENSING

REGULATORY
& MEDICAL



JOVANA JOKSIMOVIĆ
International Regulatory
Affairs Manager



MARIJA JAGODIĆ
International Regulatory
Affairs Associate



VANJA PETRIĆ
International Regulatory
Affairs Associate



NIKOLA ILIĆ
International Regulatory
Affairs Specialist



MILOŠ STANOJEVIĆ
Regulatory Affairs
Specialist



NIKOLA PEŠIĆ
R&D Manager



BARBARA MILOVANČEVIĆ
Medical Affairs
Specialist



STEFAN MASNIKOSA
Medical Affairs
Specialist



PORTFOLIO
Finished Products

Book your meeting:
business.development@rhei.life

Therapeutic Area	Product Name	Category	Form	Therapeutic Area	Product Name	Category	Form
Gastroenterology	Hepalife® forte	Food supplement	capsules	Pediatric	Otines Plus	Medical device	spray ear drops
	Duocare	Food supplement	dual sachets		Effigerm Nappy Care	Medical device	hydrogel and liquid spray
	Prucalopride	Medicine	film-coated tablets		Kids gummies	Food supplement	gummies
Skin and Wound Care	Effigerm Wound Wash	Medical device	hydrogel and liquid spray	Health & Wellbeing	Gummies	Food supplement	gummies
	Effiderm	Medical device	hydrogel and liquid spray				
	Terra	Medical device	fillers	Gynecology	Belana	Food supplement	capsules
	Arista	Cosmetics	cosmeceuticals		Femsen	Food supplement	capsules
	Usalyn	Medical Device	cream		Lekolid	Food supplement	gastro-resistant tablets
Nervous System	Nerviplex	Food supplement	capsules		Gynalis Bacterial Vaginosis Gel	Medical device	gel
	Nerviplex forte	Food supplement	capsules		Gynalis Candidiasis Cream-gel	Medical device	gel
	Nucleocolin	Food supplement	capsules		Gynalis Vaginal Atrophy Cream	Medical device	cream
	Bineuro	Medicine (OTC / Rx)	film-coated tablets		Gynalis Intimate Cleansing Foam	Cosmetics	foam
	Bineuro forte	Medicine (OTC / Rx)	film-coated tablets	Cardiovascular	AteroalliS	Food supplement	soft-gel capsules
Pain Relief	Rheipeptidase	Food supplement	capsules				
	Rheipeptidase forte	Food supplement	capsules				
	Rheipeptidase Max	Food supplement	capsules				
	Edemyn	Food supplement	capsules				
	Peamol	Food supplement	capsules				
	Onaceron® forte	Food supplement	capsules				
	Hondroglut	Food supplement	sachets				
	Rheial	Medical device	prefilled syringe				



GASTROENTEROLOGY

Food supplement

Hepalife® forte

Pharmaceutical form:

capsules

Packaging:

30 capsules

Recommended dosage:

1 capsule a day



INDICATED FOR

- Fatty liver therapy
- Chronic inflammatory liver disease (*hepatitis B and C*)
- Treatment of toxic liver damage (*alcohol, drugs and other harmful substances*)
- Ancillary therapy for liver cirrhosis
- Chronic damage from bile stone

COMPOSITION

- Siliphos® = silybin + phosphatidylcholine
- S-adenosyl-L-methionine (SAME)
- Choline L-bitartrate
- Vitamin E
- Vitamin B complex

SCIENTIFIC SUPPORT

Ongoing clinical trial

Efficacy and safety of Hepalife forte in treatment of patients with MASLD and MetALD

KEY ADVANTAGES

Hepalife® forte is a unique hepatoprotector that



Detoxifies




Regenerates



Protects the liver

Siliphos® Indena Phytosome®

Siliphos® and Indena Phytosome® are trademarks owned by Indena S.p.A., Italy.




The absorption of Siliphos®
is **4.6 times**
higher than silymarin.¹

1. Kidd P, Head K. A review of the bioavailability and clinical efficacy of milk thistle phytosome: a silybin-phosphatidylcholine complex (Siliphos). Altern Med Rev. 2005 Sep;10(3):193-203. PMID: 16164374.



PATENTED

Siliphos® is a phytosome made up of **Silybin** and **Phosphatidylcholine**.



— Siliphos®

— Silymarin

CLICK FOR MORE DETAILED PRESENTATION



GASTROENTEROLOGY

Food supplement

Duocare

Pharmaceutical form:

powder

Packaging:

12 sachets

Recommended dosage:

1-3 sachets per day



INDICATED FOR

- Acute infectious diarrhea, regardless of the cause and presence of vomiting.
- Chronic watery diarrhea, regardless of etiology.
- Diarrhea caused by the use of antibiotics, laxatives, or other medications.
- Frequent vomiting.
- Elevated temperature associated with increased sweating.
- After sports activities and exercise.
- Traveler's diarrhea.

COMPOSITION

- Magnesium hydroxide
- Potassium chloride
- Sodium chloride
- *Lactobacillus rhamnosus* GG
- Sodium citrate
- Dextrose
- Maltodextrin



SCIENTIFIC SUPPORT

***Lactobacillus rhamnosus* GG** is one of the most clinically documented probiotic strains, supported by more than **250 scientific publications** and in use since 1990. According to the World Gastroenterology Organization (WGO) Global Guidelines (February 2023), LGG holds **Level 1 evidence**—the highest level of clinical evidence—for antibiotic-associated diarrhea, acute gastroenteritis, prevention of AAD, prevention of nosocomial diarrhea, and functional abdominal pain/IBS.

KEY ADVANTAGES

Duocare contains a scientifically balanced blend of glucose, minerals and a probiotic (*Lactobacillus rhamnosus* GG) to replenish water and salt concentration and maintain gut flora as normal.

DUAL-CHAMBER SACHET



In a meta-analysis of 5 randomized clinical studies involving **445 children** from 2015, the use of LGG reduced the risk of AAD.

World Gastroenterology Organization Guide

February 2023

Disorder, condition	Probiotic strain	Level of evidence
Antibiotic associated diarrhea (AAD)	<i>Lactobacillus rhamnosus</i> GG	1
Acute gastroenteritis	<i>Lactobacillus rhamnosus</i> GG	1
AAD prevention	<i>Lactobacillus rhamnosus</i> GG	1
Prevention of nosocomial diarrhea	<i>Lactobacillus rhamnosus</i> GG	1
Functional abdominal pain / IBS	<i>Lactobacillus rhamnosus</i> GG	1

CLICK  FOR MORE DETAILED PRESENTATION



GASTROENTEROLOGY

film-coated tablets

Prucalopride


ATC code: A06AX05

INN: prucalopride succinate

Pharmaceutical form: Film-coated tablets

Dose: 1 or 2 mg

Pack size: 28



INDICATED FOR

Symptomatic treatment of chronic constipation in adults in whom laxatives fail to provide adequate relief.

PHARMACODYNAMIC PROPERTIES

- Prucalopride has gastrointestinal prokinetic activity.
- Prucalopride is a selective agonist of high affinity for serotonin receptors (5-HT₄), which explains its prokinetic effect on gastric, intestinal and smooth muscles of colon.
- Prucalopride does not affect the function of glycoprotein P or cytochrome P450 and is not extensively metabolized in the body

SCIENTIFIC SUPPORT

European society of neurogastroenterology and motility guidelines on functional constipation in adults.

Level of evidence

High

Level of agreement

100%

Recommendation

Strong

The serotonin (5-HT)-4 agonist prucalopride has prokinetic action in the entire gut and is effective in the management of chronic constipation, including conditions refractory to conventional laxatives.

POSODOLOGY

Adults: 2 mg once daily with or without food, at any time of the day.

If the intake of once daily prucalopride is not effective after 4 weeks of treatment, the patient should be re-examined and the benefit of continuing treatment reconsidered.

The efficacy of prucalopride has been established in double-blind, placebo-controlled studies for up to 3 months. Efficacy beyond three months has not been demonstrated in placebo-controlled studies.





SKIN AND WOUND CARE
Medical device

Effigerm Wound Wash

Pharmaceutical form:

Hydrogel and liquid spray

Packaging:

60ml, 150ml, 250ml bottles with finger spray or nozzle or 500 ml or 1000 ml bottle with trigger spray or screw cap

Recommended dosage:

Apply as required



INDICATED FOR

- Cleansing and debriding at the wound and preventing infections.
- For the management of minor skin abrasions, minor lacerations, minor irritations, minor cuts, minor burns and intact skin.
- Wound irrigation solution.
- To irrigate and moisten.
- For sore irritated skin.
- Helps with the prevention of biofilm
- Can be used for moistening the wound dressing and moisturising the wound itself as well as for loosening crusted dressings.
- Flushing of irritants associated with wound malodour.

COMPOSITION

- Hypochlorous acid (HOCl) 0,016 %

SCIENTIFIC SUPPORT

HOCl has been widely evaluated by regulatory bodies, healthcare institutions, and academic organizations in over 50 countries, with more than 2,600 peer-reviewed publications supporting its antimicrobial efficacy and over 3,000 publications addressing its role in wound healing enhancement. There are **no reports of adverse reactions to topical applications** by these methods based on the US EPA's Toxicology Database DSSTox, the US CDC Toxic Substances and Disease Registry, nor at either the Development and Reproductive Toxicology Database, or the European Bioinformatics Institute of EMBL.

KEY ADVANTAGES

Effigerm is a Wound Irrigation Solution for cleansing, rinsing and moisturizing of wounds. For the management of minor skin **abrasions, minor lacerations, minor irritations**, minor cuts, minor burns and Intact skin - helps prevent biofilm.



Wound Irrigation



Skin-friendly pH



Hygienically Clean



Hypoallergenic



Non-irritant



Dermatologically Tested



Helps prevent biofilm



Alcohol-Free

CLICK  FOR MORE DETAILED PRESENTATION



SKIN AND WOUND CARE

Medical device

Usalyn

Pharmaceutical form:

Cream

Packaging:

Tube with screw cap
50 ml / 75ml / 100 ml

Recommended dosage:

Apply as required



INDICATED FOR

- Treatment of hyperkeratosis and mild to moderate plaque psoriasis.

COMPOSITION

- Usnic acid
- Sodium hyaluronate

KEY ADVANTAGES

- Improves skin infiltration
- Reduces erythema
- Reduces desquamation
- Relieves itching
- Supports physiological skin repair process
- Clinically supported efficacy and safety

SCIENTIFIC SUPPORT

CLINICAL INVESTIGATION TO EVALUATE THE SAFETY AND PERFORMANCE OF USALYN IN ADDITION TO THE SYSTEMIC TREATMENT OF CHRONIC PLAQUE PSORIASIS

PERFORMANCE:

* TPSS score (erythema, infiltration, desquamation) + itching severity

SAFETY & TOLERABILITY:

Local/systemic adverse events and patient-reported tolerability

RESULTS

MEDIAN TPSS SCORE

8 → 4.5
(P < 0.05)



NO SERIOUS
ADVERSE
EVENTS
REPORTED

- ✓ Strongest effect on desquamation and itching, the most disturbing symptoms for patients
- ✓ Statistically significant improvement in all parameters after 4 weeks
- ✓ High patient compliance and tolerability, with positive global evaluation

*Target Plaque Severity Score



CLICK  FOR MORE DETAILED PRESENTATION



SKIN AND WOUND CARE
Medical device

Terra

PRODUCTS

Terra filler line consists of 5 different references, each one with a specific concentration- to be effective and perfectly integrated in different anatomical places.



FILLERS

Complete range of HA-based fillers:

- **BDDE cross-linked;**
- High elasticity;
- High level of skin compatibility and biocompatibility;
- Minimum risk of side effects;
- Natural and smooth feel in the tissue.

These two amino acids are fundamental in stabilizing the structure of the hydrogel, especially in terms of viscoelastic properties and thermodynamic equilibrium and ensure better control of the swelling capacity of the hydrogel in the postimplant phase.

Fillers are enriched with **Proline** and **Glycine** that provide hydration and soften the skin tissue, acting as a humectant and emollient respectively.



LIGHT

Concentration :
18 mg/ml of HA BDDE Cross-linked

FINE

Concentration:
22 mg/ml of HA BDDE Cross-linked

LIPS

Concentration:
24 mg/ml of HA BDDE Cross-linked


VOLUME

Concentration:
26 mg/ml of HA BDDE Cross-linked

LIFT

Concentration:
28 mg/ml of HA BDDE Cross-linked

Class III medical devices regulated under the
EU MDR 2017/745



SKIN AND WOUND CARE Cosmetics

Arista

Scientifically advanced skincare line that combines patented sonicated hyaluronic acid with high-quality active ingredients such as PDRN, growth factor mimetics, and ceramides.

All products are developed under strict GMP and ISO certifications, with sterile, single-dose formats that minimize contamination risk and reduce the need for traditional preservatives. The line offers targeted solutions for hydration, regeneration, anti-aging, and post aesthetic treatments, ensuring professional-level results through innovative technologies and delivery systems.



REVITAL

ARISTA REVITAL is a professional post-procedure skincare line designed to support skin recovery and comfort after treatments such as chemical peels, lasers, and microneedling.

The preservative-free formulas have very low cytotoxicity and come in a dual-syringe system that is mixed before application to ensure a fresh, concentrated gel.

Based on a patented hyaluronic acid blend with targeted active ingredients, REVITAL soothes, hydrates, regenerates, brightens, and strengthens the skin barrier, reducing redness and discomfort while enhancing overall results.



VITARES

ARISTA VITARES is a professional line designed for advanced aesthetic and medical procedures. It includes ready-to-use, sterile solutions that support in-clinic treatments and enhance performance.

Packaged in single-dose, hermetically sealed glass vials, VITARES eliminates dilution and minimizes contamination risk. Made with medical-grade raw materials and produced in clean-room conditions with steam sterilization, it ensures safety, purity, and consistency.

DERMOLIX


DERMOLIX is a home-care line designed to extend and support professional aesthetic treatments.

Its advanced formulas combine patented sonicated hyaluronic acid with innovative active ingredients to address specific skin needs. The multi-molecular action provides deep hydration, smoothing, and revitalization while ensuring high bioavailability and skin tolerability. Suitable for daily and post-procedure use, it helps maintain skin glow and long-term results.

DERMOLIX product range includes:

- Cleansing HA Gel
- Eye Contour Cream
- Perfect Brightness Cream
- Glow Up Cream
- Moisturizing HA Serum
- Retinol Serum
- Renewal Cream
- PDRN B-Mask
- Supreme Pure HA Serum
- Supreme Radiant SPF 50+
- Advanced Lift





SKIN AND WOUND CARE

Medical device

EffiDerm

Pharmaceutical form:

Hydrogel and liquid spray

Packaging:

Liquid spray (60/150 mL)

Hydrogel (60/150 mL)

Recommended dosage:

Apply as required



INDICATED FOR

Supporting recovery following many cosmetic and medical skin procedures, including:

- Laser treatments
- Microneedling
- Chemical peels
- Cosmetic surgery
- Minor cuts or sutures
- Burns, abrasions, and irritations
- Post-procedure skin care

COMPOSITION

- Hypochlorous acid (HOCl) 0,016 %

SCIENTIFIC SUPPORT

HOCl has been widely evaluated by regulatory bodies, healthcare institutions, and academic organizations in over 50 countries, with more than 2,600 peer reviewed publications supporting its antimicrobial efficacy and over 3,000 publications addressing its role in wound healing enhancement. There are **no reports of adverse reactions to topical applications** by these methods based on the US EPA's Toxicology Database DSSTox, the US CDC Toxic Substances and Disease Registry, nor at either the Development and Reproductive Toxicology Database, or the European Bioinformatics Institute of EMBL.

Soothes & Calms

Reduces redness and irritation

Relieves discomfort

Protects & Cleanses

Helps prevent infection

Washes away impurities and irritants

Hydrates

Keeps skin moist for faster recovery

Promotes natural healing balance



Clinically Advanced Formulation

Protects while remaining gentle on treated skin.



Gentle Yet Powerful

Cleanses and protects without causing irritation or damage to delicate post-procedure skin.



Biofilm Prevention

Helps reduce infection risk by preventing biofilm formation.



Optimal Healing Environment

Maintains ideal moisture, pH balance, and oxygen levels to support natural skin recovery.



Dermatologically Tested

Safe for all skin types and suitable even for sensitive areas.



CLICK  FOR MORE DETAILED PRESENTATION



NERVOUS SYSTEM Food supplement

Nerviplex

Pharmaceutical form:

capsules

Packaging:

20/30/60 capsules

Recommended dosage:

1 capsule a day

WATCH NOW



For **early stages**
of **peripheral**
neuropathy
symptoms with
mild pain



INDICATED FOR

- Painful syndrome in the lumbar region / Lumbago
- Diabetic peripheral neuropathy
- Sciatic pain
- Neck pain
- Painful syndrome in the shoulder and arm region
- Spinal nerve root compression various radiculopathies
- Disc herniation (before or postoperatively) with consequent neuralgia and polyneuropathy
- Pain due to osteoarthritis
- Postherpetic neuralgia

COMPOSITION

- UMP
- Niacin
- Vitamin B6
- Vitamin B1
- Folate
- Vitamin B12


SCIENTIFIC SUPPORT

The efficacy of Nerviplex was confirmed in a randomized, double-blind, placebo-controlled clinical study in patients with carpal tunnel syndrome. The study demonstrated meaningful improvements in nerve function and functional recovery, along with reduced use of analgesics and a favorable safety profile, indicating true nerve recovery rather than only subjective pain relief.


KEY ADVANTAGES

Is a nucleotide-based food supplement, with high concentration of nucleotides of pyrimidine bases and vitamins


The proportion of subjects with **mild CTS (Grade 3)** decreased from **37 % at baseline to 14 %**, while the combined share of minimal and normal findings (**Grades 1–2**) increased from **26 % to 43 %**.




PADUA CLASSIFICATION changes



PAIN MEDICATION dose reduction





Cumulative Paracetamol or NSAIDs dose – Max



The Day 1 correction (7 000 mg) further supports the consistency of reduction over time
from 7 000 to 1 575 mg in Nerviplex, an almost 80% drop in maximum exposure.

NCS PARAMETERS



CLICK FOR MORE DETAILED PRESENTATION



NERVOUS SYSTEM

Food supplement

Nerviplex forte

Pharmaceutical form:

capsules

Packaging:

20/30/60 capsules

Recommended dosage:

1 capsule a day

WATCH NOW



For **moderate to severe** peripheral neuropathy



COMPOSITION

- UMP
- Vitamin B1
- CMP
- Vitamin B12

INDICATED FOR

- Painful syndrome in the lumbar region / Lumbago
- Diabetic peripheral neuropathy
- Sciatic pain
- Neck pain
- Painful syndrome in the shoulder and arm region
- Spinal nerve root compression various radiculopathies
- Disc herniation (before or postoperatively) with consequent neuralgia and polyneuropathy
- Pain due to osteoarthritis
- Postherpetic neuralgia


SCIENTIFIC SUPPORT

Nerviplex forte is currently being evaluated in the Safety and Efficacy of NUCleotides and B Vitamins for Treatment of Neuropathic Pain in Distal Symmetric DIAbetic Polyneuropathy. By integrating subjective pain assessment with objective neurophysiological and biomarker endpoints, NUBVIDIA is designed to demonstrate not only symptomatic relief but also potential neuroregenerative and disease-modifying effects of the nucleotide-based formulation in diabetic neuropathy.

KEY ADVANTAGES

Is a nucleotide-based food supplement, with high concentration of nucleotides of pyrimidine bases and vitamins.

CMP & UMP - NEURO-REGENERATIVE COMBINATION



CLICK  FOR MORE DETAILED PRESENTATION



RiboCARE is a registered trademark in the EU

NERVOUS SYSTEM
Food supplement

Nucleocolin
Pharmaceutical form:
capsules / powder
Packaging:
30 capsules / 30 sachets
Recommended dosage:
2-4 capsules / 1-2 sachets daily



INDICATED FOR

- Supporting brain health and nervous system function
- Improving cognitive performance, memory, and neuroprotection

COMPOSITION

- Cognizin® (Citicoline)
- RiboCARE® NEURO (nucleotide complex)
- Vitamin B12
- Vitamin B6

SCIENTIFIC SUPPORT

Cognizin® and RiboCARE® NEURO are clinically studied compounds known for their neuroprotective and cognitive benefits. Citicoline supports brain metabolism, neurotransmitter production, and neuronal repair, while RiboCARE® NEURO provides essential bioactive nutrients for neuronal communication, memory, and neuroprotection, particularly in cognitive decline disorders


KEY ADVANTAGES




Nucleocolin is an advanced dietary supplement designed to support brain health and nervous system function. Featuring a synergistic blend of Citicoline (Cognizin®), nucleotides (RiboCARE® NEURO), and essential B vitamins, it helps improve cognitive performance, memory, and neuroprotection.




IMPROVING OVERALL MEMORY PERFORMANCE
Significant improvement after the administration of citicoline.¹




IMPROVEMENT OF EPISODIC MEMORY
Significant improvement in episodic memory.¹



BRAIN-DERIVED NEUROTROPHIC FACTOR²



F2-ISOPROSTANES²



Cognizin® is a registered trademark of Kyowa Hakko Bio Co., Ltd

RiboCARE® is a Prosol S.r.l. brand registered in EU.

1. Nakazaki E, Mah E, Sanoshy K, Citrolo D, Watanabe F. Citicoline and Memory Function in Healthy Older Adults: A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. J Nutr. 2021;151(8):2153-2160.
2. Gene-Morales J, Jueas A, Saez-Berlanga A, Martin EG, Garrigues-Peláez L, Sandoval-Camargo BS, Martín-Rivera F, Chulvi-Medrano I, Jiménez-Martínez P, Alix-Fages C, Gargallo P, Fernández-Garrido J, Caballero O, Jerez-Martínez A, Colado JC. Dietary Nucleotides Enhance Neurogenesis, Cognitive Capacity, Muscle Function, and Body Composition in Older Adults: A Randomized, Triple-Blind, Controlled Clinical Trial. Nutrients. 2025;17(9):1431.





NERVOUS SYSTEM

Medicine (OTC / Rx)

Bineuro

ATC code: A11DB

INN: Benfotiamine, Pyridoxine, Cyanocobalamin

Pharmaceutical form: Film-coated tablets

Route of administration: oral route

Dose: 150 mg / 50 mg / **0,2 mg**

Pack size: 15, 20, 30, 60, 90

INDICATED FOR

Systemic neurological disease (peripheral neuropathy) with demonstrated deficiency of vitamins B1, B6 and B12.

KEY ADVANTAGES

- Benfotiamine, in contrast to most other thiamine derivatives, is a lipophilic compound (allowing to cross cell membranes easily) and, with a superior absorption, bioavailability, and effectiveness than thiamine.
- Maximum plasma levels of thiamine are about 5-fold higher after benfotiamine intake and the bioavailability is about 3.6 times as high as that of thiamine hydrochloride and better than that of other lipophilic thiamine derivatives.
- A 50 mg dose of vitamin B6 is safer for long-term use than higher concentrations, as it provides sufficient benefits without increasing the risk of nerve damage associated with high doses.

CLICK  FOR MORE DETAILED PRESENTATION

NERVOUS SYSTEM

Medicine (OTC / Rx)

Bineuro forte

ATC code: A11DB

INN: Benfotiamine, Pyridoxine, Cyanocobalamin

Pharmaceutical form: Film-coated tablets

Route of administration: oral route

Dose: 150 mg / 50 mg / **1 mg**


Pack size: 15, 20, 30, 60, 90



SCIENTIFIC SUPPORT

Benfotiamine + Pyridoxine + Cyanocobalamin

Improvement of vibration perception in diabetic polyneuropathy



30% reduction in vibration perception threshold

Changes in vibration perception threshold of the 11nd metacarpal bone.

— B vitamins — Placebo

Stracke H, Lindemann A, Federlin K. A benfotiamine-vitamin B combination in treatment of diabetic polyneuropathy. Exp Clin Endocrinol Diabetes. 1996;104(4):311–316.



PAIN RELIEF
Food supplement

Rheipeptidase
Rheipeptidase forte
Rheipeptidase MAX

Pharmaceutical form:

capsules

Packaging:

10/15/30 capsules

Recommended dosage:

1-2 capsules a day depends on the type of product and condition.



INDICATED FOR

They can be used in all acute inflammatory conditions for the following indications:

- Surgery
- Otorhinolaryngology (ENT – ear, nose, throat)
- Obstetrics and Gynecology
- Orthopedics
- Pulmonology

COMPOSITION

RHEIPEPTIDASE	RHEIPEPTIDASE FORTE	RHEIPEPTIDASE MAX
• 60.000 SPU*	• 120.000 SPU*	• 250.000 SPU*

* SPU = serrapeptase units


SCIENTIFIC SUPPORT

Experimental and clinical studies suggest anti-inflammatory, anti-edematous, mucolytic, and fibrinolytic effects, particularly in postoperative swelling, ENT disorders, musculoskeletal inflammation, and respiratory conditions with excessive mucus production. Additionally, in vitro data indicate that serratiopeptidase may disrupt bacterial biofilms, potentially enhancing antibiotic penetration when used concomitantly.

KEY ADVANTAGES

It is a proteolytic enzyme that has been used worldwide for more than thirty years. First isolated from *Serratia marcescens*. It has a highly pronounced enzymatic activity including a:

- potent anti-inflammatory
- antiedematous
- mucolytic
- fibrinolytic effect



1. Relieves inflammation, dilutes liquids formed after injury and facilitates their drainage
2. Serrapeptase blocks release of amines causing pain in the inflamed tissue
3. Breaks down fibrin and other non-living tissues without affecting the living tissue
4. Serrapeptase enzyme enhances the penetration of antibiotics when administered concomitantly by breaking down the biofilm created by bacteria

CLICK  **FOR MORE DETAILED PRESENTATION**



PAIN RELIEF

Food supplement

Edemyn

Pharmaceutical form:

Capsules

Packaging:

10/20/30 capsules

Recommended dosage:


1 to 2 capsules daily

COMPOSITION

- Trypsin
- Chymotrypsin
- Bromelain

INDICATED FOR

- Reduction of edema and swelling,
- Faster recovery after minor injuries and physical strain,
- Support in cases of bruising and subcutaneous hematomas,
- Support for normal blood and lymphatic circulation,
- Relief of discomfort associated with inflammatory conditions,
- Support of respiratory function in cases of thick bronchial secretions and difficult expectoration.



ANTI-INFLAMMATORY
Helps reduce inflammation



ANTI-EDEMATOUS
Helps reduce edema and swelling



FIBRINOLYTIC
Supports fibrin breakdown



ANALGESIC
Helps relieve pain and discomfort



RECOVERY SUPPORT
Supports recovery after tissue injury



SCIENTIFIC SUPPORT

Experimental and clinical evidence supports the anti-inflammatory, anti-edematous, fibrinolytic and analgesic effects of proteolytic enzymes in conditions associated with tissue injury and postoperative recovery.

The trypsin–chymotrypsin combination has been shown to reduce inflammation and postoperative swelling, support tissue repair and contribute to pain reduction. Bromelain has demonstrated beneficial effects on postoperative pain and edema, with clinical findings supporting its use in recovery after oral surgical procedures.

By combining trypsin, chymotrypsin and bromelain, Edemyn provides a triple-enzyme approach designed to support the reduction of inflammation and edema and facilitate recovery following tissue damage.



PAIN RELIEF

Food supplement

Peamol

Pharmaceutical form:


capsules

Packaging:

15/30 capsules

Recommended dosage:

1-2 capsules a day



INDICATED FOR

Chronic pain therapy in various etiopathogenesis

- Radiculopathy
- Osteoarthritis
- Herpes zoster
- Diabetic neuropathy
- Failed back surgery
- Oncological conditions
- Other diseases with chronic pain

COMPOSITION


- Palmitoylethanolamide

SCIENTIFIC SUPPORT


In a large observational study involving 610 patients with various chronic pain etiologies, PEA significantly reduced mean pain intensity without serious adverse events. Furthermore, a pooled meta-analysis of 12 clinical studies demonstrated that PEA produced a progressive and statistically significant reduction in pain intensity, with effects approximately five times greater than control, and 81% of treated patients achieving a pain score ≤ 3 after 60 days of treatment. These findings support PEA as a safe and effective non-opioid option for chronic pain management.

KEY ADVANTAGES


PEAMOL is a dietary supplement containing palmitoylethanolamide (PEA) that has been shown to have neuroprotective, anti-inflammatory, and analgesic properties



Indirectly by activating cannabinoid receptors CB1 and CB2 and TRPV1 ion channel




Directly through the PPAR- α and GPR55 receptors



By regulating the activity of mast cells and microglia

- Natural, non-opioid compound (no addictive potential and no pharmacological tolerance)
- Favorable safety profile – good tolerability with no acute or chronic toxicity reported
- No known drug interactions or contraindications
- Suitable for patients with impaired renal or hepatic function



Pain Physician 2016; 19:11-24 • ISSN 1533-3159

Palmitoylethanolamide, a Special Food for Medical Purposes, in the Treatment of Chronic Pain: A Pooled Data Meta-analysis

Antonella Paladini, MD, PhD1, Mariella Fusco, PhD2, Teresa Cenacchi, MD, PhD3, Carlo Schievano, PhD4, Alba Piroli, MD, PhD5, and Giustino Varrassi, MD, PhD6

Conclusion:

- PEA leads to a progressive reduction of pain intensity.
- PEA produced 5x higher effects compared to control group.

CLICK FOR MORE DETAILED PRESENTATION



PAIN RELIEF

Food supplement

Onaceron® forte

Pharmaceutical form:

capsules

Packaging:

90 capsules

Recommended dosage:

3 capsules a day



INDICATED FOR

- Rheumatism
- Osteoarthritis
- Rheumatoid arthritis
- Sciatica and back pain
- Lumbago
- Swelling of the joints
- Inflammation and stretched ligaments
- Muscle contusions
- Sports injuries

COMPOSITION

- Glucosamine hydrochloride
- Chondroitin sulfate
- Mobilee® (standardized natural HA complex)
- Vitamin C

SCIENTIFIC SUPPORT

Onaceron Forte® demonstrated significant chondroprotective and anti-inflammatory effects in preclinical studies. In vitro, it reduced cartilage-degrading enzymes (MMP-1 and MMP-13) and increased glycosaminoglycan (GAG) synthesis in osteoarthritic chondrocytes, showing stronger effects than the standard glucosamine/chondroitin combination. In vivo, it reduced pro-inflammatory cytokines (IL-6 and TNF- α) and decreased arthritis severity in a collagen-induced arthritis model, supporting both anti-catabolic and anabolic activity in joint tissue.


KEY ADVANTAGES

The synergistic combination of ingredients such as glucosamine hydrochloride, chondroitin sulphate, mobilee®, vitamin C, acts comprehensively on all joint structures, slowing down the progression of the disease.


Onaceron® Forte reduces cartilage-degrading enzymes

ONACERON FORTE® showed a significant reduction in the activity of MMP-1 and MMP-13 in OA where chondrocytes were stimulated by IL-1 β .

MMP- 1 activity



MMP- 13 activity




The effect was stronger compared to the standard combination (1500 mg glucosamine sulphate and 1200 mg chondroitin sulphate).


Onaceron Forte® reduces joint inflammation

ONACERON FORTE® significantly reduced the production of pro-inflammatory cytokines IL-6 and TNF α compared to the control group, in an animal model of arthritis (rats, collagen-induced arthritis – CIA).

IL- 6 production



TNF α production



CLICK  FOR MORE DETAILED PRESENTATION



PAIN RELIEF

Food supplement

Hondroglut

Pharmaceutical form:

Sachets

Packaging:

20 sachets

Recommended dosage:

Dissolve the contents of one sachet in a glass of water. Take once a day.

COMPOSITION

- Hydrolyzed collagen peptides
- Glucosamine sulphate
- Chondroitin sulphate
- Hyaluronic acid
- Vitamin C


INDICATED FOR

- Relief of osteoarthritis symptoms (pain, morning stiffness, instability, limited joint mobility)
- Reduction of pain during physical activity and at rest
- Reduction of the need for additional therapies
- Reduction of inflammation
- Slowing of osteoarthritis progression
- Stimulation of cartilage regeneration



KEY ADVANTAGES

- **Crystalline glucosamine sulphate** — the form recognized in the ESCEO first-line algorithm
- **Complete formula** — five joint components in one daily dose
- **One sachet a day** — simple to take





PAIN RELIEF Medical Device

Rheial

Pharmaceutical form:

Prefilled syringe

Packaging:

1 prefilled syringe

Recommended dosage:

Once a month or a year depends on the type of product

WATCH NOW



INDICATED FOR

Substitute of synovial fluid into joints affected by degenerative or mechanical OA that gives pain or reduced mobility

COMPOSITION

HA (hyaluronic acid)

- 20 mg /2 ml
- 32 mg /2 ml

- 40 mg /2 ml
- 48 mg /2 ml

HA (hyaluronic acid)

- 60 mg /2 ml
- 60 mg /3 ml

- 72 mg /3 ml
- 90 mg /3 ml

SCIENTIFIC SUPPORT

Retrospective single-center study included 60 patients with Kellgren–Lawrence Grade 2 and 3 gonarthrosis and compared the clinical outcomes of a single intra-articular injection of cross-linked hyaluronic acid with a standard three-dose regimen of linear hyaluronic acid. Evaluations were performed at baseline, and at three and six months post-injection using the WOMAC index and the Oxford Knee Score. Both treatment groups demonstrated statistically significant improvement compared to baseline.


KEY ADVANTAGES

Rheial offers a wide range of HA concentrations and volumes for all types of joints and patients.

- **Linear Hyaluronic acid**
- **Cross-linked Hyaluronic acid**

Cross-linked hyaluronic acid is longer-lasting and more stable compared to non-cross-linked or natural hyaluronic acid.

Standard / Cross- linked HA injection



IT CONTAINS HA FROM BIO FERMENTATIVE ORIGIN



A comparison of the functional outcomes was conducted resulting from two distinct injections:

a 2 mL dose of Rheial 2.4% 48 mg cross-linked HA vs Rheial 2 mL dose of 2.4% 48 mg linear HA knee injection.

CLICK  FOR MORE DETAILED PRESENTATION



PEDIATRIC Medical Device

Otines Plus

Pharmaceutical form:

Spray ear drops

Packaging:

7 ml bottle

Recommended dosage:

1-2 short sprays into the ear 3 times a day



INDICATED FOR

- Otitis media
- Otitis externa
- Ear pain
- Removing excess ear wax (cerumen)

COMPOSITION

- Olive oil (*Olea europaea*)
- Lavender oil (*Lavandula angustifolia*)
- Vitamin E
- Rosemary extract (*Rosmarinus officinalis*)
- St. John's Wort extract (*Hypericum perforatum*)
- Mullein extract (*Verbascum thapsus*)
- Pot marigold extract (*Calendula Officinalis*)
- Garlic oil (*Allium sativum*)

SCIENTIFIC SUPPORT


Otines Plus has been demonstrated to be effective in clinical trials in hospitals and in clinics in three studies conducted by pediatricians. **474 children participated in the three studies**, and the results were statistically significant. Otines Plus has been tested and found to be effective in children in comparison with an antibiotic as common as Amoxicillin, and also in comparison with anesthetic ear drops.

KEY ADVANTAGES

Otines plus is a class II medical device in the form of ear drops for spray application and contains natural ingredients used to relieve ear pain, remove excess ear wax (cerumen) and improve hearing.

Efficacy in the Management of Ear Pain Associated With Acute Otitis Media



Otines Plus, an ear drop formulation of naturopathic origin, is as effective as anaesthetic ear drops and was proven appropriate for the management of AOM-associated ear pain.



Treatment of ear pain in children

Patients treated with natural ear drops responded better than those using antibiotics.

The best results came from natural drops alone. The study concluded they are effective for AOM ear pain, with no added benefit from antibiotics.



The conclusion of the study is that the efficacy of treatment of otitis media with natural ear drops is identical to the efficacy of antibiotic treatment of the otitis, and as regards reduction of otitis-caused pain, the efficacy of natural ear drops (Otines Plus) is significantly higher.

Treatment of acute otitis media: Efficacy compared to antibiotic therapy

CLICK  FOR MORE DETAILED PRESENTATION



PEDIATRIC
Medical Device

Effigerm Nappy Care

Pharmaceutical form:

Hydrogel and liquid spray

Packaging:

60ml, 150ml, 250ml bottles with finger spray

Recommended dosage:

Apply as required.



COMPOSITION

- Hypochlorous acid (HOCl) 0,016 %

SCIENTIFIC SUPPORT

HOCl has been widely evaluated by regulatory bodies, healthcare institutions, and academic organizations in over 50 countries, with more than 2,600 peer-reviewed publications supporting its antimicrobial efficacy and over 3,000 publications addressing its role in wound healing enhancement. There are **no reports of adverse reactions to topical applications** by these methods based on the US EPA's Toxicology Database DSSTox, the US CDC Toxic Substances and Disease Registry, nor at either the Development and Reproductive Toxicology Database, or the European Bioinformatics Institute of EMBL.

INDICATED FOR

- Cleans, protects and prevents nappy rash (diaper dermatitis) in children

KEY ADVANTAGES

Effigerm Nappy Care is a topical irrigation solution, its key mode of action is to modify the environment by mechanical removal of foreign bodies that may cause skin irritation and infection and to provide an optimal environment with regards to moisture, humidity, oxygen, and pH to assist in the healing process.

Liquid Formulation and Hydrogel Formulation –
2 STEP APPROACH:

Step 1:

It is recommended to use the **liquid formulation** to wash the nappy area with cotton wool or wipe.



Step 2:

The **hydrogel formulation** is recommended to be used after cleansing and prior to reapplying the fresh nappy.



Both formulations allow the skin to breathe and do not block pores or the nappy.



Hygienically Clean



Skin-friendly pH



Alcohol-Free



Dermatologically Tested



Hypoallergenic



Non-irritant



Suitable from day 1



PEDIATRIC

Food supplement

Kids gummies

Pharmaceutical form:

gummies

Packaging:

60 gummies

Recommended dosage:

2 gummies a day



KIDS GUMMIES

- Multivitamin
- Omega complete
- Fe+ iron support
- Vitamin D, Calcium
- Super immune booster
- Ultra omega complete
- Appetite booster
- K2+Ca+D3 bone booster
- Eye care
- Sleep aid

CLICK  FOR MORE DETAILED PRESENTATION



HEALTH & WELLBEING

Food supplement

Adult gummies

Pharmaceutical form:

gummies

Packaging:

60 gummies

Recommended dosage:

2 gummies a day



KEY ADVANTAGES


Gummy formulas are highly popular delivery methods for nutritional supplements, favored by children and adults as well. We produce carefully designed gummy formulas to meet all of our customer's nutritional supplement needs. In addition to high quality and attractive taste, our gummies are pectin-based, manufactured halal, gelatin-free, peanut-free, and gluten-free to satisfy our customers with dietary restrictions or sensitivities.

ADULT GUMMIES

INDICATED FOR

- Super hair booster
- Healthy joint support
- Healthy bowel movement
- Sore throat relief
- Sleep well
- Body cells & nerve functions

CLICK  FOR MORE DETAILED PRESENTATION



GYNECOLOGY

Food supplement

Belana

Pharmaceutical form:

Capsules

Packaging:

30 capsules

Recommended dosage:

2 capsules a day



INDICATED FOR

- Comprehensive relief of both the physical and psychological symptoms of PMS.

COMPOSITION

Solid phase:

- Levagen®+ (PEA)
- Vitamin B3
- Vitamin B6
- Vitamin B12

Lipid phase:


- Flaxseed oil
- Damask rose oil
- Coenzyme Q10

KEY ADVANTAGES

Utilizes **Levagen®+**, a premium form of palmitoylethanolamide (PEA), with **LipiSpense®** crystalline dispersion technology to enhance delivery of lipophilic compounds, achieving **1.75× higher total plasma PEA levels** versus standard PEA.

SCIENTIFIC SUPPORT

Levagen®+: Clinically proven to reduce menstrual pain scores.



* significant difference between groups at $p < 0.05$

Levagen®+ significantly reduces menstrual pain scores versus placebo, providing a safe and effective option for pain relief and a viable alternative to NSAIDs.

CLICK  FOR MORE DETAILED PRESENTATION

Innovative Encapsulation Technology


Multiphase encapsulation (**pellets-in-oil system**) is an advanced delivery technology combining lipid and solid phases within a single capsule, **optimizing compatibility** and **enabling controlled release**.



Lipid phase

Highly bioavailable complex

Active pellets



GYNECOLOGY

Food supplement

Femsen

Pharmaceutical form:


Capsules

Packaging:

30 capsules

Recommended dosage:

1 capsule a day



INDICATED FOR

- The reduction of menopausal symptoms.

COMPOSITION

Solid phase:
 Libifem® (Fenugreek)
 L-arginine
 Vitamin B3
 Vitamin B7
 Selenium

Lipid phase:
 • Evening primrose oil
 • Damask rose oil
 • Vitamin E


KEY ADVANTAGES

Libifem® is clinically proven to:

- Reduce menopausal symptoms
- Enhance libido
- Improve body composition

SCIENTIFIC SUPPORT

Libifem®: Clinically proven to reduce menopausal symptoms.



Libifem® supplementation **reduced menopausal symptoms** compared to placebo, including a marked decrease in **vasomotor symptoms (hot flushes and night sweats)**, as well as improvements across all MENQOL domains.




pellets-in-oil (Pio) technology



- Improved bioavailability of lipophilic substances
- Targeted intestinal release via pellets dissolving in specific regions of the intestine
- Lipid phase enhances stability of pellets against moisture
- Reduced gastric irritation through distributed multi-pellet dosing
- Enables combined delivery of multiple actives
- Minimizes incompatibility by physically separating components

CLICK  FOR MORE DETAILED PRESENTATION



GYNECOLOGY

Food supplement

Lekolid

Pharmaceutical form:

Gastro-resistant tablets

Packaging:

30 tablets

Recommended dosage:

One tablet daily with a teaspoon of olive oil or during a meal to improve the absorption of active ingredients

COMPOSITION

- Quercetin
- Turmeric
- N-acetylcysteine



Thanks to **ENDOASP® technology** the absorption of CURCUMINOIDS is **10 TIMES HIGHER** than the conventional administrations
ECSIN clinical trial, 2018

INDICATED FOR

Reducing inflammation and proliferation of ectopic endometrial tissue associated with painful symptoms of endometriosis.

KEY ADVANTAGES

ENDOASP® technology

For a better absorption of the active ingredients and improving anti-inflammatory and antiproliferative activities.

TRIPLE MECHANISM OF ACTION FOR THE CONTROL OF SYMPTOMATOLOGY

ENDOMETRIUM TISSUE PROLIFERATION

INFLAMMATION AND PAIN

ENDOMETRIOSIS

CURCUMINOIDS
QUERCETIN
N-ACETYLCYSTEINE



OXIDATIVE STRESS

CURCUMINOIDS
QUERCETIN

CURCUMINOIDS
QUERCETIN
N-ACETYLCYSTEINE

SCIENTIFIC SUPPORT



Effectiveness of the integration of quercetin, turmeric, and N-acetylcysteine in reducing inflammation and pain associated with endometriosis




BEFORE:
27 out of 33 patients used NSAIDs

AFTER:
14 patients continued NSAID use

48.1%



Estimation of pain using a numerical scale



GYNECOLOGY
Medical device

Gynalis
Bacterial Vaginosis Gel

Pharmaceutical form:


Gel

Packaging:

30 ml aluminum tube with 5 cannulas

INDICATED FOR

- the relief of bacterial vaginosis symptoms



RECOMMENDED DOSAGE

- For prevention of symptoms such as discharge and odour, apply once every 3 days before sleep.
- To relieve irritation, redness, and soreness, the gel should be applied once a day, for at least 5 consecutive days, preferably before bedtime

COMPOSITION


- **Film-forming agents:** hyaluronic acid, xanthan gum, hydroxyethylcellulose
- **Moisturizing and soothing:** glycerin, betaine, panthenol, allantoin, biolin
- **pH-balancing:** lactic acid

KEY ADVANTAGES

- Forms a protective layer over the vaginal mucosa, reducing the adhesion of harmful bacteria and microorganisms
- Supports natural tissue repair and mucosal health by maintaining the optimal vaginal pH
- Light fragrance helps mask the unpleasant odour associated with bacterial vaginosis
- Can be used both internally, with the included single-use applicators, and externally on the surrounding intimate area to relieve discomfort
- Safe for use with latex condoms



CLICK  FOR MORE DETAILED PRESENTATION



GYNECOLOGY
Medical device


Gynalis
Candidiasis Cream-gel

Pharmaceutical form:

Cream-gel

Packaging:

30 ml aluminum tube with 5 cannulas



INDICATED FOR

- Use at the onset of thrush symptoms or as part of a preventive routine to maintain vaginal flora balance and reduce the risk of recurrence.

RECOMMENDED DOSAGE

- For the management of thrush, apply once daily for a minimum of 5 consecutive days, preferably before bedtime.
- To help prevent the recurrence of thrush and support overall vaginal health, apply once every 3 days before sleep.

COMPOSITION

- **Film-forming agents:** hyaluronic acid, xanthan gum, Aloe barbadensis
- **Moisturizing and soothing:** glycerin, squalane, betaine, zanthalene, panthenol, allantoin, decylene glycol, bisabolol
- **pH-balancing:** lactic acid
- **Protective action:** tocopheryl acetate (Vitamin E)

KEY ADVANTAGES

- Forms a protective layer over the vaginal mucosa, reducing the adhesion of harmful microorganisms and creating an unfavorable environment for their growth
- Supports the restoration of the natural vaginal flora balance
- Restores and maintains the natural vaginal pH
- Can be used both internally, with the included single-use applicators, and externally on the surrounding intimate area to relieve discomfort
- Safe for use with latex condoms



CLICK  FOR MORE DETAILED PRESENTATION




GYNECOLOGY
Medical device

Gynalis
Vaginal Atrophy Cream

Pharmaceutical form:
Cream

Packaging:
30 ml aluminum tube with 5 cannulas



INDICATED FOR

- management of vaginal atrophy

RECOMMENDED DOSAGE

- For the prevention of symptoms associated with vaginal atrophy, apply Gynalis Vaginal Atrophy Cream once daily for at least 5 consecutive days.
- For relief of dryness and irritation, apply as and when required.
- To help stimulate natural vaginal moisture, use daily before bedtime.

COMPOSITION


- **Barrier & film-forming agents:** paraffinum liquidum, hydroxyethylcellulose, xanthan gum, aloe barbadensis, tamarindus indica, beeswax
- **Moisturizing & soothing:** glycerin, prunus amygdalus, betaine, butyrospermum parkii butter, panthenol, allantoin, dioscorea villosa root extract, glycine soja sterols
- **pH regulation:** lactic acid
- **Protective action:** tocopheryl acetate (Vitamin E)

KEY ADVANTAGES

- Soft, moisturizing cream (O/W emulsion) with an olive oil-based emulsifier
- Forms a protective film over the vaginal mucosa and helps relieve dryness, burning, and itching
- Hydrates the vaginal tissues and prevents water loss
- Supports the balance of the vaginal flora and promotes the healing of irritated or damaged tissue by stimulating the body's natural moisture production
- Restores and maintains the natural vaginal pH
- Can be used both internally, with the included applicators, and externally on the surrounding intimate area to relieve discomfort
- Safe for use with latex condoms



CLICK  FOR MORE DETAILED PRESENTATION



GYNECOLOGY
Cosmetics

**Gynalis
Intimate Cleansing Foam**

Pharmaceutical form:
Foam

Packaging:
Bottle 40ml/100ml



INDICATED FOR

- Daily intimate hygiene and refreshment of the intimate area.

RECOMMENDED DOSAGE

- For optimal results, dispense 2-3 pumps of foam and softly massage into external intimate/vulvar area. Rinse thoroughly with clean warm water. Can be applied twice a day

COMPOSITION

- Betaine, Glycerin, Aloe Barbadensis Leaf Juice, Inulin, Lactic Acid, Bisabolol, Centaurea Cyanus Flower Water, Dioscorea Villosa Root Extract, Glycine Soja Sterols

KEY ADVANTAGES

- Gently cleanses, soothes, and refreshes while relieving discomfort, itching, redness, and soreness
- Protects the natural flora by optimizing the vaginal pH and helps restore optimal pH levels
- Foam dispenser with no gas propellants
- Mild fragrance



CLICK  FOR MORE
DETAILED
PRESENTATION



CARDIOVASCULAR

Food supplement

Ateroallis

Pharmaceutical form:

Soft-gel capsules

Packaging:

90 capsules

Recommended dosage:

One capsule three times daily, taken during or after a meal.

INDICATED FOR

- Hypertension
- Dyslipidaemia

COMPOSITION

- Fermented white garlic bulb powder
- Wild garlic leaf powder
- White and red hawthorn leaf and flower powder
- Lemon balm leaf powder

SCIENTIFIC SUPPORT

Aged garlic extract (AGE) and its primary bioactive compound, S-allylcysteine (SAC), have been extensively studied for their **antioxidant, cardioprotective, and lipid-modulating properties.**

AGE exerts antioxidant effects through multiple mechanisms: scavenging of reactive oxygen (ROS) and nitrogen (RNS) species, induction of antioxidant enzymes, activation of the Nrf2 transcription factor (a master regulator of cellular redox state) and inhibition of pro-oxidant enzymes including xanthine oxidase, cyclooxygenase, and NADPH oxidase.

Antihypertensive and lipid-lowering effects

CLICK  FOR MORE DETAILED PRESENTATION



CUSTOMER
REACH:

79 CUSTOMERS
from
77 COUNTRIES



Book your meeting:
business.development@rhei.life



Europe (30)

Austria
Belarus
Belgium
Bosnia and Herzegovina
Bulgaria
Croatia
Cyprus
Czech Republic
Estonia
Germany
Greece
Hungary
Ireland
Latvia
Lithuania
Luxembourg
Malta
Montenegro
Netherlands
North Macedonia
Poland
Portugal
Romania
Russia
Serbia
Slovakia
Slovenia
Spain
Ukraine
United Kingdom

Asia (24)

Azerbaijan
Bahrain
China
India
Indonesia
Iraq
Israel
Jordan
Kazakhstan
Kuwait
Kyrgyzstan
Malaysia
Oman
Pakistan
Philippines
Qatar
Saudi Arabia
Singapore
South Korea
Sri Lanka
Turkey
United Arab Emirates
Uzbekistan
Vietnam

Africa (6)

Egypt
Ethiopia
Kenya
Nigeria
South Africa
Uganda

America (15)

Bolivia
Canada
Colombia
Costa Rica
Dominican Republic
Ecuador
El Salvador
Guatemala
Honduras
Mexico
Nicaragua
Panama
Paraguay
Uruguay
Venezuela

Oceania (2)

Australia
New Zealand

GLOBAL CONTACTS

Global Business Development

Head of Global Business Development

Darko Petakov

darko.petakov@rhei.life

EU & CIS Markets

Predrag Jovanović

predrag.jovanovic@rhei.life

Sanja Škondrić

sanja.skondric@rhei.life

Marija Pavićević

marija.pavicevic@rhei.life

MENA Markets

David Stakić

david.stacic@rhei.life

Damla Unlu Petrović

damla.unlu.petrovic@rhei.life

APAC Markets

Slobodan Stević

slobodan.stevic@rhei.life

Teodora Mikulić

teodora.mikulic@rhei.life

LATAM Markets

Prachi Saboo

prachi.saboo@rhei.life

Maja Kostadinović

maja.kostadinovic@rhei.life

Adriatic Region

Head of Adriatic Region

Marko Jezdić

marko.jezdic@rhei.life

Dragana Jeremić

dragana.jeremic@rhei.life

Branka Janković

branka.jankovic@rhei.life

Sara Popadić

sara.popadic@rhei.life

Nikola Katana

nikola.katana@rhei.life

**WE'LL BE
THERE -
LET'S MEET**

CPHI 
by Informa

MILAN
6-8 OCT 2026

Booth 18B25

Book your meeting:

business.development@rhei.life

Serbia

Business Garden, Starine
Novaka 23, 3rd Floor
11000 Belgrade
+381 11 735 7383

Slovenia

Dunajska cesta 136
1000 Ljubljana
+381 11 735 7383