



Pharmaceutical Laboratories S.A.

PRO DU CT list



UNI-PHARMA S.A.
Pharmaceutical Laboratories,
14th km National Road,
GR 14564 Kifissia,
Athens - GREECE,
Tel.: +30-210 8072512,
www.uni-pharma.gr

A story worth telling

UNI-PHARMA KLEON TSETIS PHARMACEUTICAL LABORATORIES SA

57 years of value creation in the pharma industry:

A story worth telling

Kleon Tsetis, a restless pharmacist and researcher, with a vision to strengthen the position of Greek manufacturing in the pharmaceutical industry, established Uni-Pharma in 1963 with the mission of improving the quality of life of our fellow men by facilitating access to treatment with Innovative, high-quality, GMP and cost-efficient pharmaceutical products. Since its establishment, UNI-PHARMA has been researching, developing, manufacturing and marketing pharmaceuticals of the highest quality, covering all major therapeutic categories, with innovative highlight brands such as APOTEL® , T4® and SALOSPIR

Uni-Pharma's vision is to be among the leaders of the constantly changing pharmaceutical landscape, by offering high-quality products to patients worldwide.

Since its foundation, Uni-Pharma has grown from a small privately-held company into a large and dynamic organization, which currently holds the leading position in unit sales among Greek-owned companies in the domestic market. In order to sustain this growth, Uni-Pharma actively explores collaboration potential with commercial partners and academic Institutions, on a global scale, while tirelessly investing in technology and manufacturing excellence. Through undaunted efforts, Uni-Pharma's reach today extends to five continents and 47 countries within the Group's international network which exports to over 66 countries, leveraging on growth opportunities around the globe. UNI-PHARMA exports high-technology and innovative products under its own brands, creating value and contributing to the great national effort of re-shaping the character and dynamic of Greece's economy.

Research & Patents

With regard to research, the firm has expanded far beyond the realm of pharmaceutical technology and innovation, as it has already filed/holds 62 national patent applications/patents, certain of which granted in more than 60 countries worldwide. Only in the past three years, the firm has filed 22 new national and international patent applications in the fields of pharmaceutical active substance development and novel pharmaceutical and nutritional compositions.

The most prominent token of UNI-PHARMA's commitment in multi-dimensional business development and source of competitive advantage is a new, state-of-the-art industrial plant in Attica, which is the largest investment made in the Greek pharmaceutical industry in recent years. The new facilities are a model for safety, efficiency and automation. The bioclimatic design, allows a significant reduction in the site's energy consumption footprint, coupled with other best sustainability practices, while being in full harmony with the surrounding environment, whereas fully automated and digitized production and control systems maximize effort and output.

Business Development

At Uni-Pharma we strive to drive value by enriching our resources and capabilities through expansion of our network of collaborators.

We are seeking to identify new opportunities, diversify our portfolio and engage partners in the development of innovative solutions that will deliver maximum value to patients and healthcare professionals. From conceptualization of new products to every stage of development, dossier compilation, registration and commercialization, we focus our efforts in aligning our objectives with a global network of business partners and enablers, through a diversity of business models. You have a business idea? Share it with our team!

Our production and facilities

UNI-PHARMA's headquarters and production sites are located in Kifissia, where they are manufactured and packed:

- pharmaceutical solids: various tablet forms (plain, coated, controlled release), capsules, granules in sachets and low humidity products (effervescent tablets & granules as well as soluble granules & powders in sachets)
- semi-solids: creams, ointments, gels and suppositories
- liquids: oral solutions (syrups, elixirs and suspension in bottles, solution in drops and monodose vials) and liquids for external use
- injectables: injectable products, either by sterile filtration or by final sterilization

Production plants have a total area of 14,000 m², out of which 12,400 m² are production and packaging areas. An independent warehouse of 11,000 m² is used for the handling and storage of finished products and also as a distribution outlet.


The production facilities that UNI-PHARMA owns today, have resulted from an expansion of the first manufacturing plants, through the largest recent investment in the Greek pharmaceutical industry. The new production plant, which was completed in 2012 and started operating in 2015, is a standard of bioclimatic application, geared to the full exploitation of the climatic conditions for its operation while reducing every energy-intensive process, in full harmony with the natural environment. It is equipped with the most advanced technology systems for production, packaging and quality control, while all the processes that take place are monitored and controlled by a new, innovative modern electronic system (BMS). Production capacity of the new plant is 2 billion tablets and 50 million units of injection per year.

Uni-Pharma manufactures pharmaceutical products of innovative technologies for drug delivery of the highest quality, promising effectiveness and safety.



Pharmaceutical Laboratories S.A.

Our mission is to produce directly accessible products of high technical specifications.





CONTENTS

MEDICINAL PRODUCTS

Diabetes mellitus.....	5
Thyroid gland disorders.....	7
Nervous system disorders.....	11
Pain & fever.....	14
Non-steroidal anti-inflammatory.....	19
Cardiovascular system.....	22
Iron, B12 & folic acid deficiencies.....	27
Topical use.....	30
Gastrointestinal disorders.....	32
Eye disorders.....	35
Corticosteroids.....	37
Arthropathies & musculoskeletal disorders.....	39
Respiratory system disorders.....	41
Minerals & amino acids.....	45
Vitamins.....	49
Malaria & autoimmune disorders.....	51
Skin disorders.....	53
Ear disorders.....	55
Local anesthetics.....	57
FOOD SUPPLEMENTS.....	59
MEDICAL DEVICE.....	72
SORE THROAT.....	76
INSECT REPELLENTS.....	78
COSMETICS.....	80



DIABETES MELLITUS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Diabetes Mellitus



Glibenclamide **ASUGRIN®**

INDICATIONS

For diabetes type II



FORMS &
PACKAGING

TABLETS:
5mg BT x 30



Glimepiride **ANOVIS®**

INDICATIONS

It is indicated for the therapeutic treatment of Diabetes type II, when this type of diabetes is not properly controlled by diet, exercise and weight loss alone.



FORMS &
PACKAGING

TABLETS:
1mg BT x 30

TABLETS:
3mg BT x 30



TABLETS:
2mg BT x 30

TABLETS:
4mg BT x 30



Metformin hydrochloride **GLYCOFREN®**

INDICATIONS

Treatment of type 2 diabetes mellitus, particularly in overweight patients, when dietary management and exercise alone does not result in adequate glycaemic control.



FORMS &
PACKAGING

FILM COATED TABLETS:

850mg metformin HCL/tab
BT x 20, 28, 30, 40, 42, 50, 56, 60, 70,
80, 84, 90, 98, 100, 120, 180, 200,
300, 400 tabs
or BT x 90, 100, 400 & 500 tabs

FILM COATED TABLETS:

1000mg metformin HCL/tab
BT x 20, 28, 30, 40, 42, 50, 56, 60, 70,
80, 84, 90, 98, 100, 120, 180, 200,
300, 400 tabs
or BT x 60, 90, 400 & 500 tabs





THYROID GLAND DISORDERS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Thyroid Gland Disorders



Thiamazole **UNIMAZOLE®**

INDICATIONS

Hyperthyroidism.



TABLETS:
5mg Methimazole / tablet
(BT x 60 tablets)
(BT x 100 tablets)
(BT x 125 tablets)

TABLETS:
10mg Methimazole / tablet
(BT x 60 tablets)

TABLETS:
20mg Methimazole / tablet
(BT x 60 tablets)



Liothyronine Sodium **T3®**

INDICATIONS

Substitution therapy of hypothyroidism, non-toxic goiter, self-immunized thyroiditis, thyroid cancer etc.



TABLETS:
20 mcg/tab (BT x 30)
25 mcg/tab (BT x 30)



Levothyroxine Sodium + Liothyronine Sodium **DITHYRON®**

INDICATIONS

Substitution therapy of thyroid function in hypothyroidism of any kind. Therapy of sub acute and chronic thyroiditis (Quervain and Hashimoto's diseases). Inhibitive therapy in non toxic goitre and thyrogenic carcinoma.



TABLETS:
(50 + 12.5)mcg/tab
(BT x 30 tabs)



Pharmaceutical Laboratories S.A.

Thyroid Gland Disorders



Levothyroxine Sodium

T4®

INDICATIONS

Hypothyroidism.



FORMS & PACKAGING

TABLETS:

12 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

25 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

50 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

62 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

75 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

88 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

100 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

112 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

125 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

137 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

150 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

175 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)

TABLETS:

200 mcg Levothyroxine Sodium /tablet (BT x 30 tablets)



Levothyroxine Sodium

T4®

INDICATIONS

Hypothyroidism.



FORMS & PACKAGING

ORAL DROPS SOL:

100 mcg Levothyroxine Sodium /bottle (BT x 1 bottle x 30 ml)



Pharmaceutical Laboratories S.A.

Thyroid Gland Disorders



Propylthiouracil **PROTHURIL®**

INDICATIONS

Hyperthyroidism.



TABLETS:
50mg Propylthiouracil/tablet
(BT x 60 tablets)



Levothyroxine Sodium **THYROFIX®**

INDICATIONS

Substitution therapy of thyroid function in hypothyroidism of any kind. Therapy of sub acute and chronic thyroiditis (Quervain and Hashimoto's diseases). Inhibitive therapy in non toxic goitre and thyrogenic carcinoma.



TABLETS:
13 mcg/tab (BT x 100)
25 mcg/tab (BT x 100)
50 mcg/tab (BT x 100)
62 mcg/tab (BT x 100)
75 mcg/tab (BT x 100)
88 mcg/tab (BT x 100)
100 mcg/tab (BT x 100)
112 mcg/tab (BT x 100)
125 mcg/tab (BT x 100)
137 mcg/tab (BT x 100)
150 mcg/tab (BT x 100)
175 mcg/tab (BT x 100)
200 mcg/tab (BT x 100)



NERVOUS SYSTEM DISORDERS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Nervous System Disorders



Betahistine Dihydrochloride

ANTIVOM®

INDICATIONS

Vertigo and hearing disturbances
in labyrinthine disorders. Meniere's syndrome.



TABLETS:

TABLETS:

8mg Betahistine Dihydrochloride/tablet
(BT x 30 tablets) & (BT x 50 tablets)

TABLETS:

TABLETS:

16mg Betahistine Dihydrochloride/tablet
(BT x 30 tablets) & (BT x 50 tablets)

24mg Betahistine Dihydrochloride/tablet
(BT x 30 tablets) & (BT x 50 tablets)

DROPS:

DROPS:

8mg Betahistine Dihydrochloride/ml
(Bottle of 30 ml)

OR.DISP.TABS:

24mg Betahistine
Dihydrochloride/tablet
(BT x 30 tablets) &
(BT x 60 tablets)



Piracetam

OXYNIUM®

INDICATIONS

Cerebral stimulant, allowing better cerebral oxygenation.
Cerebral infarction. Psychobehavioral disorders in cerebral aging.



FILM COATED TABLETS:

1.200mg
Piracetam/film coat tablet
(BT x 30 f.c. tablets)

COATED TABLETS:

800mg
Piracetam/film coat tablet
(BT x 30 f.c. tablets)

INJECTABLE SOLUTION:

Inj. sol. 1000mg/5ml amp.
(BT x 12 amps x 5ml)
(BT x 3 amps x 5ml)

ORAL SOLUTION (VIALS):

1.250mg Piracetam/10ml
(BT x 20 divided-dose vials
of 10mls)



Pharmaceutical Laboratories S.A.

Nervous System Disorders



Hydroxyzine HCl **IREMOPHAR®**

INDICATIONS

Anxiety, adjunctive treatment in stress related urticaria.



FORMS &
PACKAGING

FILM COATED TABLETS:
25mg Hydroxyzine HCl/film coated tab.
(BT x 30 f.c.tablets)

ORAL SOLUTION:
10mg Hydroxyzine HCl/5ml
(Bottle of 150 ml)



Levetiracetam **ESSION®**

INDICATIONS

Antiepileptics.



FORMS &
PACKAGING

GRANULES FOR ORAL SOLUTION:
500mg Levetiracetam/sachet
(BT x 30 sachets)

GRANULES FOR ORAL SOLUTION:
1000mg Levetiracetam/sachet
(BT x 30 sachets)



PAIN & FEVER MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Pain & Fever



Paracetamol + Ascorbic acid **APOTEL C-500®**

INDICATIONS

Analgesic-Antipyretic



EFFERVESCENT TABLETS:

500 mg Paracetamol + 300 mg Vitamin C/eff.tab.
(BT x 12 eff.tabs)



Paracetamol **APOTEL®**

INDICATIONS

Antipyretic-Analgesic



TABLETS:

500mg Paracetamol/tablet
(BT x 20 tablets)

TABLETS:

1000mg Paracetamol/tablet
(BT x 8 tablets)
(BT x 16 tablets)

EFFERVESCENT TABLETS:

500 mg Paracetamol
(BT x 12 eff.tablets)

COATED TABLETS:

500 mg Paracetamol
(BT x 20 coated tablets)

ORAL SOLUTION DROPS:

100 mg Paracetamol/ml
(Bottle of 30 ml & Dosemeter
droplet counter)

SUPPOSITORIES:

125 mg Paracetamol
(BT x 5 suppositories)

SYRUP:

120 mg Paracetamol/5ml
(Bottle of 120 ml)

EFFERVESCENT GRANULES:

80mg BT X 10sach
160mg BT X 10sach
500mg BT X 10sach

SUPPOSITORIES:

250 mg Paracetamol
(BT x 5 suppositories)

SUPPOSITORIES:

500 mg Paracetamol
(BT x 5 suppositories)

ELIXIR:

120mg/5ml Fl X 60ml

SOL. INF:

600mg/4ml BT X 3



Paracetamol **APOTEL® HOT Lemon & Honey**

HOT REMEDY

INDICATIONS

Analgesic-Antipyretic




EFFERVESCENT GRANULES:

1000mg Paracetamol/sachet
(BT x 20 sticks)
(BT x 20 sachets)



Pharmaceutical Laboratories S.A.

Pain & Fever



Paracetamol **APOTEL® MAXIMUM 1g**

INDICATIONS

Analgesic-Antipyretic



EFFERVESCENT TABLETS:

1000mg Paracetamol / effervescent tablet
(BT x 8 eff. tablets)

Paracetamol **APOTEL PROPOLIS®**

WITH PROPOLIS EXTRACT

INDICATIONS

Analgesic-antipyretic.



EFFERVESCENT GRANULES:

1000 mg Paracetamol/stick
(BT x 20 sticks)

Paracetamol **APOTEL®**

INDICATIONS

Analgesic-antipyretic. It is indicated for the short term management of mild pain, especially after surgical operations. It is also indicated for the short term management of fever, when the intravenous administration is clinically justified in an emergency case, for the management of pain or hyperthermia and/or when other routes of administration are not possible.



SOL.IV.INF:

1000mg Paracetamol/6.7ml AMP (BT x 3 amps)

Paracetamol **APOTEL® MAX**

INDICATIONS

Analgesic-antipyretic. It is indicated for the short term management of mild pain, especially after surgical operations. It is also indicated for the short term management of fever, when the intravenous administration is clinically justified in an emergency case, for the management of pain or hyperthermia and/or when other routes of administration are not possible.



Solution for infusion:

1g/100 ml
BT x 3 vials x 100ml
BT x 12 vials x 100ml

BT x 3 bags x 100ml
BT x 12 bags x 100ml





Pharmaceutical Laboratories S.A.

Pain & Fever

Paracetamol + Caffeine APOTEL EXTRA®

INDICATIONS

Antipyretic-Analgesic



EFFERVESCENT TABLETS:

500mg Paracetamol + 65mg
Caffeine /eff. tablet
(BT x 12 eff.tabs)

TABLETS:

500mg Paracetamol + 65mg
Caffeine /tablet
(BT x 10 tablets)
(BT x 12 tablets)
(BT x 16 tablets)

Paracetamol + Lidocaine HCl APOTEL PLUS®

INDICATIONS

In the management of pain in surgery and particularly in post-surgical conditions and in the management of neoplastic pain as well. It is also indicated for the symptomatic therapy fever due to infections and neoplasia.



INJECTABLE SOLUTION:

600mg Paracetamol + 20mg
Lidocaine HCl/4ml
(BT x 3 amps) & (BT x 5 amps)

Acetylsalicylic acid + Paracetamol + Caffeine SPLENTIR®

INDICATIONS

Mainly indicated for the treatment of:

Mild to moderate pain (headaches, neuralgia, myalgia, arthralgia, toothache, dysmenorrhea).

Less effective at: Pain management in trauma or postpartum pain.

As an antipyretic in: Feverish conditions.



TABLETS

400 mg acetylsalicylic acid
+ 200 mg paracetamol + 50 mg caffeine:
BT X 10
BT X 50 (blist 5x10)
BT X 30 (blist 3x10)

EFFERVESCENT TABLETS

400 mg acetylsalicylic acid
+ 200 mg paracetamol + 50 mg caffeine:
BT X 12

Paracetamol + N-Acetylcysteine + Pseudoephedrine hydrochloride + Chlorphenamine maleate TREBON GRIPPE® DAY & NIGHT

INDICATIONS

Analgesic, Antipyretic, Decongestant,
Mucolytic, Antihistamine



BT x 16 eff. tablets

(day tabs 3 x 4 + night tabs: 1 x 4)

DAY TABLETS: 500mg Paracetamol + 200mg N-Acetylcysteine
+ 40mg Pseudoephedrine hydrochloride / eff. tablet

NIGHT TABLETS: 500mg Paracetamol + 4mg
Chlorphenamine maleate / eff. tablet



Pharmaceutical Laboratories S.A.

Pain & Fever



Orphenadrine Citrate + Paracetamol **UNIGESIC®**

INDICATIONS

Skeletal muscle relaxant with analgesic.

- Tension headache, occipital headaches associated with spasm of skeletal muscles in the region of the head and neck.
- Acute or chronic low back pain.
- Acute and traumatic conditions of the limbs and trunk: sprains, strains, whiplash injuries, acute torticollis, prolapsed intervertebral disc.
- Non-articular rheumatism (fibrositis, myositis and myalgia) associated with muscle spasm.



TABLETS

35 mg orphenadrine citrate + 450 mg paracetamol:
BT x 30 tablets

Paracetamol + Ibuprofen **UNITEK®**

INDICATIONS

Mild to moderate pain (headaches, neuralgia, myalgia, arthralgia, toothache, dysmenorrhea).



FC TABLETS:

500 mg paracetamol + 200 mg ibuprofen /fc tab
(BT x 20 FC TABS)
(BT x 30 FC TABS)



NON-STEROIDAL ANTI-INFLAMMATORY

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Non-steroidal anti-inflammatory



Ketoprofen **DRASTIREL®**

INDICATIONS

Treatment of rheumatoid arthritis, osteoarthritis, ankylosing spondylitis and other musculoskeletal conditions, including synovitis, tendonitis and low back pain. It is also useful to relieve the pain of acute gout and dysmenorrhoea.



CAPS: 50mg Ketoprofen

BT x 30 capsules

CON. R. CAPS.: 200mg Ketoprofen (BT x 14 capsules)

SUPPOSITORIES: 100mg/SUPP. (BT x 12)

CREAM EXT. USE: 2,5%

Tube of 50g

INJECTABLE SOLUTION:

100mg/2ml AMP (BT x 5 amps)

CAPS: 50mg/cap (BT x 30)



Acetclofenac **IASAN®**

INDICATIONS

Relief of the pain and inflammations in osteoarthritis, rheumatoid arthritis and ankylosing spondylitis.



F.C.TABLETS:

100MG BT X 30 & BT X 40



Acetylsalicylic acid **SALOSPIR®**

INDICATIONS

Pain of mild to moderate severity, fever, thrombosis.



GASTRO-RESISTANT TABLETS:

500mg Acetylsalicylic Acid/gr. tablets

(BT x 20 gr. tablets)

(BT x 50 gr. tablets)

TABLETS:

500 mg Acetylsalicylic Acid/tabs

(BT x 20 tablets)

EFFERVESCENT TABLETS:

500mg Acetylsalicylic Acid/eff. tablets

(BT x 12 eff. tablets)



Pharmaceutical Laboratories S.A.

Non-steroidal anti-inflammatory



Acetylsalicylic acid & Ascorbic acid **SALOSPIR C-500®**

INDICATIONS

Analgesic, Antipyretic.



EFFERVESCENT TABLETS:

500mg Acetylsalicylic Acid+300 mg Vitamin C
eff. tab. (BT x 12 eff. tabl)



Diclofenac Sodium **MINIFLAM®**

INDICATIONS

Relief from symptoms of inflammation such as swelling and pain in various conditions: musculoskeletal and joint disorders, peri-articular disorders, soft-tissue disorders. Therapy should not exceed the 2 weeks.



CUTANEOUS SOLUTION:

1,5% w/w
Bottle x 60ml

GEL: 1% w/w

Tube x 50g
& Tube x 100g

MEDICATED PLASTER:

180 mg
BT x 5
BT x 10



CARDIOVASCULAR SYSTEM

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Cardiovascular System



Bisoprolol fumarate + Acetylsalicylic acid **CURILEN®**

INDICATIONS

Arterial Hypertension and angina in patients on monotherapy.



HARD CAPSULES:

5mg Bisoprolol fumarate + **100mg** Acetylsalicylic acid/cap
BT x 10 caps, BT x 14 caps,
BT x 28 caps, BT x 30 caps
BT x 56 caps, BT x 60 caps,
BT x 90 caps, BT x 98 caps
BT x 100 caps

HARD CAPSULES:

10mg Bisoprolol fumarate + **100mg** Acetylsalicylic acid/cap
BT x 10 caps, BT x 14 caps
BT x 28 caps, BT x 30 caps
BT x 56 caps, BT x 60 caps,
BT x 90 caps, BT x 98 caps
BT x 100 caps

10mg Bisoprolol fumarate + **75mg** Acetylsalicylic acid/cap
BT x 14 caps
BT x 28 caps, BT x 30 caps
BT x 90 caps

Bisoprolol hemifumarate **BLOCATENS®**

INDICATIONS

- Arterial Hypertension
- Coronary heart disease



COATED TABLETS:
10mg/c. tab (BT x 30 tabs)



Eplerenone **EPLERIUM®**

INDICATIONS

It is indicated to prevent your heart failure worsening after a recent heart attack, in combination with other drugs that are used to treat your heart failure.



FC TABLETS 25 mg, 50 mg:

BT x 10 fc tabs
BT x 20 fc tabs
BT x 30 fc tabs
BT x 50 fc tabs
BT x 90 fc tabs
BT x 100 fc tabs



Fish oil (Omega-3 Polyunsaturated Fatty Acids) **PROLIPID®**

INDICATIONS

Hypertriglyceridemia. To be combined with an appropriate hypocholesterolemic diet.



SOFT GELATIN CAPSULES:

Fish oil 500 mg (EPA 18% + DHA 12%)/cap.

(BT x .60 & BTx120 soft gel caps).

Fish oil 1000 mg (EPA 18% + DHA 12%)/cap.

(BT x 30, BT x 60 BTx120 soft gel caps).



Pharmaceutical Laboratories S.A.

Cardiovascular System



Hydrochlorothiazide **DIUREN®**

INDICATIONS

Diuretic



FORMS &
PACKAGING

TABLETS:
25mg Hydrochlorothiazide/tablet
(BT x 20 tablets)



Amlodipine besilate **KARPIN®**

INDICATIONS

Hypertension, Angina pectoris



FORMS &
PACKAGING

CAPSULES:
10mg Amlodipine besilate/cap. (BT x 14 caps)



Calcium Dobesilate **DOXYTREX®**

INDICATIONS

Diabetic retinopathy.
Chronic venous deficiency.



FORMS &
PACKAGING

CAPSULES: 500mg Calcium Dobesilate/capsule (BT x 30 capsules)
TABLETS: 250mg/tab (BT x 30 tablets)



Pharmaceutical Laboratories S.A.

Cardiovascular System



Bisoprolol fumarate **THERACOR®**

INDICATIONS

Treatment of stable chronic heart failure.



FILM-COATED TABLETS:
5 mg/f.c tab (BT x 30 tabs)

Bisoprolol fumarate + Hydrochlorothiazide **THERACOR PLUS®**

INDICATIONS

Idiopathic Hypertension, in patients in whom blood pressure is not adequately controlled by bisoprolol or hydrochlorothiazide.



FILM COATED TABLETS:
BT x 30 tablets
BT x 60 tablets
BT x 90 tablets



Simvastatin **NORMOTHERIN®**

INDICATIONS

Antihyperlipidemic.



FILM COATED TABLETS:
80mg Simvastatin
(BT x 10 f.c. tablets)
(BT x 130 f.c. tablets)

FILM COATED TABLETS:
10mg Simvastatin
(BT x 10 f.c. tablets)
(BT x 30 f.c. tablets)

FILM COATED TABLETS:
20mg Simvastatin
(BT x 10 f.c. tablets)
(BT x 30 f.c. tablets)




FILM COATED TABLETS:
40mg Simvastatin
(BT x 10 f.c. tablets)
(BT x 30 f.c. tablets)



Pharmaceutical Laboratories S.A.

Cardiovascular System



Acetylsalicylic acid **SALOSPIR®**

INDICATIONS

Pain of mild to moderate severity, fever, thrombosis.



GASTRO-RESISTANT TABLETS:

80mg Acetylsalicylic Acid/gr. tablets
(BT x 20 gr. tablets)

GASTRO-RESISTANT TABLETS:

100mg Acetylsalicylic Acid/gr. tablets
(BT x 20 gr. tablets)

GASTRO-RESISTANT TABLETS:

325mg Acetylsalicylic Acid/gr. tablets
(BT x 20 gr. tablets)
& (BT x 100 gr. tablets)



IRON, B12 & FOLIC ACID DEFICIENCIES

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Iron, B12 & Folic acid Deficiencies



Hydroxocobalamin Acetate **ARTICLOX®**

INDICATIONS

Megaloblastic anemia on account of vitamin B12 deficiency. Preventive therapy to individuals with gastrectomy or total ileoectomy and in parenteral alimentation.



INJECTABLE SOLUTION:

1mg/2ml AMP. (BT x 3 ampoules)
5mg/2ml AMP. (BT x 3 ampoules)
10mg/2ml AMP. (BT x 3 ampoules)



Folic Acid **FANOLIT®**

INDICATIONS

For the treatment of folic acid deficiency



TABLETS:

0.5 mg/tab (BTx30)
5 mg/tab (BTx30)



Iron protein acetyl aspartilate **OMALIN®**

INDICATIONS

For treatment of iron deficiency in children and adults.



ORAL SOLUTION:

800 mg IRON PROTEIN ACETYL ASPARTILATE/15 ml.
BT x 10 vials x 15 ml

Iron protein acetyl aspartylate + calcium folinate **OMALIN Plus®**

INDICATIONS

For mild iron deficiency and for the prevention of pregnancy and lactation anemia.



ORAL SOLUTION:

Oral solution 800 mg IRON PROTEIN ACETYL ASPARTILATE + 0.2 mg CALCIUM FOLINATE /15 ml.
BT x 10 vials x 15 ml
BT x 20 vials x 15 ml



Pharmaceutical Laboratories S.A.

Iron, B12 & Folic acid Deficiencies



Ferric Hydroxide Polymaltose Complex + Folic acid **HEMAFER FOL®**

INDICATIONS

Iron deficiency of any cause and iron deficiencies without anaemia.



FORMS &
PACKAGING

CHEWABLE TABLETS:

1,5% w/w 357 (100Fe+++)^{mg}
Iron hydroxide polymaltose complex
+0,350mg Folic acid/tablet.
(BT x 30 chew. tablets)

EFFERVESCENT TABLETS:

357 (100Fe+++)^{mg}
Iron hydroxide polymaltose complex
+0,350mg Folic acid/eff.tablet
(BT x 12 eff. tabl.)
(BT x 28 eff. tabl.)
(Tube of 10 eff. tabl.)

Ferric Hydroxide Sucrose Complex **HEMAFER-S®**

INDICATIONS

Therapeutically: Sideropenic anaemias of any etiology which are usually revealed with difficulty.

Prophylactically: Cases of chronic blood loss or cases that favour the appearance of sideropenia (pregnancy, chronic bleeding conditions, after gastrectomy, diet given to babies poor in iron or for special cases such as twins, premature babies and low body weight infants).



FORMS &
PACKAGING

Cs. SOL. INF.:

100mg/5ml (20mg/ml) AMP
BT x 5 AMPS x 5ml

Ferric Hydroxide Polymaltose Complex **HEMAFER®**

INDICATIONS

Iron deficiency of any cause



FORMS &
PACKAGING

CHEWABLE TABLETS:

100mg Iron(III)/tablet
(BT x 30 chew. tabl.)
(BT x 50 chew. tabl.)
(BT x 100 chew. tabl.)

ORAL SOLUTION

SINGLE DOSE:
100mg Iron(III)/5ml
(BT x 10 vials)

DROPS ORAL

SOLUTION:
50mg Iron(III)/ml
(Bottle of 30ml)

SYRUP:

50mg Iron(III)
/5ml (Bottle of 125ml)

EFFERVESCENT

TABLETS:
357 (100Fe+++)^{mg}
Iron hydroxide polymaltose complex/eff. tablet
(BT x 12 eff. tabl.)
(BT x 28 eff. tabl.)
(Tube of 10 eff. tabl.)





TOPICAL USE
MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Topical Use



Mequinol **LEUCODININE-M®**

INDICATIONS

Dermatological Hyperpigmentation.



EXTERNAL OINTMENT:

10% Mequinol/tube of ointment for external use
Tube of 20g
Tube of 50g
Tube of 100g



Minoxidil **LOTORIN®**

INDICATIONS

Male pattern baldness (alopecia).



CUTANEOUS SOLUTION:

Solution 2% w/v
(Bottle of 60 ml + 3 applicators)

CUTANEOUS SOLUTION:
Solution 5% w/v
(Bottle of 60 ml + 3 applicators)



Acyclovir **UNIPLEX®**

INDICATIONS

Antiviral therapy of herpes simplex infections of the skin & mucous, including those of initial and relapsed herpes of the genital organs



TABLETS:

200mg/tab (BT x 30)
400mg/tab (BT x 30)

CREAM EXTERNAL USE:

5% (Tube of 10g)
5% (Tube of 2g)

OINTMENT EXTERNAL USE:

5% (Tube of 15g)



GASTROINTESTINAL DISORDERS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Gastrointestinal Disorders



Loperamide HCl **RHEOSTOP®**

INDICATIONS

It is administered in acute diarrhea or in chronic diarrhea. It is also administered to categorize of patients that have undergone partial intestine removal, a situation that usually causes diarrhea.



OR. DISP. TAB:
2mg Loperamide/tab.
(BT x 6) & (BT x 12)



Sucralfate **PEPTONORM®**

INDICATIONS

Short term treatment of duodenal ulcer, chronic gastritis and reflux esophagitis.



TABLETS:
0,875g Sodium chloride + 0,375g Potassium chloride + 0,725g Sodium citrate + 5,00g Dextrose anhydrous/sachet (BT x 20 sach.)

GRANULES ORAL SUSP. SD.:
1g sucralfate/sachet
BT x 20 sachet,
BT x 30 sachet

ORAL SUSPENSION SD:
1g sucralfate/5 ml sachet
BT x 20 sachet,
BT x 30 sachet



Paracetamol + Hyoscine Butylbromide **SPASMO-APOTEL®**

INDICATIONS

Spasmolytic, Analgesic.



COATED TABLETS:
500mg Paracetamol + 10mg Hyoscine Butylbromide/c.tablet
(BT x 20 c.tabl)
& (BT x 40 c.tabl)

SUPPOSITORIES:
800mg Paracetamol + 10mg Hyoscine Butylbromide/supp.
(BT x 5 supp)

INJECTABLE SOLUTION:
600mg Paracetamol + 20mg Hyoscine Butylbromide/4ml.
(BT x 3 Amps x 4ml)
(BT x 5 amps x 4ml)



Pharmaceutical Laboratories S.A.

Gastrointestinal Disorders



Betaine citrate **ALKACITRAT®**

INDICATIONS

Indigestion (slow digestion, bloating).



EFF.TABS:
2g Betaine citrate/tab
BT x 10 eff.tabs
BT x 20 eff.tabs



Homatropine Methylbromide **NOPAR®**

INDICATIONS

Anticholinergic, Spasmolytic.



ORAL SOL. D.:
4mg Homatropine Methylbromide/ml
(Bottle of 15 ml)



Ranitidine hydrochloride **ZOLIDEN®**

INDICATIONS

Treatment of duodenal benign gastric and post-operative ulceration, oesophageal reflux etc.



EFFERVESCENT TABLETS:
150 mg Ranitidine HCl/eff. tab.
(BT x 12 eff. tablets), (BT x 10)



Macrogol + Sodium chloride + Sodium hydrogen carbonate + Potassium chloride **CLINITRAT®**

INDICATIONS

It is indicated for the treatment of:

- chronic constipation in adults, adolescents (12 years of age and older), elderly patients and children aged from 2 to 11 years.
- faecal impaction in adults, adolescents, elderly patients and children from the age of 5 years and above, which is defined as resistant to the treatment of constipation, by filling the rectum and/or colon with stools, which has been confirmed by physical or radiological examination of the abdomen and the colon.



SACHETS:
BT X 10, BT X 20

STICKS:
BT X 10, BT X 20



EYE DISORDERS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Eye Disorders



Latanoprost+Timolol maleate **OPHTHA CUR®**

INDICATIONS

For the reduction of high intraocular pressure (IOP) in patients with open angle glaucoma and ocular hypertension who are insufficiently treated with topical b-blockers or prostaglandin analogues.



EY. ORO. SOL

50 mg latanoprost + 5 mg timolol/ml
BT x 1 vial/2.5 ml
BT x 3 vial/2.5 ml
BT x 6 vial/2.5 ml



Dorzolamide HCl+Timolol maleate **OPHTHA BIOTIC®**

INDICATIONS

For the reduction of high intraocular pressure (IOP) in patients with open angle glaucoma, who are insufficiently treated with topical b-blockers.



EY. DRO. SOL

20 mg dorzolamide + 5 mg timolol/ml
BT x 1 vial/5 ml
BT x 3 vial/5 ml
BT x 6 vial/5 ml



Dorzolamide hydrochloride **ODYRAL®**

INDICATIONS

As additional therapy to b-blockers. As monotherapy to patients who do not respond to b-blockers or who are contraindicated using beta-blockers to treat increased intraocular pressure.



EY. DRO. SOL

20mg/ml
BT X 1 VIAL/5ml
BT X 3 VIAL/5ml
BT X 6 VIAL/5ml

Bimatoprost **UP-46®**

INDICATIONS

Reduction of high intraocular pressure (IOP) in chronic open angle glaucoma and ocular hypertension in adults (as monotherapy or as additional therapy to beta-blockers).



EY. DRO. SOL:

0.3mg/ML
BT X 1 FL X 3ml



CORTICOSTEROIDS



Pharmaceutical Laboratories S.A.

Corticosteroids



Dexamethasone

AXIUM®

INDICATIONS

Corticosteroid; designed for use in certain endocrine and non-endocrine disorders, in certain cases of cerebral oedema and for diagnostic testing of adrenocortical hyperfunction.



FORMS &
PACKAGING

ORAL SOLUTION:

Bottle x 75 ml
Bottle x 150 ml
2 mg dexamethasone /5ml



Methylprednisolone

PROVIST®

INDICATIONS

It is indicated for the treatment of various pathological conditions, which may relate to:

- endocrine disorders
- rheumatic diseases and collagen diseases
- skin diseases
- allergic conditions
- eye diseases
- respiratory diseases
- haematological disorders
- neoplastic diseases
- edematous states
- gastrointestinal disorders
- central nervous system disorders
- tuberculous meningitis
- trichinosis



TABLETS (QUADRISECT):
BT x14



Budesonide

LISOBRON®

INDICATIONS

It is indicated in the superficial skin alterations not induced by microorganisms sensitive to corticosteroids but not sufficiently responding to mild action preparations like: usual psoriasis, lichen ruber, lichen planus et atrophicus, vascular sole (ANDREWS-BARBER). Management of serious or resistant to therapy cases of eczema.



CREAM

0,025% Budesonide (Tube of 30g), (Tube of 50g)

Hydrocortizone

EDICOT®

INDICATIONS

Replacement therapy in congenital adrenal hyperplasia in children. Emergency treatment of severe bronchial asthma, drug hypersensitivity reactions, serum sickness, angioneurotic oedema and anaphylaxis in adults and children.



TABLETS:

20 mg Hydrocortizone/tablet
(BT x 30 tablets)



ARTHROPATHIES & MUSCULOSKELETAL DISORDERS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Arthropathies & Musculoskeletal Disorders



Allopurinol **SOLURIC®**

INDICATIONS

Prophylaxis of gout and of uric acid and calcium oxalate renal stone.



FORMS &
PACKAGING

CONTROLLED RELEASE TABLETS:

300mg Allopurinol/c.r.tablet
(BT x 30 c.r. tablets)

TABLETS:

100mg Allopurinol/tablet
(BT x 25 tabl.), (BT x 30)

TABLETS:

300mg Allopurinol/tablet
(BT x 28 tabl.), (BT x 30)



Disodium Etidronate **OSTOPOR®**

INDICATIONS

Paget's disease. Established vertebral osteoporosis.
Postmenopausal Osteoporosis.



FORMS &
PACKAGING

CAPSULES:

200mg Etidronate Disodium/capsule
(BT x 30 capsules)

CAPSULES:

300mg Etidronate Disodium/capsule
(BT x 30 capsules)

EFFERVESCENT TABLETS:

400mg Etidronate Disodium/eff. tabl.
(BT x 14 eff. tablets)



Glucosamine sulfate **BEST®**

INDICATIONS

Relief therapy for the symptoms of osteoarthritis.



FORMS &
PACKAGING

PD.OR.SOL.:

1,5g/sach BT x 20 sach



RESPIRATORY SYSTEM DISORDERS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Respiratory System Disorders



Montelukast Sodium **ASCOLIN®**

INDICATIONS

For the treatment of asthma.



FORMS &
PACKAGING

CHEWABLE TABLETS:

5 mg/tab

BT x10, x14, x30

4mg/tab

BT x10, x14

FILM COATED TABLETS:

10 mg/tab

BT x 10, BT x 14 & BT x 30



Cetirizine Dihydrochloride **HISTAFREN®**

INDICATIONS

Anti-histaminic. Symptomatic treatment of seasonal and chronic allergic rhinitis, conjunctivitis, itching of allergic etiology.



FORMS &
PACKAGING

F.COATED TABLETS:

10mg Cetirizine HCl/tablet
(BT x 20 f.c.tablets)

EFFERVESCENT TABLETS:

10mg Cetirizine HCl/eff.tablet
(BT x 12 eff.tabl.)

ORAL DROPS (or.dr.sol.):

10mg Cetirizine HCl/ml
(Bottle of 20ml)



Theophylline Anhydrous **UNIPHYLIN®**

INDICATIONS

Bronchial asthma, reversible airway obstruction, etc.



FORMS &
PACKAGING

SUSTAINED-RELEASE TABLETS:

100mg (BT x 30 sr tablets)

200mg (BT x 30 sr tablets)

300mg (BT x 30 sr tablets)

INJECTABLE SOLUTION:

240mg Theophylline as Monohydrate/4ml inj. sol.
(BT x 3 amps)



Pharmaceutical Laboratories S.A.

Respiratory System Disorders

Chlorphenamine maleate **DRASTINO(N)®**

INDICATIONS

Antihistamine for the relief of the symptoms of seasonal and chronic allergic rhinitis, vasomotor rhinitis and allergic conjunctivitis.



FORMS &
PACKAGING

TABLETS

4mg/tab
BT x 20 tablets

Budesonide **LISOBRON®**

INDICATIONS

Management of symptoms of seasonal or perennial rhinitis in adults and children (over 6 years) and in adults perennial non-allergic rhinitis.



FORMS &
PACKAGING

NASAL SPRAY SUS.:

50mcg Budesonide/dose (Fl X10ml – 200 doses)

Butamirate Citrate **ZETAPRON®**

INDICATIONS

Pharyngeal antiseptic indicated for the treatment of non-productive cough.



FORMS &
PACKAGING

SYRUP:

7,5mg Butamirate citrate/5ml (Bottle of 200ml)



Pharmaceutical Laboratories S.A.

Respiratory System Disorders



Flurbiprofen **STRABEN®**

INDICATIONS

Short term symptomatic relief of sore throat in adults and children over the age of 12 years.



FORMS & PACKAGING

LOZENGES

8.75 mg flurbiprofen
(BT x 14)
(BT x 20)



Acetylcysteine **TREBON-N®**

INDICATIONS

Liquefies mucus secretions & facilitates expectoration.



GRANULES ORAL SUS.:
100mg N-Acetylcysteine/
sach.gran.oral sus.
(BT x 20 sachets)

GRANULES ORAL SUS.:
200mg N-Acetylcysteine/
sach.gran.oral sus.
(BT x 20 sticks)

GRANULES ORAL SUS.:
200mg N-Acetylcysteine/
sach.gran.oral sus.
(BT x 20 sachets)

GRANULES ORAL SUS.:
600mg N-Acetylcysteine/
sach.gran.oral sus.
(BT x 20 sachets)

GRANULES ORAL SUS.:
600mg N-Acetylcysteine/
sach.gran.oral sus.
(BT x 20 sticks)

POWDER ORAL SUSPENSION:
200mg N-Acetylcysteine/5ml
(Bottle of 120ml)

EFF. TABLETS:
600mg N-Acetylcysteine/eff. tab.
(BT x 12 sachets)
(BT x 20 sachets)

Acetylcysteine **TREBON-N Honey & Lemon®**

HONEY & LEMON FLAVOUR

INDICATIONS

Liquefies mucus secretions & facilitates expectoration.



GRANULES ORAL SUS.:
600mg N-Acetylcysteine/
sach.gran.oral sus.
(BT x 20 sachets)



MINERALS & AMINO ACIDS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Minerals & Amino acids



Mono Magnesium-L-Aspartate Hydrochloride Trihydrate **TROFOCARD®**

INDICATIONS

Established magnesium deficiency.
Magnesiotherapy.



FORMS &
PACKAGING

GASTRORESISTANT TABLETS:

614,8mg (60.77 Mg2+)
Magnesium-L Aspartate /gr tablets.
(BT x 30gr. tablets)

GR. OR. SD.:

1229,6mg (121.5 Mg2+)
Magnesium-L-Aspartate/sach.
(BT x 20 sach. 5g)

INJECTABLE SOLUTION:

614,8mg (60.77 Mg2+)
Magnesium-L Aspartate/ampoule
(BT x 6 ampoules x 5ml & BT x 12 ampoules x 5ml)

GR. OR. SD.:

1229,6mg (121.5 Mg2+)
Magnesium-L-Aspartate/sach.
(BT x 20 sticks 5g)



Magnesium-L-Aspartate Hydrochloride Trihydrate **TROFOCARD® MAX**

INDICATIONS

Established magnesium deficiency. Magnesiotherapy.



FORMS &
PACKAGING

FILM-COATED TABLETS:

1229.6 (121.56Mg++)
Magnesium-L Aspartate/f.c.tablets (BT
x 30 f.c.tablets)


GR. OR. SD.:

2,459.2 (243 Mg++) mg/sachet,
(BT x 20 sachets x 5 g)



Pharmaceutical Laboratories S.A.

Minerals & Amino acids



Calcium Carbonate **BODY-CALCIN®**

INDICATIONS

Treatment and prevention of calcium deficiency.



FORMS &
PACKAGING

CHEWABLE TABLETS:
500mg Calcium carbonate
(BT x 20 chew.tablets)



Calcium carbonate + cholecalciferol **BODY-CALCIN® D3**


INDICATIONS

calcium and vitamin D deficiency



FORMS &
PACKAGING

CHEWABLE TABLETS:
500 mg calcium + 400 IU vitamin D/chw tab
(BT x 20 CHW TABS)



Calcium carbonate + cholecalciferol **BODY-CALCIN® D3 FORTE**

INDICATIONS

calcium and vitamin D deficiency



FORMS &
PACKAGING

CHEWABLE TABLETS:
500 mg calcium + 800 IU vitamin D/chw tab
(BT x 20 CHW TABS)



UNI-PHARMA

Pharmaceutical Laboratories S.A.

Minerals & Amino acids



Calcium **CALCIOMAX M.A.®**

INDICATIONS

- Prevention and treatment of calcium deficiency
- Calcium supplement as an adjunct to specific therapy in the prevention and treatment of osteoporosis
- Rickets and osteomalacia, in addition to vitamin D3 therapy



EFFERVESCENT TABLETS

1000 mg/tab
BT x 10 efft.tablets & BT x 20 efft.tablets



L-Carnitine

INTELECTA®

INDICATIONS

Levcarnitine deficiency.



INJECTABLE AMPOULES:

1g L-Carnitine/5ml (BT x 6 ampoules)
2g L-Carnitine/5ml (BT x 6 ampoules)

ORAL SOLUTION SINGLE DOSE:

1g L-Carnitine/10ml monodosimetric vial
(BT x 10 divided dose vials)
2g L-Carnitine/10ml monodosimetric vial
(BT x 10)

EFFERVESCENT GRANULES:

1g L-Carnitine/sach.
(BT x 10 sachets X 3,5g)
(BT x 30 sachets X 3,5g)
2g L-Carnitine/sach.
(BT x 10 sach x 5g)
(BT x 30 sach x 5g)



Sodium chloride + Potassium chloride + Sodium citrate + Dextrose

DEXTROLYTE®


INDICATIONS

Prevention and treatment of electrolytic disorders and dehydration due to diarrhea.



EFFERVESCENT GRANULES:

0.875g Sodium chloride + 0.375g
Potassium chloride + 0.725g Sodium citrate + 5.00g Dextrose anhydrous/sachet
(BT x 20 sach.)





Pharmaceutical Laboratories S.A.

Vitamins



Ascorbic Acid + Calcium Carbonate + Vitamin D
Pyridoxine Hydrochloride + Citric Acid

VITORANGE CALCIUM®

INDICATIONS

Prevention of Vitamin C, D and Calcium deficiency.
Osteoporosis, during infections, convalescence, aging, scurvy.



FORMS &
PACKAGING

GRANULES ORAL SD:
BT X 10 sach.

GRANULES OR SUS:
Bottle of 200g
(20 doses x 10g)

EFF. TABLETS:
Tube of 12 tabs



MALARIA & AUTOIMMUNE DISORDERS MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Malaria & Autoimmune Disorders



Chloroquine Phosphate **UNIKINON®**

INDICATIONS

Treatment of malaria, amoebic hepatitis and abscess, discoid and systemic lupus erythematosus and rheumatoid arthritis. Also, in prophylaxis and suppression of malaria.



TABLETS:

200 mg Chloroquine Phosphate
BT x tablets

250 mg Chloroquine Phosphate
BT x 30 tablets

500 mg Chloroquine Phosphate
BT x 30 tablets



SKIN DISORDERS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Skin Disorders



Methoxsalen **MELAOLINE®** INDICATIONS

Photochemotherapy, psoriasis, repigmentation of idiopathic vitiligo



FORMS &
PACKAGING

TABLETS:

10mg Methoxsalen/tablet
(BT x 30 tablets)




EAR DISORDERS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Ear Disorders



Acetic acid

INSTARET®

INDICATIONS

Otic topical antibacterial/antifungal.



FORMS &
PACKAGING

EAR DROPS:
2% Acetic Acid (Bottle of 15ml)



LOCAL ANESTHETICS

MEDICINAL PRODUCTS



Pharmaceutical Laboratories S.A.

Local Anesthetics



Lidocaine hydrochloride **CONSOLID®**

INDICATIONS Anesthetic.



INJ.SOL 20MG/ML
BT X 3 amp X 5ml
BT X 5 amp X 5ml



FOOD SUPPLEMENTS



Pharmaceutical Laboratories S.A.

Food Supplements

D3fix®, D3fix® extra, D3fix® max, D3fix® ultra

Vitamin D3 (cholecalciferol)
containing 1200 IU, 2000 IU,
4000 IU and 10000 IU respectively

INDICATIONS

Vitamin D3 is produced through the photolytic action of ultraviolet radiation in the skin. Even though each organism can produce Vitamin D3, the modern lifestyle and inadequate exposure to sunlight results to Vitamin D3 deficiency, which can only be supplemented through food, as its purpose in maintaining the organism in a good condition is highly important.

Vitamin D contributes to:

Normal absorption/utilisation of calcium and phosphorus
Normal blood calcium levels
The maintenance of normal bones and teeth
The normal function of the immune system and muscles
The process of cell division



Each D3fix® (1200 IU Vit D3 per tablet), D3fix® extra (2000 IU Vit D3 per tablet), D3fix® max (4000 IU Vit D3 per tablet) contains: 60 bisected tablets
D3fix® ultra (10000 IU Vit D3 per tablet) contains: 30 bisected tablets

D3 Cal fix®

Calcium 500 mg
+ D3(cholecalciferol) 800 I.U.

INDICATIONS

D3 Cal fix® is a new food supplement, a combination of calcium and vitamin D3, which provides 500 mg Ca per sachet and 800 IU (20 µg) vitamin D3 (cholecalciferol). Calcium is needed for the maintenance of normal bones and teeth and vitamin D contributes to normal absorption/utilization of calcium, normal calcium blood level and the maintenance of normal bones.

D3 Cal fix®, thanks to its composition, helps in cases where an increased dietary need of calcium and vitamin D is established.

D3 Cal fix® does not contain sugar, sodium and lactose and it is suitable for diabetics.



20 sachets of effervescent granules



Pharmaceutical Laboratories S.A.

Food Supplements



D3fix® + K2

Vitamin D3 (cholecalciferol) and vitamin K2 (menaquinone) containing 800 IU + 45mg, 1200 IU + 45 mg, 2000 IU + 45mg and 4000 IU + 45mg respectively

INDICATIONS

Vitamins D & K are fat soluble vitamins and play an essential role in maintaining the organism in a good condition.

Vitamin D3 is produced in the skin through the photolytic action of ultraviolet radiation. Besides the fact that each organism can produce Vitamin D3, the modern lifestyle and the inadequate exposure to sunlight result to Vitamin D3 deficiency, which must be supplemented through nutrition.

Vitamin K is a cofactor in a number of biochemical pathways and it can be found in leafy green vegetables and in fermented dairy products.

Vitamin D3 contributes to:

- Normal absorption/utilisation of calcium and phosphorus
- Normal blood calcium levels
- The maintenance of normal bones & teeth
- The maintenance of normal muscle function
- The normal function of the immune system
- The process of cell division

Vitamin K2 contributes to:

- Normal blood clotting
- The maintenance of normal bones



Each D3fix® + K2 (800 IU + 45 mg Vit D3 per tablet),
D3fix® + K2 (1200 IU + 45 mg Vit D3 per tablet),
D3fix® + K2 (2000 IU + 45 mg Vit D3 per tablet) and D3fix® + K2 (4000 IU + 45 mg Vit D3 per tablet)

PACKAGING CONTAINS:
60 bisected tablets



Pharmaceutical Laboratories S.A.

Food Supplements

IODO-fix®

Iodine 200mg
(as potassium iodide).



INDICATIONS

Iodine is an essential structural component of the thyroid hormones T3 and T4, which play a decisive role in the general metabolism and growth of the human body.

Lack of iodine could lead to the decreased production of T3 and T4 with all that implies for the smooth functioning of the body [various diseases of the thyroid gland (e.g. goiter), mental retardation].



60 quadrasket tablets
(200µg Iodine as potassium iodine per tablet).

Magne & B6 fix®

Magnesium 100 mg
& Vitamin B6 8.2 mg



INDICATIONS

Magnesium & Vitamin B6 contributes to normal functioning of the nervous system and the metabolic processes aimed at producing energy, the normal psychological state and the reduction of tiredness and fatigue.

Magne & B6 fix®, thanks to the Magnesium and vitamin B6 it contains and their properties, helps to normalize the functioning of both the nervous and muscular system in numerous cases such as the premenstrual syndrome (PMS). At the same time, contributes to the hematopoietic function and the energy production that is necessary for the treatment of fatigue that accompanies this syndrome.



30 sachets of granules for oral solution

Cranfix®

A unique combination of cranberry extract with vitamin C, selenium and zinc, which has been designed to contribute to the normal function of the immune system of people suffering from repeated urinary tract infections. Urinary tract infection (UTIs) are among the most common of a bacterial infections.



INDICATIONS

CRANFIX®, thanks to its rich in proanthocyanidins (PACs) cranberry extract, inhibits the ability of bacteria E. coli to adhere to urinary epithelium. Vitamin C, Selenium and Zinc contribute to a normal function of the immune system.



CRANFIX® delivers stable and guaranteed amount 18mg PACs per capsule.
With only 2 capsules CRANFIX® daily, the patient takes the minimum amount of PACs (36mg) which is required for cranberries antibacterial action.



Pharmaceutical Laboratories S.A.

Food Supplements

LactoLevure®

Unique combination of lyophilized yeasts (*Saccharomyces boulardii*), lactobacillus (2 different species) and intra-symbiotic bacteria (Bifidobacteria).

INDICATIONS

Situations of intense stress, abrupt climate changes, poor eating habits, antibiotic treatments and low fiber intake could upset the intestinal balance causing digestive difficulties, bloating, flatulence, pain and changes in bowel movements (diarrhea or constipation). The four probiotic strains which LactoLevure® combines (*Saccharomyces boulardii*, *Bifidobacterium lactis*, *Lactobacillus acidophilus*, *Lactobacillus plantarum*) are constant at the temperature and the secretions of the digestive system, effective and safe.



10 capsules in blister
(5,5 billion live cells per capsule).



LactoLevure® Adults Symbiotic

Lactobacillus rhamnosus, *Bifidobacterium longum*, *Lactobacillus acidophilus*, FOS, psyllium husk fiber

INDICATIONS

Symbiotic food supplement for adults containing minimum 5x10⁸ live bacteria (*Lactobacillus rhamnosus*, *Bifidobacterium longum*, *Lactobacillus acidophilus*) per sachet, fructooligosaccharides and dietary fiber from Psyllium, which act as a nutritional substrate for the development of beneficial microbial flora



GRANULES FOR ORAL SOLUTION
BT x 20 sticks



LactoLevure® Start Symbiotic

Lactobacillus rhamnosus,
Bifidobacterium longum, FOS

INDICATIONS

Symbiotic food supplement for children that containing minimum 1x10⁸ live bacteria (*Lactobacillus rhamnosus* & *Bifidobacterium longum*) per sachet and fructooligosaccharides, which act as a nutrient substrate for the growth of normal bacterial flora of the intestine.



GRANULES FOR ORAL SOLUTION
BT x 20 sticks



Pharmaceutical Laboratories S.A.

Food Supplements



LactoLevure® IBS

3 selected lactic acid bacteria strains & vitamin D

INDICATIONS

IBS LACTOLEVURE® is a food for special medical purposes for the dietary management of Irritable Bowel Syndrome (IBS). It contains a combination of 3 selected lactic acid bacteria strains and vitamin D, with a mechanism of action on key elements of IBS pathophysiology.



30 sticks
Orodispersible granules



LactoLevure® Cran

Lactobacillus rhamnosus, Bifidobacterium longum, Vitamin C, Cranberry extract (40% Proanthocyanidins)

INDICATIONS

Vitamin C contributes to the normal function of the immune system while protecting the cells from oxidative stress, the probiotics help in the restoration and maintenance of the intestinal flora and the rich in proanthocyanidins (PACs) cranberry extract, inhibits the ability of bacteria *E. coli* to adhere to urinary epithelium.



Granules for oral suspension
BT x 20 sticks

B12 fix®

Vitamin B12, 1000µg

INDICATIONS

The B12 fix® tablets are designed to be dispersed in the oral cavity resulting an easy and instant passage into the bloodstream for Vitamin B12. Thus, a maximum absorption is achieved as no contact with the stomach contents takes place and it is not destroyed by gastric fluids.



30 orodispersible tablets.

B complex fix®

Vitamin B1, B2, B6, B12

INDICATIONS

B Complex fix® ingredients assist in the normal function of nervous system and in energy-yielding metabolic processes. Moreover, its consistency in Vitamins B1, B2 B6 & B12 helps in maintaining a normal psychological function and in the reduction of tiredness and fatigue.



30 orodispersible tablets.



Food Supplements



Euzoe®

Melatonin & Vitamin B12 & Passiflora, Crataegus, Ballota nigra & Valerian extracts

INDICATIONS

Euzoe is designed to regulate your sleep cycle, helps reduce fatigue and enhances your mental health.

- GLUTEN, DAIRY PRODUCTS, SOY, GMOS FREE
- LOW SUGARS & SODIUM
- SUITABLE FOR DIabetICS

Dosage: 1 tablet per day



30 film coated tablets



Lactofix®

5000 FCC / per tablet

INDICATIONS

Lactase is a natural enzyme which breaks down lactose. It's an ideal food supplement for individuals who have difficulty digesting dairy products that contributes to the reduction of symptoms of lactose intolerance.

- GLUTEN, LACTOSE & YEAST FREE
- LOW SUGARS, FAT & SALT



25 chewable tablets



Glutenfix®

Protease 75.000 HUT, Protease 500 SAPU, Protease 125 DPP-IV / capsule

INDICATIONS

Glutenfix® is a complex of 3 proteolytic enzymes (proteases) for taking along with food containing cereal proteins.



25 capsules



Pharmaceutical Laboratories S.A.

Food Supplements

Hypnofix®

Melatonin 2mg

INDICATIONS

Melatonin helps to reduce the time taken to fall asleep. Melatonin can alleviate the consequences of jet lag and relieve the subjective feeling of time-lag of the biological clock.

- **SUGARS, GLUTEN, DAIRY PRODUCTS, SOY, GMOS FREE**



30 film coated tablets

Hypnofix® Strips

Melatonin 1mg + Vitamin B6 1mg

INDICATIONS

Hypnofix® strips help reduce the time needed to fall asleep and the feeling of fatigue, promoting a restful sleep. They contribute to the improvement of the symptoms of jet lag and contribute to the normal function of the nervous system.

- **FOR FALLING ASLEEP FASTER & FOR THE IMPROVEMENT OF THE SYMPTOMS OF JET LAG**
- **LOW SUGARS**



24 orodispersible strips

Travel fix®

Ginger Extract 500mg

INDICATIONS

Travelfix, thanks to Ginger extract, helps relieve nausea and travel sickness, without causing drowsiness.

- **SUGARS AND PRESERVATIVES FREE**



10 tablets



Pharmaceutical Laboratories S.A.

Food Supplements



TONOSAN® sidirobooster + B12 With Iron, vitamin B12, Glutamine & Serine

INDICATIONS

TONOSAN® Sidirobooster + B12 is a food supplement in oral solution, in the practical «push & drink» single-dose vials, which meets needs in iron and vitamin B12.

The composition of TONOSAN® Sidirobooster + B12 is enriched with the amino acids Glutamine and Serine, the adequacy of which appears to have a significant positive effect in cases of cognitive dysfunctions, enhancing performance related to learning, concentration, attention and memory.



15 single-dose vials
with cap containing powder for dissolution

TONOSAN® B12 booster With vitamin B12, Glutamine & Serine

INDICATIONS

TONOSAN® B12 booster is a food supplement in oral solution, in the practical «push & drink» single-dose vials, which meets daily needs in vitamin B12.

The composition of TONOSAN® B12 booster is enriched with the amino acids Glutamine and Serine which, when present they appear to have a significant positive effect in cases of cognitive dysfunctions, enhancing performance related to learning, concentration, attention and memory.



15 single-dose vials
with cap containing powder for dissolution



TONOSAN® sidiroFOLIC With iron & folic acid & Vitamins B6, B12, C & D

INDICATIONS

TONOSAN® SidiroFOLIC is a food supplement in the practical form of orodispersible granules in a stick, that meets the daily needs in iron and folic acid, without requiring the use of water.

Its enhanced composition with vitamins B6 & B12 promotes the formation of red blood cells, the reduction of fatigue and tiredness and contributes to the normal function of the nervous and immune system in combination with vitamins C & D.



ORODISPERSIBLE GRANULES
20 sticks





Pharmaceutical Laboratories S.A.

Food Supplements

TONOSAN® osteoGOLD

With Calcium, Magnesium, Vitamins D&K & edible Gold

INDICATIONS

TONOSAN® OSTEOGOLD is a food supplement specially designed that:

- Strengthens and maintains normal bone status due to calcium, magnesium, vitamins D & K
- Helps maintain normal muscles & teeth by providing calcium & vitamin D
- Boosts the absorption of calcium from the intestine (vitamin D) and in combination with vitamin K contributes to the normal blood clotting. The composition is enriched with edible gold.



FORMS &
PACKAGING

GRANULES FOR ORAL SOLUTION
20 sticks



TONOSAN® LiverDETOX

With Milk thistle & Broccoli extracts, Choline, Curcumin & Vitamin C

INDICATIONS

TONOSAN® Liver Detox is a food supplement specially designed to help physically eliminate harmful substances accumulated in the liver and enhance the normal functioning of liver cells.


TONOSAN® Liver Detox offers ingredients that:

- Support and enhance hepatic function such as choline and milk thistle extract which contains a stable amount of silymarin and it is indicated in cases of liver toxicity of various etiologies (alcohol, medicines or metabolic dysfunctions) and in case of inflammation or cirrhosis of the liver.
- Provide strong antioxidant activity in liver cells and enhance liver detoxification such as broccoli extract, vitamin C and curcumin.



FORMS &
PACKAGING

GRANULES FOR ORAL SUSPENSION
20 sticks



TONOSAN® multiVitamin

With 10 vitamins, Minerals & Trace elements

INDICATIONS

TONOSAN® multiVitamin is a food supplement with 10 vitamins, minerals and trace elements which helps maintain the proper body function of the organism of both young & older people, complementing their daily needs in micronutrients while ensuring the energy, the invigoration and the protection they need. Thanks to the combination of vitamins B complex, Vitamin A, Selenium, Zinc and Copper, the normal functioning of the immune system is enhanced, thus strengthening the body to cope more efficiently during morbidity, while at the same time the combination of vitamins B complex and Copper enhances the energy production and reduces fatigue and tiredness.

Furthermore, Zinc offers a boost in cognitive function while Chromium contributes to maintaining normal blood glucose levels. The composition is enhanced with vitamins C & E for antioxidant cell protection as well as vitamin D for daily support of healthy bones and teeth.



FORMS &
PACKAGING

15 single-dose vials
with cap containing powder for oral suspension





Pharmaceutical Laboratories S.A.

Food Supplements



TONOSAN® Brain energy booster With vitamin B complex, Zinc, Glutamine, Serine & Siberian Ginseng

INDICATIONS

TONOSAN® Brain energy booster is a food supplement specially designed for the enhancement of mental performance and memory, especially in periods when the demand for efficient mental work is essential. B-complex vitamins (B2, B6, B12) promote the normal function of the nervous system and the production of energy whilst reducing fatigue and enhancing good psychological function. Furthermore, the adequacy of Zinc intakes contributes to improving cognitive functions.



15 single-dose vials with
cap containing powder for dissolution

TONOSAN® multi Vitamin 50+

With coenzyme Q10, Ginkgo biloba, vitamins, minerals, trace elements, carotenoids & amino acids

INDICATIONS

TONOSAN® multivitamin 50+ is a food supplement specifically designed to help maintain the proper functioning of the body for individuals aged 50 years & older. TONOSAN® multivitamin 50+ covers the daily nutritional needs that enhance the maintenance of good functioning of heart, immune system, memory, cerebral function, vision, bones as well as the maintenance of energy, vitality and good psychology of people of this age.

Vitamins A, D, E, C, B1, B2, B3, B6, B12, B5, Folic acid, Iron, Zinc, Selenium, Chromium, Iodine, Calcium, Zeaxanthin, Lutein, Coenzyme Q10, β -carotene, Lycopene, Serine, Carnitine, Arginine & Ginkgo biloba extract



60 three-layer tablets



TONOSAN® Skin-Hair-Nails booster With biotin, zinc, vitamins D & C, curcumin & hyaluronic

INDICATIONS

TONOSAN® Skin-Hair-Nails booster is a specially designed food supplement in oral solution for the enhancement and maintenance of healthy skin, hair and nails.

TONOSAN® Skin-Hair-Nails booster thanks to biotin, zinc and vitamin C promotes the production of collagen and keratin resulting in a youthful & luminous appearance of the skin, healthy and shiny hair as well as the formation of strong and robust nails.



15 single-dose vials with
cap containing powder for oral suspension





Pharmaceutical Laboratories S.A.

Food Supplements



TONOSAN® Sports booster With creatine, L-carnitine, magnesium, inositol & BCAA


INDICATIONS

TONOSAN® Sports booster thanks to creatine enhances physical performance especially in short duration and high intensity exercises while the simultaneous contribution of L-carnitine & essential branched chain amino acids (BCAA) in 4:1:1 ratio, vitamin B1, B2, B6, B12, C and inositol promote energy production that the body needs, helping to repair muscle damage.



FORMS &
PACKAGING

GRANULES FOR ORAL SOLUTION
20 sticks



PROLIPID® MAX

Fish oil (Omega-3 Polyunsaturated Fatty Acids) & Vitamin E

INDICATIONS

EPA and DHA contribute to the normal function of the heart. The beneficial effect is obtained with a daily intake of 250 mg of EPA and DHA. Vitamin E contributes to the protection of cells from oxidative stress



FORMS &
PACKAGING

SOFT GELATIN CAPSULES:

Fish oil 1000 mg (EPA 360 mg + DHA 140 mg) & Vitamin E 8 mg (BT x 30 soft gel caps)



Trebon® Honey

Althaea officinalis extract & Honey.

INDICATIONS

TREBON® Honey syrup contributes to the alleviation of dry cough and sore throat. Formulated with honey and Althea root extract that have health beneficial properties, TREBON® Honey helps in the reduction of oropharyngeal mucosal irritation and inflammation, contributing to the prevention of dry cough triggering and soothing of sore throat.



FORMS &
PACKAGING

BOTTLE:
100ml



Pharmaceutical Laboratories S.A.

Food Supplements



Ascorbic acid

VITORANGE®

INDICATIONS

Vitamin C deficiency. Antioxidant.



EFFERVESCENT TABLETS:

1000mg Ascorbic acid/tab.
(BT X 12 eff.tablets)

GRANULES ORAL SOLUTION:

1000mg Ascorbic acid/sach.
(BT X 10 sach.X5g)



Ascorbic acid

VITORANGE® PROBIO

Ascorbic acid & *Lactobacillus rhamnosus*, *Bifidobacterium longum*

INDICATIONS

VITORANGE® PROBIO has a unique combination of probiotics *Lactobacillus rhamnosus*, *Bifidobacterium longum*, and 1 g of vitamin C achieving an immediate boost while taking care of the intestinal microbiome and naturally supporting the immune and digestive systems. Vitamin C is proven to contribute to the proper functioning of the immune system, protects against oxidative stress and at the same time helps reduce tiredness.



GRANULES FOR ORAL SUSPENSION:

BT x 20 Sticks



Urisedon®

320 mg Serenoa repens

INDICATIONS

Contributes to the physiological function of the prostate and of the urinary system.

Sugars & Sodium Free



SOFT GELATIN CAPSULES:

(BT x 30 soft gel caps)



CardioSalt®

Mineral Salt with 50% less sodium content.
Alternative to table salt.

INDICATIONS

In Cardio Salt, the sodium salt is partly replaced by potassium, magnesium and calcium salts. The substitution of common table salt with Cardio Salt can help in decreased sodium consumption & maintenance of regular blood pressure, without compromise in food taste.

50% less sodium content

Trace elements from Greek Sea

Rich in Potassium

Low sugars, Preservative free



BOTTLE

(BT x 250g)



MEDICAL DEVICE



Pharmaceutical Laboratories S.A.

Medical Device



Instaret® Herbal Ear drops

INDICATIONS

Ear drops for the treatment of irritations of the external ear canal caused by fungal infections, eczemas and dermatitis.



BOTTLE for Drops
10ml



Repel® Mycoclean

Elimination treatment for fungi infections of the nails (Onychomycosis)

INDICATIONS

Changes the microenvironment of nails & aims to the elimination of fungus

REPEL MycoClean is a medical device that aims to eliminate the fungi occurring in toenails and, more rarely, in fingernails. The product acts naturally by inhibiting the growth of fungal diseases, as it reduces the pH of the nails and creates an adverse environment for the development of dermatophytes (fungi responsible for a variety of fungal infections). Its action, based on the long-term acidification of the microenvironment of the finger nails, is purely topical and targeted and has no pharmaceutical effect against fungi. REPEL MycoClean contains a combination of herbal oils that takes care and strengthens the nails.



Pen
3ml

**NATURAL MODE OF ACTION,
WITHOUT PHARMACEUTICAL SUBSTANCES**



Pharmaceutical Laboratories S.A.

Medical Device



Repel® Wart Clean

Patch for the treatment of warts


INDICATIONS

Changes the microenvironment of nails & aims to the elimination of fungus
Repel Wart Clean is recommended for the treatment of warts caused by the common Verruca vulgaris simplex, that usually appears on feet.

Repel Wart Clean facilitates their physiological recovery in a purely mechanical way, without the use of pharmaceutical substances

12 Discreet, Transparent & Comfortable patches

Suitable for Verruca vulgaris



Afta Clean®

Patches for mouth ulcers

INDICATIONS

AFTA Clean® is an innovative product in the form of patches that is indicated as a protective adjuvant in the treatment of mouth ulcers, promoting their healing in addition to providing pain relief. The presence of low molecular weight hyaluronic acid, thanks to its film-forming and moisturising properties, allows protective action while keeping the epidermal cells of the mucosa in a state of trophism which indirectly enables the process of cell regeneration in the damaged mucosa.

10 patches for mouth ulcers with Hyaluronic Acid



Pharmaceutical Laboratories S.A.

Medical Device



Uniburn® After Sun

Promotes healing & soothes sun burns
2 in 1 Gel & Yogurt
Face & Body

INDICATIONS

LISOFIX® lozenges soften the sore throat & relieve the oral cavity
UNIBURN® After Sun is a soothing gel for application after prolonged sun exposure. Its patented formula of natural yogurt and an innovative gel is ideal for care of damaged skin after prolonged sun exposure.


- Soothes irritation & redness
- Relieves pain and burning
- Hydrates the skin



BOTTLE
50g (2 tubes of 25g)

How does it work?

Uniburn®'s innovative gel & yogurt contained in 2 separate tubes, are mixed at the time of application.



1 gel of hyaluronic acid & sucralfate

The **gel of hyaluronic acid** with **sucralfate**, creates a **protective film** that isolates the affected area and ensures moisture balance of the upper layers of the skin, accelerating the **natural restoration process**.

2 natural yogurt

Yogurt, known for its **soothing action** due to its components (proteins, carbohydrates, vitamins & minerals), is an excellent **anti-flogistic** and **anti-irritant** agent offering **immediate relief from burning and redness**.



SORE THROAT



Pharmaceutical Laboratories S.A.

Sore Throat

Lisofix® Adults

With botanical extracts of glycyrrhiza (liquorice), propolis, acacia, thyme & althea officinalis

INDICATIONS

LISOFIX® lozenges soften the sore throat & relief the oral cavity and pharynx from dryness, burning and irritations



TUBE
18x Lozenges



Lisofix® Junior

With botanical extracts of glycyrrhiza (liquorice), propolis, acacia, thyme & althea officinalis

INDICATIONS

LISOFIX® lozenges soften the sore throat & relief the oral cavity and pharynx from dryness, burning and irritations



TUBE
18x Lozenges





INSECT REPELLENTS



Insect Repellents



It's been approved by the WHO as a pesticide and by the US-EPA as a "biopesticide."

Repel® Insect Repellent IR3535®

INDICATIONS

Effective protection against insects

Anti-insect & body care – odorless

- Paraben free
- Suitable for all the family
- Odorless
- Dermatologically tested
- Suitable for all ages
- Effective against insects for 6-8 hours
- No greasy effect

Antirepelent effect on: *Mosquitoes *Ticks *Lice *Flies *Wasps *Bees



FORMS &

PACKAGING

SPRAY:
15ml, 50ml, 100ml, 150ml



PREVENT

RESTORE



0% fragrances, dyes, parabens

0% chemical pesticides

Dermatologically tested

Repel® Anti-Lice Complete Anti-lice System

PREVENT

INDICATIONS

Moisturizing Lotion for 48h Lice prevention

• Child friendly

- Clinically proven efficacy of active substances
- R3535 (20%) has a strong evidence based lice repellent action, effective for 48 hours after application.
- Multiple application package 200mL
- **Safe use on infants over 6 months old.**

RESTORE

INDICATIONS

**Easy, Fast & Efficient Elimination System,
Lotion / shampoo + comb**

• Eliminates lice in 15minutes

• Eliminates nits

• Mechanical elimination of lice, by suffocation

- Lice cannot become immune
- Easy, fast and efficient elimination of lice.
- Easy to rinse, does not leave residue
- Apply on dry hair as a lotion, allow to remain for 15 minutes, wet hair to create lather, wash hair as you would with a normal shampoo and rinse thoroughly.



COSMETICS



Pharmaceutical Laboratories S.A.

Cosmetics



Breath® Clean

Provitamin B5, Allantoin, Bisabolol

INDICATIONS

For fresh breath with mild antibacterial action



FORMS &
PACKAGING

BOTTLE for Spray
20ml

CURAderm® Scar Cream & Spray

Suitable for scars that appear after injuries, surgical incisions, burns or acne.

INDICATIONS

The clinically tested composition contributes to the regeneration process and the improvement of the color and texture of the scar.

- It promotes high quality skin's restoration and moisturization by enhancing its regenerative power.
- It restores the elasticity and uniformity of skin structure.

CLINICAL EVALUATION RESULTS

- Increase of skin's hydration & elasticity
- Decrease of transepidermal water loss
- Visible decrease of scar area & size
- Skin uniformity and color recovery
- Increase of skin smoothness



FORMS &
PACKAGING

TUBE
50ml

Bottle for Spray
125ml



Repel® After Bite

Pro-vitamin B5, natural chamomile extract & Canadian Willowherb

INDICATIONS

Soothing gel for sting relief

- Ammonia free • Suitable for all the family
- Dermatologically tested • Suitable for children over 1 year old



FORMS &
PACKAGING

TUBE GEL:
6,5ml





Pharmaceutical Laboratories S.A.



UNI-PHARMA S.A.
Pharmaceutical Laboratories,
14th km National Road,
GR 14564 Kifissia,
Athens - GREECE,
Tel.: +30-210 8072512,
www.uni-pharma.gr