

FOGYMA



IRON, THE CORNERSTONE OF A STRONG AND HEALTHY SOCIETY!



fatigue and low energy



Increased heart



Shortness of breath



Headaches



Dizziness



Chest pain




Organic Iron from EU:
Easy Absorption and
No Side Effect

Single-dose Plastic
ampoule: Compact
and Ready to use

Delicious taste:
Comfort for Pregnancy
and Children


Molecular structure



The structure of Iron complex will prevent iron molecules from interacting with chelates and reduce the side effects (Constipation, Diarrhea, Upper digestive troubles, Stained teeth...)

Can use IC (Iron polymaltose) during/after meal Convenience


IC (Iron polymaltose) transferred to its target to perform its functions compare to Ferrous salt (FS):



With IC (Iron polymaltose), the procedure is smooth and correct
 With Ferrous salt (FS), irons are released fast, exceeding the number of the deliver -> Non-transferrin bound iron (NTBI)-> Generates radical oxygen Species (ROS) -> Acute side effects and chronic side effects


This is the comparison between two forms: IC (Iron polymaltose) and Ferrous salt (FS)

IC (Iron polymaltose) in Felmato have smaller acute side effects compare Ferrous salt (FS)



(*) Toblli, J., & Brignoli, R. (2011). Iron (III)-hydroxide Polymaltose Complex in Iron Deficiency Anemia. *Arzneimittelforschung*, 57(06), 431-438.
 IC (Iron polymaltose) has smaller incidence of all side effects (Constipation, Diarrhea, Upper digestive troubles, Stained teeth...) in the analysis

IC (Iron polymaltose) in Felmato have smaller chronic side effects compare Ferrous salt (FS)



Studies have proved the low concentration of NTBI (Non-transferrin bound iron) of patients taking IC (Iron polymaltose) in comparison with those who take Ferrous salt (FS). The results are shown IC (Iron polymaltose) reduce the chronic side effects



TOP 100 Best Products for Family and Children



Available in Gulf and Africa countries: United Arab Emirates, Jordan, Iraq, Tunisia, Somalia, Ghana, etc.



WHY CHOOSE OUR FOGYMA



Using Ferrous Polymaltose:

- Less side effects
- Delicious: No fishy and metallic taste

Plastic ampoule: easy, convenient and safe to use



Using Inorganic iron:

- More side effects: constipation, diarrhea, etc
- Metallic taste: make pregnancy uncomfortable

Glass ampoule: unsafety



- Delicious
- Plastic ampoule: single dose
- Formulation:
 - Adding Folic acid and Vit B12 → necessary for pregnancy and growth of baby



- Still have metallic taste
- Glass bottle: no exact dose
- Formulation:
 - Single ingredients: less effectiveness



- Oral solution: no need for disintegration, easy to absorb, fast effect



- Tablet: need time for disintegration, more difficult to absorb, difficult to swallow for children