



CEPHALOSPORINS & BETALACTAM



GLOXIM 200

Composition : CEFIXIME TABLETS USP 200 / 500 MG

Indication : Cefixime is indicated for the treatment of certain infections caused by susceptible bacteria Label, 12, 13. These infections include respiratory tract infections, otitis media, skin and skin structure infections, bone infections and genitourinary tract infections.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOXIM 100 DT

Composition : CEFIXIME DISPERSIBLE TABLETS 50 / 100 / 200 / 500 MG

Indication : For use in the treatment of the following infections when caused by susceptible strains of the designated microorganisms: (1) uncomplicated UTI caused by *E. coli* and *P. mirabilis*, (2) otitis media caused by *H. influenzae* (beta-lactamase +ve and -ve strains), *M. catarrhalis* (most of which are beta-lactamase +ve), and *S. pyogenes*, (3) pharyngitis and tonsillitis caused by *S. pyogenes*, (4) acute bronchitis and acute exacerbations of chronic bronchitis caused by *S. pneumoniae* and *H. influenzae* (beta-lactamase +ve and -ve strains), and (5) uncomplicated gonorrhoea (cervical/urethral) caused by *N. gonorrhoeae* (penicillinase- and non-penicillinase-producing strains).

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOXIM 125 DT

Composition : CEFUROXIME AXETIL DISPERSIBLE TABLET 125 / 250 MG

Indication : Cefuroxime is a cephalosporin antibiotic and is used to treat certain infections caused by bacteria. These include pharyngitis, otitis media, sinusitis, and bronchitis. They also include urinary tract infections, gonorrhoea, Lyme disease, and impetigo.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



DROXIGLO 500

Composition : CEFADROXIL TABLETS USP 500 MG

Indication : For the treatment of the following infections (skin, UTI, ENT) caused by; *S. pneumoniae*, *H. influenzae*, staphylococci, *S. pyogenes* (Group A beta-hemolytic streptococci), *E. coli*, *P. mirabilis*, *Klebsiella* sp, coagulase-negative staphylococci and *Streptococcus pyogenes*.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



DROXIGLO 250 DT

Composition : CEFADROXIL DISPERSIBLE TABLETS 250 MG

Indication : For the treatment of the following infections (skin, UTI, ENT) caused by; *S. pneumoniae*, *H. influenzae*, staphylococci, *S. pyogenes* (group A beta-hemolytic streptococci), *E. coli*, *P. mirabilis*, *Klebsiella* sp, coagulase-negative staphylococci and *Streptococcus pyogenes*.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOCEFIM 500

Composition : CEPGALEXIN CAPSULES USP 50 / 100 / 250 / 500 MG

Indication : Cefalexin is a semi synthetic cephalosporin antibiotic for oral administration. Cefalexin is indicated in the treatment of the following infections: Respiratory tract infections; otitis media; skin and soft tissue infections; bone and joint infections; genito-urinary infections, including acute prostatitis and dental infections.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOROXIM 500

Composition : CEFUROXIME AXETIL TABLETS USP 250/500 MG

Indication : For the treatment of the following infections (skin, UTI, ENT) caused by; S. pneumoniae, H. influenzae, staphylococci, S.pyogenes (Group A beta-hemolytic streptococci), E.coli, P.mirabilis, Klebsiella sp, coagulase-negative staphylococci and Streptococcus pyogenes.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOCEFDINIR

Composition : CEFDINIR FOR ORAL SUSPENSION USP 125 MG

Indication : Cefdinir is an antibiotic indicated in the treatment Community-Acquired Pneumonia, Acute Maxillary Sinusitis, otitis media, strep throat, and cellulitis. Uncomplicated infections caused by staphylococcus aureus

Pack : 50 ml Bottle



GLOXIM SUSPENSION

Composition : CEFIXIME FOR ORAL SUSPENSION USP 50 MG / 100 MG

Indication : For use in the treatment of the following infections when caused by susceptible strains of the designated microorganisms: (1) Uncomplicated UTI caused by E. Coli and P.mirabilis, (2) Otitis media caused by H. influenzae (beta-lactamase +ve and -ve strains), M. Catarrhalis (most of which are beta-lactamase +ve) and S. pyogenes, (3) Pharyngitis and tonsillitis caused by S. pyogenes, (4) Acute bronchitis and acute exacerbations of chronic bronchitis caused by S. pneumoniae and H. influenzae (beta-lactamase +ve and -ve strains) and (5) Uncomplicated gonorrhoea (cervical/urethral) caused by N. gonorrhoeae (penicillinase and non-penicillinase producing strains).

Pack : 50 ml Bottle



BETALACTAM



GLOCEFIN

Composition : CEFALEXIN ORAL SUSPENSION BP 250MG/5ML

Indication : Cefalexin is a semi synthetic cephalosporin antibiotic for oral administration. Cefalexin is indicated in the treatment of the following infections: Respiratory tract infections; otitis media; skin and soft tissue infections; bone and joint infections; genito-urinary infections, including acute prostatitis and dental infections.

Pack : 60 ML



GLOMOXX

Composition : AMOXICILLINE POWDER FOR ORAL SUSPENSION 250 MG/5ML

Indication : Amoxicillin Oral Suspension is indicated for the treatment Acute bacterial sinusitis, Acute Otitis media, Acute streptococcal tonsillitis and pharyngitis, Acute exacerbation of chronic bronchitis, Community acquired pneumonia, Acute cystitis, Asymptomatic bacteriuria in pregnancy

Pack : 100 ML

FINISHED FORMULATION - BETALACTAM

CEPHALOSPORIN PRODUCTS

	STRENGTH
Cefadroxil & Clavulanic Acid Tablets	250+62.5 / 500+125 mg
Cefadroxil & Clavulanate Potassium granules for oral suspension	250+62.5 mg / 5 ml
Cefadroxil Oral Suspension	125 mg / 5 ml
Cefdinir Capsules USP	300 mg
Cefixime Tablets IP	100 / 200 mg
Cefixime Tablets USP	400 mg
Cefixime & Ofloxacin Tablets	100 / 100, 200 / 200 mg
Cefixime & Clavulanate Potassium Dispersible Tablets	50 / 31.25 mg, 100 / 62.5 mg
Cefixime & Clavulanate Potassium Tablets	200 mg / 125 mg
Cefixime Dispersible Tablets IP	50 / 200 mg
Cefixime For Oral Suspension IP	25 mg / 5 ml, 50 mg / 5 ml, 100 mg / 5 ml
Cefixime For Oral suspension USP	200 mg
Cefpodoxime & Clavulanate Potassium Granules For Oral Sus.	50 mg + 31.25 mg / 5 ml
Cefpodoxime Granules For Oral Suspension	50 mg / 5 ml
Cefpodoxime Proxetil & Potassium Clavulanate Tablet	125 mg+31.25 mg / 250 mg+62.5 mg
Cefpodoxime Proxetil & Ofloxacin Tablet	100+100 / 100+200 / 200+100 / 200+200 mg
Cefpodoxime Proxetil Tablet	100 / 200 mg
Cefuroxime Axetil & Potassium Clavulanate Tablets	125+31.25 mg / 250+62.5 mg
Cefuroxime Axetil For Oral Suspension	125 mg+5 ml
Cefuroxime Axetil Tablets USP	250 / 500 mg
Cephalexin Capsules	250/500 mg
Cephalexin Dispersible Tablets	125 / 250 mg
Cephalexin For Oral Suspension	125 mg / 5 ml

PENICILLIN PRODUCTS

	STRENGTH
Amoxicillin + Clavulanic Acid F.C. Tablets	250+125 mg / 500+125 mg
Amoxicillin + Clavulanic Acid Suspension	125+31.5 mg / 5 ml, 200+28.5 mg / 5 ml
Amoxicillin + Potassium Clavulanate Suspension	250+62.5 mg / 5 ml
Amoxicillin + Potassium Clavulanate Suspension	400+57 mg / 5 ml
Amoxicillin Capsules	250 / 500 mg
Amoxicillin Suspension	125+250 mg / 5 ml
Amoxicillin Tablets	250 mg
Ampicillin + Cloxacillin Capsules	250+250 mg
Ampicillin Dispersible Tablets	250 mg